PB84-152370

Industrial Waste Heat Recovery and the Potential for Emissions Reduction Volume 4. Standard Classification Codes 2-04-001-01 to 3-01-025-05

Energy and Environmental Analysis, Inc.
Arlington, VA

Prepared for

Industrial Environmental Research
Lab.-Cincinnati, OH

Feb 84

U.S. Department of Commerce
National Technical Information Service
NTIS

PB84-152370

EPA-600/7-84-020d
February 1984

INDUSTRIAL WASTE HEAT RECOVERY AND THE POTENTIAL FOR EMISSIONS REDUCTION, VOLUME 4: STANDARD CLASSIFICATION CODES 2-04-001-01 TO 3-01-025-05

by

Energy and Environmental Analysis, Inc.
1111 North 19th Street
Arlington, Virginia 22209

Contract Number 68-03-2622

Project Officer

Benjamin L. Blaney
Power Technology and Conservation Branch
Industrial Environmental Research Laboratory
Cincinnati, Ohio 45268

INDUSTRIAL ENVIRONMENTAL RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
CINCINNATI, OHIO 45268

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

TECHNICAL REPORT DATA

(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA-600/7-84-020d	2.	3. RECIPIENT'S ACCESSION NO. PB8 4 152370
4. TITLE AND SUBTITLE Industrial Waste Heat Recovery and the Potential for Emissions Reduction, Volume 4: Standard Classification Codes 2-04-001-01 to 3-01-025-C5		5. REPORT DATE February 1984
		6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S)		8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS Energy and Environmental Analysis, Inc. 1111 North 19th Street Arlington, VA 22209		10. PROGRAM ELEMENT NO. C2JN1E
		11. CONTRACT/GRANT NO. 68-03-2622
12. SPONSORING AGENCY NAME AND ADDRESS Industrial Environmental Research Laboratory U.S. Environmental Protection Agency Cincinnati, Ohio 45268		13. TYPE OF REPORT AND PERIOD COVERED Final: 10/25/77 - 3/28/79
		14. SPONSORING AGENCY CODE EPA-ORD/16

15. SUPPLEMENTARY NOTES

16. ABSTRACT

This report examines the applicability of conservation equipment to various industrial sectors, determines the net costs involved, and assesses the potential for conservation as a means of air pollution control. Predictions of the amount of waste heat available from U.S. industrial sources were made and a waste heat inventory was established. The inventory is segmented by industrial group, industry, process, and flue gas temperature. The waste heat recovery equipment analysis determined the costs and applications of a variety of waste heat recovery equipment. The analysis examined five major equipment types and their limitations. Cost functions were developed which used furnace flue gas flow rate and temperature, and air preheat temperature as inputs. A discussion of the major factors to be considered for the development of heat recovery equipment also is included. A discussion on the availability and development of high temperature burners and the effects of high preheat temperature on ancillary equipment is included. High preheat temperatures result in higher flame temperatures and correspondingly higher NO_x emissions. This issue also has been addressed in this report. Volume 1 describes study methodology and findings. Volumes 2 through 10 tabulate stack gas waste heat inventories for all the industrial processes studied.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group

18. DISTRIBUTION STATEMENT Release to Public	19. SECURITY CLASS *(This Report)* Unclassified	21. NO. OF PAGES 548
	20. SECURITY CLASS *(This page)* Unclassified	22. PRICE

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE

NOTICE

This document has been reviewed in accordance with U.S. Environmental Protection Agency policy and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

ABSTRACT

This analysis estimates the environmental consequences of industrial energy conservation. The benefits and problems of using energy conservation equipment depend upon the net costs of using industrial energy conservation technologies and traditional air pollution control techniques. This report examines the applicability of conservation equipment to various industrial sectors, determines the net costs involved, and assesses the potential for conservation as a means of air pollution control.

Predictions of the amount of waste heat available from U.S. industrial sources were made and a waste heat inventory was established. The inventory is segmented by industrial group, industry, process, and flue gas temperature. A description of the theoretical basis for the inventory, the method of execution, the limitations of the analysis, and the results are included.

The waste heat recovery equipment analysis determined the costs and applications of a variety of waste heat recovery equipment. The analysis examined five major equipment types and their limitations. Cost functions were developed which used furnace flue gas flow rate and temperature, and air preheat temperature as inputs.

A discussion of the major factors to be considered for the development of heat recovery equipment also is included. Since a major waste heat recovery technology involves preheating combustion air, a discussion on the availability and development of high temperature burners and the effects of high preheat temperature on ancillary equipment is included. High preheat temperatures result in higher flame temperatures and higher NO_x emissions. This issue also has been addressed in this report.

The above information is presented in Volume 1 of the report, with the exception of the stack gas waste heat inventories for each industrial process. These are tabulated in Volumes 2 through 10 of the report.

This report was submitted in fulfillment of Contract No. 68-03-2622 by Energy and Environmental Analysis, Inc. under sponsorship of the U.S. Environmental Protection Agency. This report covers the period October 25, 1977 to March 28, 1979 and work on this project was completed in October 1981.

FOREWORD

When energy and material resources are extracted, processed, converted, and used, the related pollutional impacts of our environment and even on our health often require that new and increasingly more efficient pollution control methods be used. The Industrial Environmental Research Laboratory - Cincinnati (IERL-Ci) assists in developing and demonstrating new and improved methodologies that will meet these needs both efficiently and economically.

This report describes the flue gas waste heat recovery potential for various industrial processes and the techniques available for recovering that thermal energy. The potential for emission reduction through waste heat utilization is discussed. This report should be useful to businesses and government agencies concerned with both energy conservation and pollution reduction. Further information on this subject may be obtained from the Energy Pollution Control Division of IERL-Ci.

David G. Stephan
Director
Industrial Environmental Research Laboratory
Cincinnati

CONTENTS

Disclaimer ii
Abstract iii
Foreword iv
Contents v
Table vi
1. Introduction 1
2. Waste Heat Inventory 3

TABLE

1. Division of Stack Gas Waste Heat Inventory into Volumes 2 to 10 of Report 2

SECTION 1

INTRODUCTION

STUDY OBJECTIVES

This study investigated the various applications of energy conservation technologies which recover waste heat from furnaces, boilers, and tubestill heaters. The three main objectives are: (1) to characterize feasible conservation equipment, (2) to determine possible market penetration, and (3) to study pollution formation from waste heat recovery equipment.

The five major components of the study were:

(1) Establishment of a waste heat inventory.

(2) Determination of feasible waste heat recovery technologies.

(3) Determination of factors affecting waste heat recovery and equipment limitations, specifically in furnaces, ovens, and kilns.

(4) Determination of compatibility between conservation equipment and available burner design.

(5) Determination of the effect of waste heat recovery devices on criteria pollutants with an emphasis on NO_x emissions.

The approach to each of these components and the principal results are presented in Volume 1 of the final report. The detailed waste heat inventory which was established as the first task of the study is presented in Volumes 2 to 10.

STACK GAS WASTE HEAT INVENTORY

One result of establishing a waste heat inventory was the development of computer tables and histograms showing the waste heat contents of stack gasses for different industrial processes. This information is contained in a lengthy set of computer printouts which were bound and published as Volumes 2 to 10 of the project report.

The information is presented by Source Classification Code (SCC), as used in EPA's National Emissions Data System (NEDS). Table 1 shows the industrial process SCC's which are covered in each of the nine volumes.

The material presented in this volume has an asterisk next to it. The title of each SCC is given in Appendix H of Volume 1 of the final report.

TABLE 1. Division of Stack Gas Waste Heat Inventory into Volumes 2 to 10 of Report

Volume Number	SCC's Covered
2	1-01-001-01 to 1-02-007-03
3	1-02-007-04 to 2-03-999-98
* 4	2-04-001-01 to 3-01-025-05
5	3-01-025-10 to 3-02-013-01
6	3-02-014-01 to 3-04-002-03
7	3-04-002-04 to 3-05-010-03
8	3-05-010-99 to 3-06-010-01
9	3-06-011-01 to 3-90-005-33
10	3-90-005-99 to 3-90-008-99

*Material covered in this volume.

SECTION 2

WASTE HEAT INVENTORY

INTRODUCTION

The waste heat inventory was established to determine the amount of waste heat available from all non-evaporative sources. The flue gas heat loss from these sources was tabulated and then disaggregated by flue gas temperature so that higher temperature sources, which offer the largest savings, could be identified readily.

The waste heat inventory is based on the Environmental Protection Agency's (EPA) National Emission Data System (NEDS) which examines both large and small sources. The NEDS data base provides the best available information on industrial sources in the U.S. and reports stack temperatures and flue gas flow rates. To develop the waste heat inventory, flue gas composition was estimated for flue gases from several fossil fuels at various fuel/air ratios. Using these results and and the NEDS data, functions for Btu's per actual cubic foot of flue gas were developed. From this information, a second set of functions was developed for the maximum, minimum, and expected flue gas waste heat content for each industrial facility. Details on this analysis is presented in Volume 1 of the final report.

In this volume of the report the waste heat inventory of those SCC industrial processes which are indicated by an asterisk in Table 1 are provided.

INVENTORY DESCRIPTION

The Source Code Classification (SCC) results are ordered numerically. Each SCC is divided into two groups: sources with and without pollution control equipment. If an SCC has entries in only one of the groups, i.e. with or without control equipment, then only that group is shown. The total SCC is presented in the same format.

The top left hand corner of each page of inventory output gives the SCC number and is followed immediately by a brief description of the SCC. The top line indicates whether the information concerns entries with pollution control equipment, without equipment, or the total SCC.

The entry SIC = 0 indicates that the SCC has not been further subdivided by Standard Industrial Classification (SIC). However, if a four-digit number is given, the output includes the SCC entries also in the four-digit SIC. TOT RECS indicates the total number of records that were processed for the waste heat calculation for that section of the SCC. If SIC does not equal zero, TOT RECS will refer to the number of records in the total SCC, rather than the SIC subdivision of the SCC.

The first calculation results are given by temperature range. The flue gas heat content, given in Btu's, is entered in the appropriate one hundred degree range according to the flue gas exit temperature.* The totals for the six different waste heat levels are given at the bottom of each column. The second page of the printout shows results tabulated by two-digit SIC's. The totals again appear at the bottom of each column. Finally, a histogram of the expected 60°F waste heat calculation is shown. This histogram allows a more comprehensive analysis of the relative significance of the waste heat content of the various flue gases. Each "H" on the histograms represents 1×10^{11} Btu's and the exact heat value is given in the column directly to the left of the histograms. Any range with a heat value over ten trillion Btu's will extend off the histogram scale and will not be reflected accurately.

---

*Note: 1 Btu = 1055J and $T(^{o}F) = 1.8T(^{o}C) + 32$.

```
SCC= 20400101--AIRCRAFT     TURBOJET            -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     35

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   0.- 100.     .0          .0          .0         .0          .0          .0
 101.- 200.     .0          .0          .0         .0          .0          .0
 201.- 300.     .516E 13    .394E 13    .125E 13   .0          .0          .0
 301.- 400.     .215E 12    .166E 12    .940E 11   .790E 10    .750E 10    .686E 10
 401.- 500.     .517E 12    .411E 12    .131E 12   .758E 11    .720E 11    .333E 11
 501.- 600.     .509E 12    .412E 12    .267E 12   .119E 12    .113E 12    .103E 12
 601.- 700.     .0          .0          .0         .0          .0          .0
 701.- 800.     .0          .0          .0         .0          .0          .0
 801.- 900.     .0          .0          .0         .0          .0          .0
 901.-1000.     .120E 13    .101E 13    .297E 12   .493E 12    .469E 12    .175E 12
1001.-1100.     .0          .0          .0         .0          .0          .0
1101.-1200.     .399E 12    .340E 12    .251E 12   .188E 12    .179E 12    .163E 12
1201.-1300.     .0          .0          .0         .0          .0          .0
1301.-1400.     .0          .0          .0         .0          .0          .0
1401.-1500.     .0          .0          .0         .0          .0          .0
1501.-1600.     .0          .0          .0         .0          .0          .0
1601.-1700.     .0          .0          .0         .0          .0          .0
1701.-1800.     .0          .0          .0         .0          .0          .0
1801.-1900.     .0          .0          .0         .0          .0          .0
1901.-2000.     .0          .0          .0         .0          .0          .0
2001.-2100.     .0          .0          .0         .0          .0          .0
2101.-2200.     .0          .0          .0         .0          .0          .0
2201.-2300.     .0          .0          .0         .0          .0          .0
2301.-2400.     .0          .0          .0         .0          .0          .0
2401.-2500.     .0          .0          .0         .0          .0          .0
2501.-2600.     .0          .0          .0         .0          .0          .0
2601.-2700.     .0          .0          .0         .0          .0          .0
2701.-2800.     .0          .0          .0         .0          .0          .0
2801.-2900.     .0          .0          .0         .0          .0          .0
2901.-3000.     .0          .0          .0         .0          .0          .0

                .800E 13    .628E 13    .229E 13   .883E 12    .840E 12    .481E 12
```

```
SCC = 20400101--AIRCRAFT    TURBOJET            -NO CONTROL EQUIPMENT -TOT RECS =     35

SIC          MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
             60 DEG      60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
   35       .199E 12    .152E 12    .0          .0          .0          .0
   37       .655E 13    .513E 13    .183E 13    .657E 12    .625E 12    .285E 12
   45       .455E 12    .356E 12    .209E 12    .383E 11    .364E 11    .333E 11
   97       .797E 12    .643E 12    .251E 12    .188E 12    .179E 12    .163E 12


            .800E 13    .628E 13    .229E 13    .883E 12    .840E 12    .481E 12


CC = 20400101--AIRCRAFT     TURBOJET            --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     35

TEMP RANGE   COUNT

                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .0         !
 201.- 300.  .394E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .166E 12   !H
 401.- 500.  .411E 12   !HHHH
 501.- 600.  .412E 12   !HHHH
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .101E 13   !HHHHHHHHHH
1001.-1100.  .0         !
1101.-1200.  .340E 12   !HHH
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 20400101--AIRCRAFT     TURBOJET            -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      2

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .127E 13   .119E 13   .0         .0         .0         .0
  101.- 200.   .0         .0         .0         .0         .0         .0
  201.- 300.   .0         .0         .0         .0         .0         .0
  301.- 400.   .740E 13   .577E 13   .336E 13   .550E 12   .522E 12   .478E 12
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .867E 13   .697E 13   .336E 13   .550E 12   .522E 12   .478E 12
```

```
SCC = 20400101--AIRCRAFT    TURBOJET             -WITH CONTROL EQUIPMENT -TOT RECS =     2

SIC           MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   37        .127E 13  .119E 13   .0         .0         .0          .0
   97        .740E 13  .577E 13   .336E 13   .550E 12   .522E 12    .478E 12


             .867E 13  .697E 13   .336E 13   .550E 12   .522E 12    .478E 12


CC =20400101--AIRCRAFT     TURBOJET            ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2

TEMP RANGE   COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .119E 13   !HHHHHHHHHHH
 101.- 200.  .0         !
 201.- 300.  .0         !
 301.- 400.  .577E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 20400101--AIRCRAFT     TURBOJET              -TOTAL SCC -SIC =    0 -TOT RECS =     37

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .127E 13   .119E 13   .0         .0         .0         .0
  101.- 200.   .0         .0         .0         .0         .0         .0
  201.- 300.   .516E 13   .394E 13   .125E 13   .0         .0         .0
  301.- 400.   .761E 13   .594E 13   .345E 13   .558E 12   .529E 12   .484E 12
  401.- 500.   .517E 12   .411E 12   .131E 12   .758E 11   .720E 11   .333E 11
  501.- 600.   .509E 12   .412E 12   .267E 12   .119E 12   .113E 12   .103E 12
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .120E 13   .101E 13   .297E 12   .493E 12   .469E 12   .175E 12
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .399E 12   .340E 12   .251E 12   .188E 12   .179E 12   .163E 12
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .167E 14   .132E 14   .565E 13   .143E 13   .136E 13   .959E 12
```

```
SCC = 20400101--AIRCRAFT     TURBOJET              -TOTAL SCC -TOT RECS =      37

SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   35          .199E 12   .152E 12    .0         .0         .0          .0
   37          .782E 13   .632E 13    .183E 13   .657E 12   .625E 12    .285E 12
   45          .455E 12   .356E 12    .209E 12   .383E 11   .364E 11    .333E 11
   97          .820E 13   .642E 13    .361E 13   .738E 12   .701E 12    .640E 12


               .167E 14   .132E 14    .565E 13   .143E 13   .136E 13    .959E 12


CC 20400101--AIRCRAFT     TURBOJET             --TOTAL SCC  -SIC =    0 -TOT RECS =     37

EMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .119E 13 !HHHHHHHHHHH
 101.- 200.   .0       !
 201.- 300.   .394E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.   .594E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.   .411E 12 !HHHH
 501.- 600.   .412E 12 !HHHH
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .101E 13 !HHHHHHHHHH
1001.-1100.   .0       !
1101.-1200.   .340E 12 !HHH
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 20400201--ROCKET MOTOR SOLID PROPELLANT     -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      3

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 20400201--ROCKET MOTORSOLID PROPELLANT     -NO CONTROL EQUIPMENT -TOT RECS =      3

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG     300 DEG    300 DEG
```

```
SCC= 20400201--ROCKET MOTOR SOLID PROPELLANT      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP       MAXIMUM   EXPECTED   MINIMUM   MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG   60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 20400201--ROCKET MOTORSOLID PROPELLANT     -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 20499997--OTHER/NOT CL SPECIFY IN REMARK    -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1

   TEMP        MAXIMUM   EXPECTED   MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG   300 DEG   300 DEG    300 DEG
    0.- 100.   .0         .0         .0         .0         .0         .0
  101.- 200.   .0         .0         .0         .0         .0         .0
  201.- 300.   .0         .0         .0         .0         .0         .0
  301.- 400.   .0         .0         .0         .0         .0         .0
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .136E 10   .111E 10   .733E 09   .357E 09   .339E 09   .310E 09
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .136E 10   .111E 10   .733E 09   .357E 09   .339E 09   .310E 09
```

```
SCC = 20499997--OTHER/NOT CLSPECIFY IN REMARK    -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
  13         .136E 10   .111E 10   .733E 09   .357E 09   .339E 09   .310E 09


             .136E 10   .111E 10   .733E 09   .357E 09   .339E 09   .310E 09


CC = 20499997--OTHER/NOT CL SPECIFY IN REMARK   --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .0        !
  101.- 200.  .0        !
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .111E 10  !H
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 20499997--OTHER/NOT CL SPECIFY IN REMARK     -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1

   TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG      60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.   .0          .0          .0          .0          .0          .0
  101.- 200.   .286E 11    .269E 11    .144E 11    .0          .0          .0
  201.- 300.   .0          .0          .0          .0          .0          .0
  301.- 400.   .0          .0          .0          .0          .0          .0
  401.- 500.   .0          .0          .0          .0          .0          .0
  501.- 600.   .0          .0          .0          .0          .0          .0
  601.- 700.   .0          .0          .0          .0          .0          .0
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .286E 11    .269E 11    .144E 11    .0          .0          .0
```

```
SCC = 20499997--OTHER/NOT CLSPECIFY IN REMARK    -WITH CONTROL EQUIPMENT -TOT RECS =     1

SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM     EXPECTED     MINIMUM
               60 DEG     60 DEG       60 DEG      300DEG    300 DEG      300 DEG
   28         .286E 11   .269E 11    .144E 11   .0          .0           .0


              .286E 11   .269E 11    .144E 11   .0          .0           .0


CC =20499997--OTHER/NOT CL SPECIFY IN REMARK   ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE    COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .269E 11  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 20499997--OTHER/NOT CL SPECIFY IN REMARK    -TOTAL SCC -SIC =    0 -TOT RECS =      2

   TEMP        MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG      60 DEG       60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.   .0          .0           .0          .0          .0          .0
  101.- 200.   .286E 11    .269E 11     .144E 11    .0          .0          .0
  201.- 300.   .0          .0           .0          .0          .0          .0
  301.- 400.   .0          .0           .0          .0          .0          .0
  401.- 500.   .0          .0           .0          .0          .0          .0
  501.- 600.   .0          .0           .0          .0          .0          .0
  601.- 700.   .136E 10    .111E 10     .733E 09    .357E 09    .339E 09    .310E 09
  701.- 800.   .0          .0           .0          .0          .0          .0
  801.- 900.   .0          .0           .0          .0          .0          .0
  901.-1000.   .0          .0           .0          .0          .0          .0
 1001.-1100.   .0          .0           .0          .0          .0          .0
 1101.-1200.   .0          .0           .0          .0          .0          .0
 1201.-1300.   .0          .0           .0          .0          .0          .0
 1301.-1400.   .0          .0           .0          .0          .0          .0
 1401.-1500.   .0          .0           .0          .0          .0          .0
 1501.-1600.   .0          .0           .0          .0          .0          .0
 1601.-1700.   .0          .0           .0          .0          .0          .0
 1701.-1800.   .0          .0           .0          .0          .0          .0
 1801.-1900.   .0          .0           .0          .0          .0          .0
 1901.-2000.   .0          .0           .0          .0          .0          .0
 2001.-2100.   .0          .0           .0          .0          .0          .0
 2101.-2200.   .0          .0           .0          .0          .0          .0
 2201.-2300.   .0          .0           .0          .0          .0          .0
 2301.-2400.   .0          .0           .0          .0          .0          .0
 2401.-2500.   .0          .0           .0          .0          .0          .0
 2501.-2600.   .0          .0           .0          .0          .0          .0
 2601.-2700.   .0          .0           .0          .0          .0          .0
 2701.-2800.   .0          .0           .0          .0          .0          .0
 2801.-2900.   .0          .0           .0          .0          .0          .0
 2901.-3000.   .0          .0           .0          .0          .0          .0

               .300E 11    .280E 11     .151E 11    .357E 09    .339E 09    .310E 09
```

```
SCC = 20499997--OTHER/NOT CLSPECIFY IN REMARK    -TOTAL SCC -TOT RECS =      2

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   13        .136E 10   .111E 10    .733E 09   .357E 09   .339E 09    .310E 09
   28        .286E 11   .269E 11    .144E 11   .0         .0          .0


             .300E 11   .280E 11    .151E 11   .357E 09   .339E 09    .310E 09


CC 20499997--OTHER/NOT CL SPECIFY IN REMARK   --TOTAL SCC  -SIC =    0 -TOT RECS =      2

EMP RANGE    COUNT
                         ------------------------------------------------------------------------------------------------------
   0.- 100.   .0         !
 101.- 200.   .269E 11   !H
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .111E 10   !H
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 20499998--OTHER/NOT CL SPECIFY IN REMARK    -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      7

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 20499998--OTHER/NOT CLSPECIFY IN REMARK    -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 20499998--OTHER/NOT CL SPECIFY IN REMARK     -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 20499998--OTHER/NOT CLSPECIFY IN REMARK    -WITH CONTROL EQUIPMENT -TOT RECS =     1

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
TEMP OUTSIDE CURVES      50.0
TEMP OUTSIDE CURVES      50.0
TEMP OUTSIDE CURVES      50.0
```

```
SCC= 30100101--ADIPIC ACID  GENERAL CYCLOHEX    -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     17

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG      60 DEG     60 DEG    300 DEG    300 DEG     300 DEG
   0.- 100.    .234E 11   .220E 11   .938E 10   .0          .0          .0
 101.- 200.    .197E 12   .148E 12   .153E 11   .0          .0          .0
 201.- 300.    .216E 10   .164E 10   .855E 09   .0          .0          .0
 301.- 400.    .0         .0         .0         .0          .0          .0
 401.- 500.    .0         .0         .0         .0          .0          .0
 501.- 600.    .0         .0         .0         .0          .0          .0
 601.- 700.    .0         .0         .0         .0          .0          .0
 701.- 800.    .0         .0         .0         .0          .0          .0
 801.- 900.    .0         .0         .0         .0          .0          .0
 901.-1000.    .0         .0         .0         .0          .0          .0
1001.-1100.    .0         .0         .0         .0          .0          .0
1101.-1200.    .0         .0         .0         .0          .0          .0
1201.-1300.    .0         .0         .0         .0          .0          .0
1301.-1400.    .0         .0         .0         .0          .0          .0
1401.-1500.    .0         .0         .0         .0          .0          .0
1501.-1600.    .0         .0         .0         .0          .0          .0
1601.-1700.    .0         .0         .0         .0          .0          .0
1701.-1800.    .286E 12   .251E 12   .198E 12   .176E 12   .167E 12   .142E 12
1801.-1900.    .0         .0         .0         .0          .0          .0
1901.-2000.    .0         .0         .0         .0          .0          .0
2001.-2100.    .0         .0         .0         .0          .0          .0
2101.-2200.    .0         .0         .0         .0          .0          .0
2201.-2300.    .0         .0         .0         .0          .0          .0
2301.-2400.    .0         .0         .0         .0          .0          .0
2401.-2500.    .0         .0         .0         .0          .0          .0
2501.-2600.    .0         .0         .0         .0          .0          .0
2601.-2700.    .0         .0         .0         .0          .0          .0
2701.-2800.    .0         .0         .0         .0          .0          .0
2801.-2900.    .0         .0         .0         .0          .0          .0
2901.-3000.    .0         .0         .0         .0          .0          .0

               .508E 12   .423E 12   .223E 12   .176E 12   .167E 12   .142E 12
```

```
SCC = 30100101--ADIPIC ACID GENERAL CYCLOHEX     -NO CONTROL EQUIPMENT -TOT RECS =     17

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
  28        .383E 12   .330E 12   .223E 12   .176E 12   .167E 12   .142E 12
  99        .125E 12   .934E 11   .0         .0         .0         .0

            .508E 12   .423E 12   .223E 12   .176E 12   .167E 12   .142E 12


CC = 30100101--ADIPIC ACID  GENERAL CYCLOHEX    --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    17

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .220E 11   !H
 101.- 200.  .148E 12   !H
 201.- 300.  .164E 10   !H
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .251E 12   !HH
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100101--ADIFIC ACID  GENERAL CYCLOHEX      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      8
   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG      60 DEG    60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.    .167E 11    .157E 11   .383E 10   .0          .0          .0
  101.- 200.    .994E 11    .901E 11   .562E 11   .0          .0          .0
  201.- 300.    .0          .0         .0         .0          .0          .0
  301.- 400.    .0          .0         .0         .0          .0          .0
  401.- 500.    .0          .0         .0         .0          .0          .0
  501.- 600.    .0          .0         .0         .0          .0          .0
  601.- 700.    .0          .0         .0         .0          .0          .0
  701.- 800.    .0          .0         .0         .0          .0          .0
  801.- 900.    .0          .0         .0         .0          .0          .0
  901.-1000.    .0          .0         .0         .0          .0          .0
 1001.-1100.    .0          .0         .0         .0          .0          .0
 1101.-1200.    .0          .0         .0         .0          .0          .0
 1201.-1300.    .0          .0         .0         .0          .0          .0
 1301.-1400.    .0          .0         .0         .0          .0          .0
 1401.-1500.    .0          .0         .0         .0          .0          .0
 1501.-1600.    .0          .0         .0         .0          .0          .0
 1601.-1700.    .0          .0         .0         .0          .0          .0
 1701.-1800.    .0          .0         .0         .0          .0          .0
 1801.-1900.    .0          .0         .0         .0          .0          .0
 1901.-2000.    .0          .0         .0         .0          .0          .0
 2001.-2100.    .0          .0         .0         .0          .0          .0
 2101.-2200.    .0          .0         .0         .0          .0          .0
 2201.-2300.    .0          .0         .0         .0          .0          .0
 2301.-2400.    .0          .0         .0         .0          .0          .0
 2401.-2500.    .0          .0         .0         .0          .0          .0
 2501.-2600.    .0          .0         .0         .0          .0          .0
 2601.-2700.    .0          .0         .0         .0          .0          .0
 2701.-2800.    .0          .0         .0         .0          .0          .0
 2801.-2900.    .0          .0         .0         .0          .0          .0
 2901.-3000.    .0          .0         .0         .0          .0          .0

                .116E 12    .106E 12   .601E 11   .0          .0          .0
```

```
SCC = 30100101--ADIPIC ACID GENERAL CYCLOHEX     -WITH CONTROL EQUIPMENT -TOT RECS =     8

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28       .116E 12   .106E 12   .601E 11   .0         .0          .0


            .116E 12   .106E 12   .601E 11   .0         .0          .0


CC =30100101--ADIPIC ACID  GENERAL CYCLOHEX    ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      8

TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .157E 11  !H
 101.- 200.   .901E 11  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100101--ADIPIC ACID  GENERAL CYCLOHEX     -TOTAL SCC -SIC =    0 -TOT RECS =     25

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG     300 DEG     300 DEG
   0.- 100.   .401E 11   .376E 11    .132E 11   .0          .0          .0
 101.- 200.   .296E 12   .238E 12    .715E 11   .0          .0          .0
 201.- 300.   .216E 10   .164E 10    .855E 09   .0          .0          .0
 301.- 400.   .0         .0          .0         .0          .0          .0
 401.- 500.   .0         .0          .0         .0          .0          .0
 501.- 600.   .0         .0          .0         .0          .0          .0
 601.- 700.   .0         .0          .0         .0          .0          .0
 701.- 800.   .0         .0          .0         .0          .0          .0
 801.- 900.   .0         .0          .0         .0          .0          .0
 901.-1000.   .0         .0          .0         .0          .0          .0
1001.-1100.   .0         .0          .0         .0          .0          .0
1101.-1200.   .0         .0          .0         .0          .0          .0
1201.-1300.   .0         .0          .0         .0          .0          .0
1301.-1400.   .0         .0          .0         .0          .0          .0
1401.-1500.   .0         .0          .0         .0          .0          .0
1501.-1600.   .0         .0          .0         .0          .0          .0
1601.-1700.   .0         .0          .0         .0          .0          .0
1701.-1800.   .286E 12   .251E 12    .198E 12   .176E 12    .167E 12    .142E 12
1801.-1900.   .0         .0          .0         .0          .0          .0
1901.-2000.   .0         .0          .0         .0          .0          .0
2001.-2100.   .0         .0          .0         .0          .0          .0
2101.-2200.   .0         .0          .0         .0          .0          .0
2201.-2300.   .0         .0          .0         .0          .0          .0
2301.-2400.   .0         .0          .0         .0          .0          .0
2401.-2500.   .0         .0          .0         .0          .0          .0
2501.-2600.   .0         .0          .0         .0          .0          .0
2601.-2700.   .0         .0          .0         .0          .0          .0
2701.-2800.   .0         .0          .0         .0          .0          .0
2801.-2900.   .0         .0          .0         .0          .0          .0
2901.-3000.   .0         .0          .0         .0          .0          .0

              .624E 12   .529E 12    .283E 12   .176E 12    .167E 12    .142E 12
```

```
SCC = 30100101--ADIPIC ACID GENERAL CYCLOHEX     -TOTAL SCC -TOT RECS =     25

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28       .499E 12   .435E 12    .283E 12   .176E 12  .167E 12    .142E 12
   99       .125E 12   .934E 11    .0         .0        .0          .0


            .624E 12   .529E 12    .283E 12   .176E 12  .167E 12    .142E 12


CC 30100101--ADIPIC ACID  GENERAL CYCLOHEX    --TOTAL SCC  -SIC =    0 -TOT RECS =     25

EMP RANGE   COUNT
                      --------------------------------------------------------------------------------------------------
   0.- 100.  .376E 11  !H
 101.- 200.  .238E 12  !HH
 201.- 300.  .164E 10  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .251E 12  !HH
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100199--ADIPIC ACID  OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG      60 DEG     60 DEG    300 DEG   300 DEG    300 DEG
    0.- 100.   .0         .0          .0         .0         .0         .0
  101.- 200.   .0         .0          .0         .0         .0         .0
  201.- 300.   .207E 09   .157E 09    .821E 08   .0         .0         .0
  301.- 400.   .0         .0          .0         .0         .0         .0
  401.- 500.   .0         .0          .0         .0         .0         .0
  501.- 600.   .0         .0          .0         .0         .0         .0
  601.- 700.   .0         .0          .0         .0         .0         .0
  701.- 800.   .0         .0          .0         .0         .0         .0
  801.- 900.   .0         .0          .0         .0         .0         .0
  901.-1000.   .0         .0          .0         .0         .0         .0
 1001.-1100.   .0         .0          .0         .0         .0         .0
 1101.-1200.   .0         .0          .0         .0         .0         .0
 1201.-1300.   .0         .0          .0         .0         .0         .0
 1301.-1400.   .0         .0          .0         .0         .0         .0
 1401.-1500.   .0         .0          .0         .0         .0         .0
 1501.-1600.   .0         .0          .0         .0         .0         .0
 1601.-1700.   .0         .0          .0         .0         .0         .0
 1701.-1800.   .0         .0          .0         .0         .0         .0
 1801.-1900.   .0         .0          .0         .0         .0         .0
 1901.-2000.   .0         .0          .0         .0         .0         .0
 2001.-2100.   .0         .0          .0         .0         .0         .0
 2101.-2200.   .0         .0          .0         .0         .0         .0
 2201.-2300.   .0         .0          .0         .0         .0         .0
 2301.-2400.   .0         .0          .0         .0         .0         .0
 2401.-2500.   .0         .0          .0         .0         .0         .0
 2501.-2600.   .0         .0          .0         .0         .0         .0
 2601.-2700.   .0         .0          .0         .0         .0         .0
 2701.-2800.   .0         .0          .0         .0         .0         .0
 2801.-2900.   .0         .0          .0         .0         .0         .0
 2901.-3000.   .0         .0          .0         .0         .0         .0

               .207E 09   .157E 09    .821E 08   .0         .0         .0
```

```
SCC = 30100199--ADIPIC ACID OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
  28        .207E 09   .157E 09   .821E 08   .0         .0          .0


            .207E 09   .157E 09   .821E 08   .0         .0          .0


CC = 30100199--ADIPIC ACID  OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .157E 09  !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100199--ADIPIC ACID  OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1

    TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                 60 DEG      60 DEG    60 DEG     300 DEG    300 DEG    300 DEG
     0.- 100.   .0          .0         .0         .0          .0         .0
   101.- 200.   .0          .0         .0         .0          .0         .0
   201.- 300.   .174E 13    .132E 13   .691E 12   .0          .0         .0
   301.- 400.   .0          .0         .0         .0          .0         .0
   401.- 500.   .0          .0         .0         .0          .0         .0
   501.- 600.   .0          .0         .0         .0          .0         .0
   601.- 700.   .0          .0         .0         .0          .0         .0
   701.- 800.   .0          .0         .0         .0          .0         .0
   801.- 900.   .0          .0         .0         .0          .0         .0
   901.-1000.   .0          .0         .0         .0          .0         .0
  1001.-1100.   .0          .0         .0         .0          .0         .0
  1101.-1200.   .0          .0         .0         .0          .0         .0
  1201.-1300.   .0          .0         .0         .0          .0         .0
  1301.-1400.   .0          .0         .0         .0          .0         .0
  1401.-1500.   .0          .0         .0         .0          .0         .0
  1501.-1600.   .0          .0         .0         .0          .0         .0
  1601.-1700.   .0          .0         .0         .0          .0         .0
  1701.-1800.   .0          .0         .0         .0          .0         .0
  1801.-1900.   .0          .0         .0         .0          .0         .0
  1901.-2000.   .0          .0         .0         .0          .0         .0
  2001.-2100.   .0          .0         .0         .0          .0         .0
  2101.-2200.   .0          .0         .0         .0          .0         .0
  2201.-2300.   .0          .0         .0         .0          .0         .0
  2301.-2400.   .0          .0         .0         .0          .0         .0
  2401.-2500.   .0          .0         .0         .0          .0         .0
  2501.-2600.   .0          .0         .0         .0          .0         .0
  2601.-2700.   .0          .0         .0         .0          .0         .0
  2701.-2800.   .0          .0         .0         .0          .0         .0
  2801.-2900.   .0          .0         .0         .0          .0         .0
  2901.-3000.   .0          .0         .0         .0          .0         .0

                .174E 13    .132E 13   .691E 12   .0          .0         .0
```

```
SCC = 30100199--ADIPIC ACID OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     1

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG     300DEG    300 DEG     300 DEG
   33       .174E 13   .132E 13   .691E 12   .0         .0          .0


            .174E 13   .132E 13   .691E 12   .0         .0          .0


CC =30100199--ADIPIC ACID  OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     1

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .0        !
  101.- 200.  .0        !
  201.- 300.  .132E 13  !HHHHHHHHHHHHH
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100199--ADIPIC ACID  OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =      2

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG    300 DEG    300 DEG
    0.- 100.   .0         .0          .0          .0         .0         .0
  101.- 200.   .0         .0          .0          .0         .0         .0
  201.- 300.   .174E 13   .132E 13    .691E 12    .0         .0         .0
  301.- 400.   .0         .0          .0          .0         .0         .0
  401.- 500.   .0         .0          .0          .0         .0         .0
  501.- 600.   .0         .0          .0          .0         .0         .0
  601.- 700.   .0         .0          .0          .0         .0         .0
  701.- 800.   .0         .0          .0          .0         .0         .0
  801.- 900.   .0         .0          .0          .0         .0         .0
  901.-1000.   .0         .0          .0          .0         .0         .0
 1001.-1100.   .0         .0          .0          .0         .0         .0
 1101.-1200.   .0         .0          .0          .0         .0         .0
 1201.-1300.   .0         .0          .0          .0         .0         .0
 1301.-1400.   .0         .0          .0          .0         .0         .0
 1401.-1500.   .0         .0          .0          .0         .0         .0
 1501.-1600.   .0         .0          .0          .0         .0         .0
 1601.-1700.   .0         .0          .0          .0         .0         .0
 1701.-1800.   .0         .0          .0          .0         .0         .0
 1801.-1900.   .0         .0          .0          .0         .0         .0
 1901.-2000.   .0         .0          .0          .0         .0         .0
 2001.-2100.   .0         .0          .0          .0         .0         .0
 2101.-2200.   .0         .0          .0          .0         .0         .0
 2201.-2300.   .0         .0          .0          .0         .0         .0
 2301.-2400.   .0         .0          .0          .0         .0         .0
 2401.-2500.   .0         .0          .0          .0         .0         .0
 2501.-2600.   .0         .0          .0          .0         .0         .0
 2601.-2700.   .0         .0          .0          .0         .0         .0
 2701.-2800.   .0         .0          .0          .0         .0         .0
 2801.-2900.   .0         .0          .0          .0         .0         .0
 2901.-3000.   .0         .0          .0          .0         .0         .0

               .174E 13   .132E 13    .691E 12    .0         .0         .0
```

```
SCC = 30100199--ADIPIC ACID OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =      2
SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   28       .207E 09    .157E 09     .821E 08     .0          .0           .0
   33       .174E 13    .132E 13     .691E 12     .0          .0           .0

            .174E 13    .132E 13     .691E 12     .0          .0           .0

CC 30100199--ADIPIC ACID  OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =      2
EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .0        !
 201.- 300.   .132E 13  !HHHHHHHHHHHHH
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100201--AMMONIA METH PURGE GAS          -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     24

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.   .249E 12   .234E 12   .0         .0          .0         .0
  101.- 200.   .387E 12   .295E 12   .461E 11   .0          .0         .0
  201.- 300.   .154E 13   .118E 13   .0         .0          .0         .0
  301.- 400.   .599E 12   .464E 12   .126E 12   .277E 11   .263E 11   .180E 11
  401.- 500.   .326E 13   .258E 13   .156E 13   .432E 12   .410E 12   .375E 12
  501.- 600.   .775E 10   .619E 10   .384E 10   .130E 10   .124E 10   .113E 10
  601.- 700.   .801E 12   .656E 12   .198E 12   .226E 12   .214E 12   .887E 11
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .684E 13   .541E 13   .194E 13   .686E 12   .652E 12   .483E 12
```

```
SCC = 30100201--AMMONIA METHPURGE GAS           -NO CONTROL EQUIPMENT -TOT RECS =     24

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
   28        .684E 13   .541E 13    .194E 13   .686E 12   .652E 12    .483E 12


             .684E 13   .541E 13    .194E 13   .686E 12   .652E 12    .483E 12


CC = 30100201--AMMONIA METH PURGE GAS          --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     24
TEMP RANGE    COUNT

                        -------------------------------------------------------------------------------------------------------
   0.- 100.   .234E 12  !HH
 101.- 200.   .295E 12  !HH
 201.- 300.   .118E 13  !HHHHHHHHHHH
 301.- 400.   .464E 12  !HHHH
 401.- 500.   .258E 13  !HHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.   .619E 10  !H
 601.- 700.   .656E 12  !HHHHHH
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100201--AMMONIA METH PURGE GAS              -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3
   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.     .0         .0          .0          .0          .0          .0
  101.- 200.     .191E 11   .149E 11    .764E 10    .0          .0          .0
  201.- 300.     .0         .0          .0          .0          .0          .0
  301.- 400.     .0         .0          .0          .0          .0          .0
  401.- 500.     .774E 12   .607E 12    .359E 12    .752E 11    .714E 11    .653E 11
  501.- 600.     .0         .0          .0          .0          .0          .0
  601.- 700.     .0         .0          .0          .0          .0          .0
  701.- 800.     .0         .0          .0          .0          .0          .0
  801.- 900.     .0         .0          .0          .0          .0          .0
  901.-1000.     .0         .0          .0          .0          .0          .0
 1001.-1100.     .0         .0          .0          .0          .0          .0
 1101.-1200.     .0         .0          .0          .0          .0          .0
 1201.-1300.     .0         .0          .0          .0          .0          .0
 1301.-1400.     .0         .0          .0          .0          .0          .0
 1401.-1500.     .0         .0          .0          .0          .0          .0
 1501.-1600.     .0         .0          .0          .0          .0          .0
 1601.-1700.     .0         .0          .0          .0          .0          .0
 1701.-1800.     .0         .0          .0          .0          .0          .0
 1801.-1900.     .0         .0          .0          .0          .0          .0
 1901.-2000.     .0         .0          .0          .0          .0          .0
 2001.-2100.     .0         .0          .0          .0          .0          .0
 2101.-2200.     .0         .0          .0          .0          .0          .0
 2201.-2300.     .0         .0          .0          .0          .0          .0
 2301.-2400.     .0         .0          .0          .0          .0          .0
 2401.-2500.     .0         .0          .0          .0          .0          .0
 2501.-2600.     .0         .0          .0          .0          .0          .0
 2601.-2700.     .0         .0          .0          .0          .0          .0
 2701.-2800.     .0         .0          .0          .0          .0          .0
 2801.-2900.     .0         .0          .0          .0          .0          .0
 2901.-3000.     .0         .0          .0          .0          .0          .0

                 .793E 12   .622E 12    .367E 12    .752E 11    .714E 11    .653E 11
```

```
SCC = 30100201--AMMONIA METHPURGE GAS            -WITH CONTROL EQUIPMENT -TOT RECS =     3
SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG       60 DEG      300DEG    300 DEG     300 DEG
   28       .793E 12   .622E 12    .367E 12    .752E 11   .714E 11    .653E 11


            .793E 12   .622E 12    .367E 12    .752E 11   .714E 11    .653E 11


CC =30100201--AMMONIA METH PURGE GAS          ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3
TEMP RANGE   COUNT

                          ---------------------------------------------------------------------------------------------------
   0.- 100.  .0          !
 101.- 200.  .149E 11    !H
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .607E 12    !HHHHHH
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100201--AMMONIA METH PURGE GAS          -TOTAL SCC -SIC =    0 -TOT RECS =     27

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .249E 12   .234E 12    .0         .0         .0          .0
  101.- 200.   .406E 12   .310E 12    .538E 11   .0         .0          .0
  201.- 300.   .154E 13   .118E 13    .0         .0         .0          .0
  301.- 400.   .599E 12   .464E 12    .126E 12   .277E 11   .263E 11    .180E 11
  401.- 500.   .403E 13   .318E 13    .192E 13   .507E 12   .481E 12    .440E 12
  501.- 600.   .775E 10   .619E 10    .384E 10   .130E 10   .124E 10    .113E 10
  601.- 700.   .801E 12   .656E 12    .198E 12   .226E 12   .214E 12    .887E 11
  701.- 800.   .0         .0          .0         .0         .0          .0
  801.- 900.   .0         .0          .0         .0         .0          .0
  901.-1000.   .0         .0          .0         .0         .0          .0
 1001.-1100.   .0         .0          .0         .0         .0          .0
 1101.-1200.   .0         .0          .0         .0         .0          .0
 1201.-1300.   .0         .0          .0         .0         .0          .0
 1301.-1400.   .0         .0          .0         .0         .0          .0
 1401.-1500.   .0         .0          .0         .0         .0          .0
 1501.-1600.   .0         .0          .0         .0         .0          .0
 1601.-1700.   .0         .0          .0         .0         .0          .0
 1701.-1800.   .0         .0          .0         .0         .0          .0
 1801.-1900.   .0         .0          .0         .0         .0          .0
 1901.-2000.   .0         .0          .0         .0         .0          .0
 2001.-2100.   .0         .0          .0         .0         .0          .0
 2101.-2200.   .0         .0          .0         .0         .0          .0
 2201.-2300.   .0         .0          .0         .0         .0          .0
 2301.-2400.   .0         .0          .0         .0         .0          .0
 2401.-2500.   .0         .0          .0         .0         .0          .0
 2501.-2600.   .0         .0          .0         .0         .0          .0
 2601.-2700.   .0         .0          .0         .0         .0          .0
 2701.-2800.   .0         .0          .0         .0         .0          .0
 2801.-2900.   .0         .0          .0         .0         .0          .0
 2901.-3000.   .0         .0          .0         .0         .0          .0

               .763E 13   .603E 13    .230E 13   .761E 12   .723E 12    .548E 12
```

```
SCC = 30100201--AMMONIA METHPURGE GAS           -TOTAL SCC -TOT RECS =     27

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28        .763E 13   .603E 13    .230E 13   .761E 12   .723E 12   .548E 12


             .763E 13   .603E 13    .230E 13   .761E 12   .723E 12   .548E 12



CC 30100201--AMMONIA METH PURGE GAS          --TOTAL SCC  -SIC =    0 -TOT RECS =     27

EMP RANGE   COUNT

                      -----------------------------------------------------------------------------------------------------
   0.- 100.  .234E 12  !HH
 101.- 200.  .310E 12  !HHH
 201.- 300.  .118E 13  !HHHHHHHHHHH
 301.- 400.  .464E 12  !HHHH
 401.- 500.  .318E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.  .619E 10  !H
 601.- 700.  .656E 12  !HHHHHH
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100202--AMMONIA METH STORAGE/LOADING      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      5
   TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .404E 11   .379E 11    .0          .0         .0          .0
  101.- 200.   .679E 12   .507E 12    .0          .0         .0          .0
  201.- 300.   .0         .0          .0          .0         .0          .0
  301.- 400.   .278E 12   .217E 12    .0          .0         .0          .0
  401.- 500.   .0         .0          .126E 12    .207E 11   .196E 11    .180E 11
  501.- 600.   .0         .0          .0          .0         .0          .0
  601.- 700.   .0         .0          .0          .0         .0          .0
  701.- 800.   .0         .0          .0          .0         .0          .0
  801.- 900.   .0         .0          .0          .0         .0          .0
  901.-1000.   .0         .0          .0          .0         .0          .0
 1001.-1100.   .0         .0          .0          .0         .0          .0
 1101.-1200.   .0         .0          .0          .0         .0          .0
 1201.-1300.   .0         .0          .0          .0         .0          .0
 1301.-1400.   .0         .0          .0          .0         .0          .0
 1401.-1500.   .0         .0          .0          .0         .0          .0
 1501.-1600.   .0         .0          .0          .0         .0          .0
 1601.-1700.   .0         .0          .0          .0         .0          .0
 1701.-1800.   .0         .0          .0          .0         .0          .0
 1801.-1900.   .0         .0          .0          .0         .0          .0
 1901.-2000.   .0         .0          .0          .0         .0          .0
 2001.-2100.   .0         .0          .0          .0         .0          .0
 2101.-2200.   .0         .0          .0          .0         .0          .0
 2201.-2300.   .0         .0          .0          .0         .0          .0
 2301.-2400.   .0         .0          .0          .0         .0          .0
 2401.-2500.   .0         .0          .0          .0         .0          .0
 2501.-2600.   .0         .0          .0          .0         .0          .0
 2601.-2700.   .0         .0          .0          .0         .0          .0
 2701.-2800.   .0         .0          .0          .0         .0          .0
 2801.-2900.   .0         .0          .0          .0         .0          .0
 2901.-3000.   .0         .0          .0          .0         .0          .0

               .998E 12   .762E 12    .126E 12    .207E 11   .196E 11    .180E 11
```

```
SCC = 30100202--AMMONIA METHSTORAGE/LOADING      -NO CONTROL EQUIPMENT -TOT RECS =      5

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28        .998E 12   .762E 12    .126E 12   .207E 11   .196E 11   .180E 11


             .998E 12   .762E 12    .126E 12   .207E 11   .196E 11   .180E 11


CC = 30100202--AMMONIA METH STORAGE/LOADING     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
    0.- 100.  .379E 11   !H
  101.- 200.  .507E 12   !HHHHH
  201.- 300.  .0         !
  301.- 400.  .217E 12   !HH
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100202--AMMONIA METH STORAGE/LOADING      -WITH CONTROL EQUIPMENT -SIC =    J -TOT RECS =      1
    TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                   60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
     0.- 100.     .0          .0          .0          .0          .0          .0
   101.- 200.     .162E 11    .122E 11    .601E 10    .0          .0          .0
   201.- 300.     .0          .0          .0          .0          .0          .0
   301.- 400.     .0          .0          .0          .0          .0          .0
   401.- 500.     .0          .0          .0          .0          .0          .0
   501.- 600.     .0          .0          .0          .0          .0          .0
   601.- 700.     .0          .0          .0          .0          .0          .0
   701.- 800.     .0          .0          .0          .0          .0          .0
   801.- 900.     .0          .0          .0          .0          .0          .0
   901.-1000.     .0          .0          .0          .0          .0          .0
  1001.-1100.     .0          .0          .0          .0          .0          .0
  1101.-1200.     .0          .0          .0          .0          .0          .0
  1201.-1300.     .0          .0          .0          .0          .0          .0
  1301.-1400.     .0          .0          .0          .0          .0          .0
  1401.-1500.     .0          .0          .0          .0          .0          .0
  1501.-1600.     .0          .0          .0          .0          .0          .0
  1601.-1700.     .0          .0          .0          .0          .0          .0
  1701.-1800.     .0          .0          .0          .0          .0          .0
  1801.-1900.     .0          .0          .0          .0          .0          .0
  1901.-2000.     .0          .0          .0          .0          .0          .0
  2001.-2100.     .0          .0          .0          .0          .0          .0
  2101.-2200.     .0          .0          .0          .0          .0          .0
  2201.-2300.     .0          .0          .0          .0          .0          .0
  2301.-2400.     .0          .0          .0          .0          .0          .0
  2401.-2500.     .0          .0          .0          .0          .0          .0
  2501.-2600.     .0          .0          .0          .0          .0          .0
  2601.-2700.     .0          .0          .0          .0          .0          .0
  2701.-2800.     .0          .0          .0          .0          .0          .0
  2801.-2900.     .0          .0          .0          .0          .0          .0
  2901.-3000.     .0          .0          .0          .0          .0          .0

                  .162E 11    .122E 11    .601E 10    .0          .0          .0
```

```
SCC = 30100202--AMMONIA METHSTORAGE/LOADING      -WITH CONTROL EQUIPMENT -TOT RECS =     1

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28       .162E 11   .122E 11   .601E 10   .0         .0          .0


            .162E 11   .122E 11   .601E 10   .0         .0          .0


CC =30100202--AMMONIA METH STORAGE/LOADING     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .0           !
 101.- 200.  .122E 11     !H
 201.- 300.  .0           !
 301.- 400.  .0           !
 401.- 500.  .0           !
 501.- 600.  .0           !
 601.- 700.  .0           !
 701.- 800.  .0           !
 801.- 900.  .0           !
 901.-1000.  .0           !
1001.-1100.  .0           !
1101.-1200.  .0           !
1201.-1300.  .0           !
1301.-1400.  .0           !
1401.-1500.  .0           !
1501.-1600.  .0           !
1601.-1700.  .0           !
1701.-1800.  .0           !
1801.-1900.  .0           !
1901.-2000.  .0           !
2001.-2100.  .0           !
2101.-2200.  .0           !
2201.-2300.  .0           !
2301.-2400.  .0           !
2401.-2500.  .0           !
2501.-2600.  .0           !
2601.-2700.  .0           !
2701.-2800.  .0           !
2801.-2900.  .0           !
2901.-3000.  .0           !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100202--AMMONIA METH STORAGE/LOADING      -TOTAL SCC -SIC =    0 -TOT RECS =      6
   TEMP          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.    .404E 11   .379E 11    .0          .0          .0          .0
  101.- 200.    .696E 12   .519E 12    .601E 10    .0          .0          .0
  201.- 300.    .0         .0          .0          .0          .0          .0
  301.- 400.    .278E 12   .217E 12    .126E 12    .207E 11    .196E 11    .180E 11
  401.- 500.    .0         .0          .0          .0          .0          .0
  501.- 600.    .0         .0          .0          .0          .0          .0
  601.- 700.    .0         .0          .0          .0          .0          .0
  701.- 800.    .0         .0          .0          .0          .0          .0
  801.- 900.    .0         .0          .0          .0          .0          .0
  901.-1000.    .0         .0          .0          .0          .0          .0
 1001.-1100.    .0         .0          .0          .0          .0          .0
 1101.-1200.    .0         .0          .0          .0          .0          .0
 1201.-1300.    .0         .0          .0          .0          .0          .0
 1301.-1400.    .0         .0          .0          .0          .0          .0
 1401.-1500.    .0         .0          .0          .0          .0          .0
 1501.-1600.    .0         .0          .0          .0          .0          .0
 1601.-1700.    .0         .0          .0          .0          .0          .0
 1701.-1800.    .0         .0          .0          .0          .0          .0
 1801.-1900.    .0         .0          .0          .0          .0          .0
 1901.-2000.    .0         .0          .0          .0          .0          .0
 2001.-2100.    .0         .0          .0          .0          .0          .0
 2101.-2200.    .0         .0          .0          .0          .0          .0
 2201.-2300.    .0         .0          .0          .0          .0          .0
 2301.-2400.    .0         .0          .0          .0          .0          .0
 2401.-2500.    .0         .0          .0          .0          .0          .0
 2501.-2600.    .0         .0          .0          .0          .0          .0
 2601.-2700.    .0         .0          .0          .0          .0          .0
 2701.-2800.    .0         .0          .0          .0          .0          .0
 2801.-2900.    .0         .0          .0          .0          .0          .0
 2901.-3000.    .0         .0          .0          .0          .0          .0

                .101E 13   .774E 12    .132E 12    .207E 11    .196E 11    .180E 11
```

```
SCC = 30100202--AMMONIA METHSTORAGE/LOADING      -TOTAL SCC -TOT RECS =      6

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
   28       .101E 13    .774E 12     .132E 12    .207E 11    .196E 11    .180E 11


            .101E 13    .774E 12     .132E 12    .207E 11    .196E 11    .180E 11


CC 30100202--AMMONIA METH STORAGE/LOADING     --TOTAL SCC  -SIC =    0 -TOT RECS =      6

EMP RANGE   COUNT

                           ----------------------------------------------------------------------------------------------------
   0.- 100.  .379E 11  !H
 101.- 200.  .519E 12  !HHHHH
 201.- 300.  .0        !
 301.- 400.  .217E 12  !HH
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100301--AMMONIA CO A REGENERATOR EXIT     -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     10
   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.    .204E 10    .191E 10    .156E 10   .0          .0         .0
  101.- 200.    .104E 13    .780E 12    .0         .0          .0         .0
  201.- 300.    .156E 13    .119E 13    .529E 12   .0          .0         .0
  301.- 400.    .160E 11    .125E 11    .725E 10   .119E 10    .113E 10   .103E 10
  401.- 500.    .0          .0          .0         .0          .0         .0
  501.- 600.    .0          .0          .0         .0          .0         .0
  601.- 700.    .0          .0          .0         .0          .0         .0
  701.- 800.    .323E 12    .266E 12    .179E 12   .967E 11    .919E 11   .840E 11
  801.- 900.    .0          .0          .0         .0          .0         .0
  901.-1000.    .0          .0          .0         .0          .0         .0
 1001.-1100.    .0          .0          .0         .0          .0         .0
 1101.-1200.    .0          .0          .0         .0          .0         .0
 1201.-1300.    .0          .0          .0         .0          .0         .0
 1301.-1400.    .0          .0          .0         .0          .0         .0
 1401.-1500.    .0          .0          .0         .0          .0         .0
 1501.-1600.    .0          .0          .0         .0          .0         .0
 1601.-1700.    .0          .0          .0         .0          .0         .0
 1701.-1800.    .0          .0          .0         .0          .0         .0
 1801.-1900.    .0          .0          .0         .0          .0         .0
 1901.-2000.    .0          .0          .0         .0          .0         .0
 2001.-2100.    .0          .0          .0         .0          .0         .0
 2101.-2200.    .0          .0          .0         .0          .0         .0
 2201.-2300.    .0          .0          .0         .0          .0         .0
 2301.-2400.    .0          .0          .0         .0          .0         .0
 2401.-2500.    .0          .0          .0         .0          .0         .0
 2501.-2600.    .0          .0          .0         .0          .0         .0
 2601.-2700.    .0          .0          .0         .0          .0         .0
 2701.-2800.    .0          .0          .0         .0          .0         .0
 2801.-2900.    .0          .0          .0         .0          .0         .0
 2901.-3000.    .0          .0          .0         .0          .0         .0

                .294E 13    .225E 13    .717E 12   .978E 11    .930E 11   .850E 11
```

```
SCC = 30100301--AMMONIA CO AREGENERATOR EXIT     -NO CONTROL EQUIPMENT -TOT RECS =     10

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28        .268E 13   .206E 13   .717E 12   .978E 11   .930E 11   .850E 11
   29        .256E 12   .193E 12   .0         .0         .0         .0


             .294E 13   .225E 13   .717E 12   .978E 11   .930E 11   .850E 11


CC = 30100301--AMMONIA CO A REGENERATOR EXIT    --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     10

TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .191E 10  !H
 101.- 200.   .780E 12  !HHHHHHH
 201.- 300.   .119E 13  !HHHHHHHHHHH
 301.- 400.   .125E 11  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .266E 12  !HH
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100301--AMMONIA CO A REGENERATOR EXIT      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30100301--AMMONIA CO AREGENERATOR EXIT     -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC            MAXIMUM   EXPECTED   MINIMUM    MAXIMUM   EXPECTED    MINIMUM
               60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
TEMP OUTSIDE CURVES         0.0
TEMP OUTSIDE CURVES         0.0
TEMP OUTSIDE CURVES         0.0
TEMP OUTSIDE CURVES         0.0
TEMP OUTSIDE CURVES         0.0
TEMP OUTSIDE CURVES         0.0
TEMP OUTSIDE CURVES         0.0
TEMP OUTSIDE CURVES         0.0
TEMP OUTSIDE CURVES         0.0
```

```
SCC= 30100302--AMMONIA CO A PURGE GAS          -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      3

    TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .575E 08   .539E 08    .0          .0          .0          .0
  101.- 200.    .304E 09   .229E 09    .112E 09    .0          .0          .0
  201.- 300.    .340E 09   .258E 09    .0          .0          .0          .0
  301.- 400.    .0         .0          .0          .0          .0          .0
  401.- 500.    .0         .0          .0          .0          .0          .0
  501.- 600.    .0         .0          .0          .0          .0          .0
  601.- 700.    .0         .0          .0          .0          .0          .0
  701.- 800.    .0         .0          .0          .0          .0          .0
  801.- 900.    .0         .0          .0          .0          .0          .0
  901.-1000.    .0         .0          .0          .0          .0          .0
 1001.-1100.    .0         .0          .0          .0          .0          .0
 1101.-1200.    .0         .0          .0          .0          .0          .0
 1201.-1300.    .0         .0          .0          .0          .0          .0
 1301.-1400.    .0         .0          .0          .0          .0          .0
 1401.-1500.    .0         .0          .0          .0          .0          .0
 1501.-1600.    .0         .0          .0          .0          .0          .0
 1601.-1700.    .0         .0          .0          .0          .0          .0
 1701.-1800.    .0         .0          .0          .0          .0          .0
 1801.-1900.    .0         .0          .0          .0          .0          .0
 1901.-2000.    .0         .0          .0          .0          .0          .0
 2001.-2100.    .0         .0          .0          .0          .0          .0
 2101.-2200.    .0         .0          .0          .0          .0          .0
 2201.-2300.    .0         .0          .0          .0          .0          .0
 2301.-2400.    .0         .0          .0          .0          .0          .0
 2401.-2500.    .0         .0          .0          .0          .0          .0
 2501.-2600.    .0         .0          .0          .0          .0          .0
 2601.-2700.    .0         .0          .0          .0          .0          .0
 2701.-2800.    .0         .0          .0          .0          .0          .0
 2801.-2900.    .0         .0          .0          .0          .0          .0
 2901.-3000.    .0         .0          .0          .0          .0          .0

                .702E 09   .541E 09    .112E 09    .0          .0          .0
```

```
SCC = 30100302--AMMONIA CO APURGE GAS            -NO CONTROL EQUIPMENT -TOT RECS =      3

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28        .702E 09   .541E 09    .112E 09   .0         .0          .0


             .702E 09   .541E 09    .112E 09   .0         .0          .0


CC = 30100302--AMMONIA CO A PURGE GAS           --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     3

TEMP RANGE    COUNT
                           ----------------------------------------------------------------------------------------------------
   0.- 100.   .539E 08   !
 101.- 200.   .229E 09   !
 201.- 300.   .258E 09   !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100302--AMMONIA CO A PURGE GAS             -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30100302--AMMONIA CO APURGE GAS          -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30100303--AMMONIA CO A STORAGE/LOADING      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      2
   TEMP          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
                  60 DEG      60 DEG       60 DEG     300 DEG     300 DEG      300 DEG
    0.- 100.    .389E 11    .365E 11    .0           .0          .0           .0
  101.- 200.    .0          .0          .0           .0          .0           .0
  201.- 300.    .0          .0          .0           .0          .0           .0
  301.- 400.    .0          .0          .0           .0          .0           .0
  401.- 500.    .0          .0          .0           .0          .0           .0
  501.- 600.    .316E 12    .256E 12    .166E 12     .737E 11    .700E 11     .641E 11
  601.- 700.    .0          .0          .0           .0          .0           .0
  701.- 800.    .0          .0          .0           .0          .0           .0
  801.- 900.    .0          .0          .0           .0          .0           .0
  901.-1000.    .0          .0          .0           .0          .0           .0
 1001.-1100.    .0          .0          .0           .0          .0           .0
 1101.-1200.    .0          .0          .0           .0          .0           .0
 1201.-1300.    .0          .0          .0           .0          .0           .0
 1301.-1400.    .0          .0          .0           .0          .0           .0
 1401.-1500.    .0          .0          .0           .0          .0           .0
 1501.-1600.    .0          .0          .0           .0          .0           .0
 1601.-1700.    .0          .0          .0           .0          .0           .0
 1701.-1800.    .0          .0          .0           .0          .0           .0
 1801.-1900.    .0          .0          .0           .0          .0           .0
 1901.-2000.    .0          .0          .0           .0          .0           .0
 2001.-2100.    .0          .0          .0           .0          .0           .0
 2101.-2200.    .0          .0          .0           .0          .0           .0
 2201.-2300.    .0          .0          .0           .0          .0           .0
 2301.-2400.    .0          .0          .0           .0          .0           .0
 2401.-2500.    .0          .0          .0           .0          .0           .0
 2501.-2600.    .0          .0          .0           .0          .0           .0
 2601.-2700.    .0          .0          .0           .0          .0           .0
 2701.-2800.    .0          .0          .0           .0          .0           .0
 2801.-2900.    .0          .0          .0           .0          .0           .0
 2901.-3000.    .0          .0          .0           .0          .0           .0

                .355E 12    .293E 12    .166E 12     .737E 11    .700E 11     .641E 11
```

```
SCC = 30100303--AMMONIA CO ASTORAGE/LOADING      -NO CONTROL EQUIPMENT -TOT RECS =      2

SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28        .355E 12   .293E 12   .166E 12   .737E 11   .700E 11   .641E 11


             .355E 12   .293E 12   .166E 12   .737E 11   .700E 11   .641E 11


CC = 30100303--AMMONIA CO A STORAGE/LOADING     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2

TEMP RANGE    COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .365E 11   !H
 101.- 200.   .0         !
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .256E 12   !HH
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100303--AMMONIA CO A STORAGE/LOADING      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0
   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM  EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG  300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30100303--AMMONIA CO ASTORAGE/LOADING      -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30100399--AMMONIA CO A OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      7

   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .113E 12   .106E 12    .865E 11    .0           .0          .0
  101.- 200.   .582E 12   .505E 12    .112E 09    .0           .0          .0
  201.- 300.   .444E 12   .335E 12    .172E 12    .0           .0          .0
  301.- 400.   .0         .0          .0          .0           .0          .0
  401.- 500.   .0         .0          .0          .0           .0          .0
  501.- 600.   .0         .0          .0          .0           .0          .0
  601.- 700.   .0         .0          .0          .0           .0          .0
  701.- 800.   .0         .0          .0          .0           .0          .0
  801.- 900.   .0         .0          .0          .0           .0          .0
  901.-1000.   .0         .0          .0          .0           .0          .0
 1001.-1100.   .0         .0          .0          .0           .0          .0
 1101.-1200.   .0         .0          .0          .0           .0          .0
 1201.-1300.   .0         .0          .0          .0           .0          .0
 1301.-1400.   .0         .0          .0          .0           .0          .0
 1401.-1500.   .0         .0          .0          .0           .0          .0
 1501.-1600.   .0         .0          .0          .0           .0          .0
 1601.-1700.   .0         .0          .0          .0           .0          .0
 1701.-1800.   .0         .0          .0          .0           .0          .0
 1801.-1900.   .0         .0          .0          .0           .0          .0
 1901.-2000.   .0         .0          .0          .0           .0          .0
 2001.-2100.   .0         .0          .0          .0           .0          .0
 2101.-2200.   .0         .0          .0          .0           .0          .0
 2201.-2300.   .0         .0          .0          .0           .0          .0
 2301.-2400.   .0         .0          .0          .0           .0          .0
 2401.-2500.   .0         .0          .0          .0           .0          .0
 2501.-2600.   .0         .0          .0          .0           .0          .0
 2601.-2700.   .0         .0          .0          .0           .0          .0
 2701.-2800.   .0         .0          .0          .0           .0          .0
 2801.-2900.   .0         .0          .0          .0           .0          .0
 2901.-3000.   .0         .0          .0          .0           .0          .0

               .114E 13   .945E 12    .258E 12    .0           .0          .0
```

```
SCC = 30100399--AMMONIA CO AOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .114E 13   .945E 12   .258E 12   .0         .0         .0


            .114E 13   .945E 12   .258E 12   .0         .0         .0


CC = 30100399--AMMONIA CO A OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .106E 12  !H
 101.- 200.  .505E 12  !HHHHH
 201.- 300.  .335E 12  !HHH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100399--AMMONIA CO A OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =     0 -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30100399--AMMONIA CO AOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30100401--AMMONIUM NIT GENERAL              -ND CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     33

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.    .110E 13   .103E 13   .802E 12   .0          .0         .0
  101.- 200.    .234E 13   .190E 13   .881E 12   .0          .0         .0
  201.- 300.    .685E 11   .515E 11   .262E 11   .0          .0         .0
  301.- 400.    .0         .0         .0         .0          .0         .0
  401.- 500.    .0         .0         .0         .0          .0         .0
  501.- 600.    .307E 12   .246E 12   .156E 12   .590E 11   .560E 11   .512E 11
  601.- 700.    .0         .0         .0         .0          .0         .0
  701.- 800.    .0         .0         .0         .0          .0         .0
  801.- 900.    .0         .0         .0         .0          .0         .0
  901.-1000.    .0         .0         .0         .0          .0         .0
 1001.-1100.    .0         .0         .0         .0          .0         .0
 1101.-1200.    .0         .0         .0         .0          .0         .0
 1201.-1300.    .0         .0         .0         .0          .0         .0
 1301.-1400.    .0         .0         .0         .0          .0         .0
 1401.-1500.    .0         .0         .0         .0          .0         .0
 1501.-1600.    .0         .0         .0         .0          .0         .0
 1601.-1700.    .0         .0         .0         .0          .0         .0
 1701.-1800.    .0         .0         .0         .0          .0         .0
 1801.-1900.    .0         .0         .0         .0          .0         .0
 1901.-2000.    .0         .0         .0         .0          .0         .0
 2001.-2100.    .0         .0         .0         .0          .0         .0
 2101.-2200.    .0         .0         .0         .0          .0         .0
 2201.-2300.    .0         .0         .0         .0          .0         .0
 2301.-2400.    .0         .0         .0         .0          .0         .0
 2401.-2500.    .0         .0         .0         .0          .0         .0
 2501.-2600.    .0         .0         .0         .0          .0         .0
 2601.-2700.    .0         .0         .0         .0          .0         .0
 2701.-2800.    .0         .0         .0         .0          .0         .0
 2801.-2900.    .0         .0         .0         .0          .0         .0
 2901.-3000.    .0         .0         .0         .0          .0         .0

                .382E 13   .323E 13   .187E 13   .590E 11   .560E 11   .512E 11
```

```
SCC = 30100401--AMMONIUM NITGENERAL              -NO CONTROL EQUIPMENT -TOT RECS =     33

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .382E 13   .323E 13   .187E 13   .590E 11   .560E 11   .512E 11


            .382E 13   .323E 13   .187E 13   .590E 11   .560E 11   .512E 11


CC = 30100401--AMMONIUM NIT GENERAL              --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     33

TEMP RANGE    COUNT

                       --------------------------------------------------------------------------------------------------------
   0.- 100.   .103E 13 !HHHHHHHHHH
 101.- 200.   .190E 13 !HHHHHHHHHHHHHHHHHH
 201.- 300.   .515E 11 !H
 301.- 400.   .0       !
 401.- 500.   .0       !
 501.- 600.   .246E 12 !HH
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100401--AMMONIUM NIT GENERAL             -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     32
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .822E 12   .771E 12   .628E 12   .0          .0          .0
  101.- 200.   .692E 13   .531E 13   .136E 13   .0          .0          .0
  201.- 300.   .196E 12   .147E 12   .754E 11   .0          .0          .0
  301.- 400.   .634E 11   .488E 11   .272E 11   .122E 10   .116E 10    .106E 10
  401.- 500.   .0         .0         .0         .0          .0          .0
  501.- 600.   .0         .0         .0         .0          .0          .0
  601.- 700.   .0         .0         .0         .0          .0          .0
  701.- 800.   .0         .0         .0         .0          .0          .0
  801.- 900.   .0         .0         .0         .0          .0          .0
  901.-1000.   .0         .0         .0         .0          .0          .0
 1001.-1100.   .0         .0         .0         .0          .0          .0
 1101.-1200.   .0         .0         .0         .0          .0          .0
 1201.-1300.   .0         .0         .0         .0          .0          .0
 1301.-1400.   .0         .0         .0         .0          .0          .0
 1401.-1500.   .0         .0         .0         .0          .0          .0
 1501.-1600.   .0         .0         .0         .0          .0          .0
 1601.-1700.   .0         .0         .0         .0          .0          .0
 1701.-1800.   .0         .0         .0         .0          .0          .0
 1801.-1900.   .0         .0         .0         .0          .0          .0
 1901.-2000.   .0         .0         .0         .0          .0          .0
 2001.-2100.   .0         .0         .0         .0          .0          .0
 2101.-2200.   .0         .0         .0         .0          .0          .0
 2201.-2300.   .0         .0         .0         .0          .0          .0
 2301.-2400.   .0         .0         .0         .0          .0          .0
 2401.-2500.   .0         .0         .0         .0          .0          .0
 2501.-2600.   .0         .0         .0         .0          .0          .0
 2601.-2700.   .0         .0         .0         .0          .0          .0
 2701.-2800.   .0         .0         .0         .0          .0          .0
 2801.-2900.   .0         .0         .0         .0          .0          .0
 2901.-3000.   .0         .0         .0         .0          .0          .0

               .800E 13   .628E 13   .209E 13   .122E 10   .116E 10    .106E 10
```

```
SCC = 30100401--AMMONIUM NITGENERAL              -WITH CONTROL EQUIPMENT -TOT RECS =     32
SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28        .791E 13   .620E 13    .206E 13    .122E 10    .116E 10    .106E 10
   32        .964E 11   .725E 11    .356E 11    .0          .0          .0


             .800E 13   .628E 13    .209E 13    .122E 10    .116E 10    .106E 10


CC =30100401--AMMONIUM NIT GENERAL              ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     32
TEMP RANGE    COUNT

                         ------------------------------------------------------------------------------------------------------
   0.- 100.   .771E 12  !HHHHHHH
 101.- 200.   .531E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .147E 12  !H
 301.- 400.   .488E 11  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100401--AMMONIUM NIT GENERAL              -TOTAL SCC -SIC =     0 -TOT RECS =     65
   TEMP          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                60 DEG      60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.    .192E 13    .180E 13    .143E 13    .0          .0          .0
  101.- 200.    .927E 13    .721E 13    .224E 13    .0          .0          .0
  201.- 300.    .264E 12    .199E 12    .102E 12    .0          .0          .0
  301.- 400.    .634E 11    .488E 11    .272E 11    .122E 10    .116E 10    .106E 10
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .307E 12    .246E 12    .156E 12    .590E 11    .560E 11    .512E 11
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .118E 14    .950E 13    .396E 13    .602E 11    .571E 11    .523E 11
```

```
SCC = 30100401--AMMONIUM NITGENERAL              -TOTAL SCC -TOT RECS =     65

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28        .117E 14   .943E 13    .392E 13   .602E 11  .571E 11    .523E 11
   32        .964E 11   .725E 11    .356E 11   .0        .0          .0


             .118E 14   .950E 13    .396E 13   .602E 11  .571E 11    .523E 11


CC 30100401--AMMONIUM NIT GENERAL              --TOTAL SCC  -SIC =    0 -TOT RECS =     65

EMP RANGE    COUNT

                        -----------------------------------------------------------------------------------------------------
   0.- 100.   .180E 13  !HHHHHHHHHHHHHHHHHH
 101.- 200.   .721E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .199E 12  !H
 301.- 400.   .488E 11  !H
 401.- 500.   .0        !
 501.- 600.   .246E 12  !HH
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100499--AMMONIUM NIT OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      4

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .415E 09   .389E 09    .121E 09   .0          .0          .0
  101.- 200.   .0         .0          .0         .0          .0          .0
  201.- 300.   .440E 09   .333E 09    .0         .0          .0          .0
  301.- 400.   .0         .0          .0         .0          .0          .0
  401.- 500.   .0         .0          .0         .0          .0          .0
  501.- 600.   .0         .0          .0         .0          .0          .0
  601.- 700.   .0         .0          .0         .0          .0          .0
  701.- 800.   .0         .0          .0         .0          .0          .0
  801.- 900.   .0         .0          .0         .0          .0          .0
  901.-1000.   .0         .0          .0         .0          .0          .0
 1001.-1100.   .0         .0          .0         .0          .0          .0
 1101.-1200.   .0         .0          .0         .0          .0          .0
 1201.-1300.   .0         .0          .0         .0          .0          .0
 1301.-1400.   .0         .0          .0         .0          .0          .0
 1401.-1500.   .0         .0          .0         .0          .0          .0
 1501.-1600.   .0         .0          .0         .0          .0          .0
 1601.-1700.   .0         .0          .0         .0          .0          .0
 1701.-1800.   .0         .0          .0         .0          .0          .0
 1801.-1900.   .0         .0          .0         .0          .0          .0
 1901.-2000.   .0         .0          .0         .0          .0          .0
 2001.-2100.   .0         .0          .0         .0          .0          .0
 2101.-2200.   .0         .0          .0         .0          .0          .0
 2201.-2300.   .0         .0          .0         .0          .0          .0
 2301.-2400.   .0         .0          .0         .0          .0          .0
 2401.-2500.   .0         .0          .0         .0          .0          .0
 2501.-2600.   .0         .0          .0         .0          .0          .0
 2601.-2700.   .0         .0          .0         .0          .0          .0
 2701.-2800.   .0         .0          .0         .0          .0          .0
 2801.-2900.   .0         .0          .0         .0          .0          .0
 2901.-3000.   .0         .0          .0         .0          .0          .0

               .854E 09   .722E 09    .121E 09   .0          .0          .0
```

```
SCC = 30100499--AMMONIUM NITOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      4
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .854E 09   .722E 09   .121E 09   .0         .0          .0

            .854E 09   .722E 09   .121E 09   .0         .0          .0


CC = 30100499--AMMONIUM NIT OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      4
TEMP RANGE    COUNT
                           ----------------------------------------------------------------------------------------------------
   0.- 100.  .389E 09  !
 101.- 200.  .0        !
 201.- 300.  .333E 09  !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100499--AMMONIUM NIT OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3

    TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG    60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.    .0          .0          .0          .0          .0          .0
  101.- 200.    .0          .0          .0          .0          .0          .0
  201.- 300.    .392E 13    .298E 13    .110E 13    .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .392E 13    .298E 13    .110E 13    .0          .0          .0
```

```
SCC = 30100499--AMMONIUM NITOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =      3
SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG     60 DEG      60 DEG      300DEG     300 DEG      300 DEG
  28        .128E 13   .971E 12    .426E 10    .0          .0           .0
  49        .263E 13   .201E 13    .109E 13    .0          .0           .0

            .392E 13   .298E 13    .110E 13    .0          .0           .0

CC =30100499--AMMONIUM NIT OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3
TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .0        !
 201.- 300.   .298E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100499--AMMONIUM NIT OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =      7

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
    0.= 100.    .415E 09   .389E 09    .121E 09   .0         .0         .0
  101.= 200.    .0         .0          .0         .0         .0         .0
  201.= 300.    .392E 13   .298E 13    .110E 13   .0         .0         .0
  301.= 400.    .0         .0          .0         .0         .0         .0
  401.= 500.    .0         .0          .0         .0         .0         .0
  501.= 600.    .0         .0          .0         .0         .0         .0
  601.= 700.    .0         .0          .0         .0         .0         .0
  701.= 800.    .0         .0          .0         .0         .0         .0
  801.= 900.    .0         .0          .0         .0         .0         .0
  901.=1000.    .0         .0          .0         .0         .0         .0
 1001.=1100.    .0         .0          .0         .0         .0         .0
 1101.=1200.    .0         .0          .0         .0         .0         .0
 1201.=1300.    .0         .0          .0         .0         .0         .0
 1301.=1400.    .0         .0          .0         .0         .0         .0
 1401.=1500.    .0         .0          .0         .0         .0         .0
 1501.=1600.    .0         .0          .0         .0         .0         .0
 1601.=1700.    .0         .0          .0         .0         .0         .0
 1701.=1800.    .0         .0          .0         .0         .0         .0
 1801.=1900.    .0         .0          .0         .0         .0         .0
 1901.=2000.    .0         .0          .0         .0         .0         .0
 2001.=2100.    .0         .0          .0         .0         .0         .0
 2101.=2200.    .0         .0          .0         .0         .0         .0
 2201.=2300.    .0         .0          .0         .0         .0         .0
 2301.=2400.    .0         .0          .0         .0         .0         .0
 2401.=2500.    .0         .0          .0         .0         .0         .0
 2501.=2600.    .0         .0          .0         .0         .0         .0
 2601.=2700.    .0         .0          .0         .0         .0         .0
 2701.=2800.    .0         .0          .0         .0         .0         .0
 2801.=2900.    .0         .0          .0         .0         .0         .0
 2901.=3000.    .0         .0          .0         .0         .0         .0

                .392E 13   .298E 13    .110E 13   .0         .0         .0
```

```
SCC = 30100699--AMMONIUM NITOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =      7
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
  28        .128E 13   .972E 12    .438E 10   .0         .0         .0
  49        .263E 13   .201E 13    .109E 13   .0         .0         .0

            .392E 13   .298E 13    .110E 13   .0         .0         .0

CC 30100699--AMMONIUM NIT OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =      7
EMP RANGE    COUNT

                           ------------------------------------------------------------------------------------------------------
    0.= 100.   .389E 09   !
  101.= 200.   .0         !
  201.= 300.   .298E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  301.= 400.   .0         !
  401.= 500.   .0         !
  501.= 600.   .0         !
  601.= 700.   .0         !
  701.= 800.   .0         !
  801.= 900.   .0         !
  901.=1000.   .0         !
 1001.=1100.   .0         !
 1101.=1200.   .0         !
 1201.=1300.   .0         !
 1301.=1400.   .0         !
 1401.=1500.   .0         !
 1501.=1600.   .0         !
 1601.=1700.   .0         !
 1701.=1800.   .0         !
 1801.=1900.   .0         !
 1901.=2000.   .0         !
 2001.=2100.   .0         !
 2101.=2200.   .0         !
 2201.=2300.   .0         !
 2301.=2400.   .0         !
 2401.=2500.   .0         !
 2501.=2600.   .0         !
 2601.=2700.   .0         !
 2701.=2800.   .0         !
 2801.=2900.   .0         !
 2901.=3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100501--CARBON BLACK CHANNEL PROCESS      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      5
   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG      60 DEG     60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.    .0          .0          .0         .0          .0         .0
  101.- 200.    .0          .0          .0         .0          .0         .0
  201.- 300.    .0          .0          .0         .0          .0         .0
  301.- 400.    .0          .0          .0         .0          .0         .0
  401.- 500.    .923E 10    .727E 10    .435E 10   .104E 10    .987E 09   .903E 09
  501.- 600.    .0          .0          .0         .0          .0         .0
  601.- 700.    .0          .0          .0         .0          .0         .0
  701.- 800.    .0          .0          .0         .0          .0         .0
  801.- 900.    .0          .0          .0         .0          .0         .0
  901.-1000.    .630E 13    .531E 13    .381E 13   .259E 13    .247E 13   .225E 13
 1001.-1100.    .0          .0          .0         .0          .0         .0
 1101.-1200.    .0          .0          .0         .0          .0         .0
 1201.-1300.    .0          .0          .0         .0          .0         .0
 1301.-1400.    .0          .0          .0         .0          .0         .0
 1401.-1500.    .0          .0          .0         .0          .0         .0
 1501.-1600.    .0          .0          .0         .0          .0         .0
 1601.-1700.    .0          .0          .0         .0          .0         .0
 1701.-1800.    .0          .0          .0         .0          .0         .0
 1801.-1900.    .0          .0          .0         .0          .0         .0
 1901.-2000.    .0          .0          .0         .0          .0         .0
 2001.-2100.    .0          .0          .0         .0          .0         .0
 2101.-2200.    .0          .0          .0         .0          .0         .0
 2201.-2300.    .0          .0          .0         .0          .0         .0
 2301.-2400.    .0          .0          .0         .0          .0         .0
 2401.-2500.    .0          .0          .0         .0          .0         .0
 2501.-2600.    .0          .0          .0         .0          .0         .0
 2601.-2700.    .0          .0          .0         .0          .0         .0
 2701.-2800.    .0          .0          .0         .0          .0         .0
 2801.-2900.    .0          .0          .0         .0          .0         .0
 2901.-3000.    .0          .0          .0         .0          .0         .0

                .630E 13    .532E 13    .381E 13   .259E 13    .247E 13   .225E 13
```

```
SCC = 30100501--CARBON BLACKCHANNEL PROCESS       -NO CONTROL EQUIPMENT -TOT RECS =      5

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .630E 13   .532E 13   .381E 13   .259E 13   .247E 13   .225E 13


            .630E 13   .532E 13   .381E 13   .259E 13   .247E 13   .225E 13


CC = 30100501--CARBON BLACK CHANNEL PROCESS     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE    COUNT

                              ----------------------------------------------------------------------------------------------------
  101.- 200.    .0            I
  201.- 300.    .0            I
  301.- 400.    .0            I
  401.- 500.    .727E 10      IH
  501.- 600.    .0            I
  601.- 700.    .0            I
  701.- 800.    .0            I
  801.- 900.    .0            I
  901.-1000.    .531E 13      IHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 1001.-1100.    .0            I
 1101.-1200.    .0            I
 1201.-1300.    .0            I
 1301.-1400.    .0            I
 1401.-1500.    .0            I
 1501.-1600.    .0            I
 1601.-1700.    .0            I
 1701.-1800.    .0            I
 1801.-1900.    .0            I
 1901.-2000.    .0            I
 2001.-2100.    .0            I
 2101.-2200.    .0            I
 2201.-2300.    .0            I
 2301.-2400.    .0            I
 2401.-2500.    .0            I
 2501.-2600.    .0            I
 2601.-2700.    .0            I
 2701.-2800.    .0            I
 2801.-2900.    .0            I
 2901.-3000.    .0            I
                              0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100501--CARBON BLACK CHANNEL PROCESS       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      6
   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
     0.- 100.    .0          .0          .0          .0          .0          .0
   101.- 200.    .263E 12    .197E 12    .407E 11    .0          .0          .0
   201.- 300.    .0          .0          .0          .0          .0          .0
   301.- 400.    .235E 12    .184E 12    .107E 12    .175E 11    .166E 11    .152E 11
   401.- 500.    .0          .0          .0          .0          .0          .0
   501.- 600.    .0          .0          .0          .0          .0          .0
   601.- 700.    .0          .0          .0          .0          .0          .0
   701.- 800.    .0          .0          .0          .0          .0          .0
   801.- 900.    .0          .0          .0          .0          .0          .0
   901.-1000.    .0          .0          .0          .0          .0          .0
  1001.-1100.    .0          .0          .0          .0          .0          .0
  1101.-1200.    .0          .0          .0          .0          .0          .0
  1201.-1300.    .0          .0          .0          .0          .0          .0
  1301.-1400.    .0          .0          .0          .0          .0          .0
  1401.-1500.    .0          .0          .0          .0          .0          .0
  1501.-1600.    .0          .0          .0          .0          .0          .0
  1601.-1700.    .0          .0          .0          .0          .0          .0
  1701.-1800.    .0          .0          .0          .0          .0          .0
  1801.-1900.    .0          .0          .0          .0          .0          .0
  1901.-2000.    .0          .0          .0          .0          .0          .0
  2001.-2100.    .0          .0          .0          .0          .0          .0
  2101.-2200.    .0          .0          .0          .0          .0          .0
  2201.-2300.    .0          .0          .0          .0          .0          .0
  2301.-2400.    .0          .0          .0          .0          .0          .0
  2401.-2500.    .0          .0          .0          .0          .0          .0
  2501.-2600.    .0          .0          .0          .0          .0          .0
  2601.-2700.    .0          .0          .0          .0          .0          .0
  2701.-2800.    .0          .0          .0          .0          .0          .0
  2801.-2900.    .0          .0          .0          .0          .0          .0
  2901.-3000.    .0          .0          .0          .0          .0          .0

                 .498E 12    .380E 12    .147E 12    .175E 11    .166E 11    .152E 11
```

```
SCC = 30100501--CARBON BLACKCHANNEL PROCESS      -WITH CONTROL EQUIPMENT -TOT RECS =     6
SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG     60 DEG       60 DEG       300DEG    300 DEG       300 DEG
   20        .498E 12   .380E 12    .147E 12    .175E 11    .166E 11     .152E 11

             .498E 12   .380E 12    .147E 12    .175E 11    .166E 11     .152E 11

CC =30100501--CARBON BLACK CHANNEL PROCESS     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     6
TEMP RANGE    COUNT
                         -------------------------------------------------------------------------------------------------
    0.- 100.   .0        !
  101.- 200.   .197E 12  !M
  201.- 300.   .0        !
  301.- 400.   .184E 12  !M
  401.- 500.   .0        !
  501.- 600.   .0        !
  601.- 700.   .0        !
  701.- 800.   .0        !
  801.- 900.   .0        !
  901.-1000.   .0        !
 1001.-1100.   .0        !
 1101.-1200.   .0        !
 1201.-1300.   .0        !
 1301.-1400.   .0        !
 1401.-1500.   .0        !
 1501.-1600.   .0        !
 1601.-1700.   .0        !
 1701.-1800.   .0        !
 1801.-1900.   .0        !
 1901.-2000.   .0        !
 2001.-2100.   .0        !
 2101.-2200.   .0        !
 2201.-2300.   .0        !
 2301.-2400.   .0        !
 2401.-2500.   .0        !
 2501.-2600.   .0        !
 2601.-2700.   .0        !
 2701.-2800.   .0        !
 2801.-2900.   .0        !
 2901.-3000.   .0        !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100501--CARBON BLACK CHANNEL PROCESS      -TOTAL SCC -SIC =    0 -TOT RECS =     11
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
    0.= 100.   .0         .0          .0         .0         .0         .0
  101.= 200.   .263E 12   .197E 12    .407E 11   .0         .0         .0
  201.= 300.   .0         .0          .0         .0         .0         .0
  301.= 400.   .235E 12   .184E 12    .107E 12   .175E 11   .166E 11   .152E 11
  401.= 500.   .923E 10   .727E 10    .435E 10   .104E 10   .987E 09   .903E 09
  501.= 600.   .0         .0          .0         .0         .0         .0
  601.= 700.   .0         .0          .0         .0         .0         .0
  701.= 800.   .0         .0          .0         .0         .0         .0
  801.= 900.   .0         .0          .0         .0         .0         .0
  901.=1000.   .630E 13   .531E 13    .381E 13   .259E 13   .247E 13   .225E 13
 1001.=1100.   .0         .0          .0         .0         .0         .0
 1101.=1200.   .0         .0          .0         .0         .0         .0
 1201.=1300.   .0         .0          .0         .0         .0         .0
 1301.=1400.   .0         .0          .0         .0         .0         .0
 1401.=1500.   .0         .0          .0         .0         .0         .0
 1501.=1600.   .0         .0          .0         .0         .0         .0
 1601.=1700.   .0         .0          .0         .0         .0         .0
 1701.=1800.   .0         .0          .0         .0         .0         .0
 1801.=1900.   .0         .0          .0         .0         .0         .0
 1901.=2000.   .0         .0          .0         .0         .0         .0
 2001.=2100.   .0         .0          .0         .0         .0         .0
 2101.=2200.   .0         .0          .0         .0         .0         .0
 2201.=2300.   .0         .0          .0         .0         .0         .0
 2301.=2400.   .0         .0          .0         .0         .0         .0
 2401.=2500.   .0         .0          .0         .0         .0         .0
 2501.=2600.   .0         .0          .0         .0         .0         .0
 2601.=2700.   .0         .0          .0         .0         .0         .0
 2701.=2800.   .0         .0          .0         .0         .0         .0
 2801.=2900.   .0         .0          .0         .0         .0         .0
 2901.=3000.   .0         .0          .0         .0         .0         .0

               .680E 13   .570E 13    .396E 13   .261E 13   .248E 13   .227E 13
```

```
SCC = 30100501--CARBON BLACKCHANNEL PROCESS       -TOTAL SCC -TOT RECS =     11

SCC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG   300 DEG    300 DEG
  28          .680E 13   .570E 13    .396E 13   .261E 13  .248E 13   .227E 13

              .680E 13   .570E 13    .396E 13   .261E 13  .248E 13   .227E 13

CC 30100501--CARBON BLACK CHANNEL PROCESS     --TOTAL SCC  -SIC =    0 -TOT RECS =     11

EMP RANGE    COUNT

                          ---------------------------------------------------------------------------------------------------
    0.= 100.   .0         *
  101.= 200.   .197E 12   *H
  201.= 300.   .0         *
  301.= 400.   .184E 12   *H
  401.= 500.   .727E 10   *H
  501.= 600.   .0         *
  601.= 700.   .0         *
  701.= 800.   .0         *
  801.= 900.   .0         *
  901.=1000.   .551E 13   *HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 1001.=1100.   .0         *
 1101.=1200.   .0         *
 1201.=1300.   .0         *
 1301.=1400.   .0         *
 1401.=1500.   .0         *
 1501.=1600.   .0         *
 1601.=1700.   .0         *
 1701.=1800.   .0         *
 1801.=1900.   .0         *
 1901.=2000.   .0         *
 2001.=2100.   .0         *
 2101.=2200.   .0         *
 2201.=2300.   .0         *
 2301.=2400.   .0         *
 2401.=2500.   .0         *
 2501.=2600.   .0         *
 2601.=2700.   .0         *
 2701.=2800.   .0         *
 2801.=2900.   .0         *
 2901.=3000.   .0         *
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100502--CARBON BLACK THERMAL PROCESS      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      3
    TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG     60 DEG     300 DEG     300 DEG     300 DEG
    0.= 100.     .0          .0          .0          .0          .0          .0
  101.= 200.     .0          .0          .0          .0          .0          .0
  201.= 300.     .0          .0          .0          .0          .0          .0
  301.= 400.     .0          .0          .0          .0          .0          .0
  401.= 500.     .0          .0          .0          .0          .0          .0
  501.= 600.     .0          .0          .0          .0          .0          .0
  601.= 700.     .0          .0          .0          .0          .0          .0
  701.= 800.     .0          .0          .0          .0          .0          .0
  801.= 900.     .130E 13    .108E 13    .753E 12    .462E 12    .440E 12    .402E 12
  901.=1000.     .0          .0          .0          .0          .0          .0
 1001.=1100.     .0          .0          .0          .0          .0          .0
 1101.=1200.     .0          .0          .0          .0          .0          .0
 1201.=1300.     .0          .0          .0          .0          .0          .0
 1301.=1400.     .558E 12    .482E 12    .366E 12    .297E 12    .282E 12    .256E 12
 1401.=1500.     .0          .0          .0          .0          .0          .0
 1501.=1600.     .0          .0          .0          .0          .0          .0
 1601.=1700.     .0          .0          .0          .0          .0          .0
 1701.=1800.     .0          .0          .0          .0          .0          .0
 1801.=1900.     .0          .0          .0          .0          .0          .0
 1901.=2000.     .0          .0          .0          .0          .0          .0
 2001.=2100.     .0          .0          .0          .0          .0          .0
 2101.=2200.     .0          .0          .0          .0          .0          .0
 2201.=2300.     .0          .0          .0          .0          .0          .0
 2301.=2400.     .0          .0          .0          .0          .0          .0
 2401.=2500.     .0          .0          .0          .0          .0          .0
 2501.=2600.     .0          .0          .0          .0          .0          .0
 2601.=2700.     .0          .0          .0          .0          .0          .0
 2701.=2800.     .0          .0          .0          .0          .0          .0
 2801.=2900.     .0          .0          .0          .0          .0          .0
 2901.=3000.     .0          .0          .0          .0          .0          .0

                 .186E 13    .156E 13    .112E 13    .759E 12    .722E 12    .658E 12
```

```
SCC = 30100502--CARBON BLACKTHERMAL PROCESS      -NO CONTROL EQUIPMENT -TOT RECS =      3

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
              60 DEG      60 DEG       60 DEG     300 DEG     300 DEG    300 DEG
  28        .184E 13    .156E 13    .112E 13    .759E 12    .722E 12    .658E 12

            .184E 13    .156E 13    .112E 13    .759E 12    .722E 12    .658E 12


CC = 30100502--CARBON BLACK THERMAL PROCESS      --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3
TEMP RANGE   COUNT

                       ---------------------------------------------------------------------------------------------------
    0.- 100.    .0     I
  101.- 200.    .0     I
  201.- 300.    .0     I
  301.- 400.    .0     I
  401.- 500.    .0     I
  501.- 600.    .0     I
  601.- 700.    .0     I
  701.- 800.    .0     I
  801.- 900.   .184E 13 IXXXXXXXXXXXX
  901.-1000.    .0     I
 1001.-1100.    .0     I
 1101.-1200.    .0     I
 1201.-1300.    .0     I
 1301.-1400.   .602E 12 IXXXXX
 1401.-1500.    .0     I
 1501.-1600.    .0     I
 1601.-1700.    .0     I
 1701.-1800.    .0     I
 1801.-1900.    .0     I
 1901.-2000.    .0     I
 2001.-2100.    .0     I
 2101.-2200.    .0     I
 2201.-2300.    .0     I
 2301.-2400.    .0     I
 2401.-2500.    .0     I
 2501.-2600.    .0     I
 2601.-2700.    .0     I
 2701.-2800.    .0     I
 2801.-2900.    .0     I
 2901.-3000.    .0     I
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100502--CARBON BLACK THERMAL PROCESS       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1
    TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                   60 DEG      60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
     0.= 100.     .0          .0          .0          .0          .0          .0
   101.= 200.     .137E 12    .103E 12    .505E 11    .0          .0          .0
   201.= 300.     .0          .0          .0          .0          .0          .0
   301.= 400.     .0          .0          .0          .0          .0          .0
   401.= 500.     .0          .0          .0          .0          .0          .0
   501.= 600.     .0          .0          .0          .0          .0          .0
   601.= 700.     .0          .0          .0          .0          .0          .0
   701.= 800.     .0          .0          .0          .0          .0          .0
   801.= 900.     .0          .0          .0          .0          .0          .0
   901.=1000.     .0          .0          .0          .0          .0          .0
  1001.=1100.     .0          .0          .0          .0          .0          .0
  1101.=1200.     .0          .0          .0          .0          .0          .0
  1201.=1300.     .0          .0          .0          .0          .0          .0
  1301.=1400.     .0          .0          .0          .0          .0          .0
  1401.=1500.     .0          .0          .0          .0          .0          .0
  1501.=1600.     .0          .0          .0          .0          .0          .0
  1601.=1700.     .0          .0          .0          .0          .0          .0
  1701.=1800.     .0          .0          .0          .0          .0          .0
  1801.=1900.     .0          .0          .0          .0          .0          .0
  1901.=2000.     .0          .0          .0          .0          .0          .0
  2001.=2100.     .0          .0          .0          .0          .0          .0
  2101.=2200.     .0          .0          .0          .0          .0          .0
  2201.=2300.     .0          .0          .0          .0          .0          .0
  2301.=2400.     .0          .0          .0          .0          .0          .0
  2401.=2500.     .0          .0          .0          .0          .0          .0
  2501.=2600.     .0          .0          .0          .0          .0          .0
  2601.=2700.     .0          .0          .0          .0          .0          .0
  2701.=2800.     .0          .0          .0          .0          .0          .0
  2801.=2900.     .0          .0          .0          .0          .0          .0
  2901.=3000.     .0          .0          .0          .0          .0          .0

                  .137E 12    .103E 12    .505E 11    .0          .0          .0
```

```
SCC = 30100502--CARBON BLACKTHERMAL PROCESS      -WITH CONTROL EQUIPMENT -TOT RECS =     1
SIC            MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG     60 DEG      300DEG    300 DEG     300 DEG
   28         .137E 12   .103E 12   .505E 11   .0         .0          .0

              .137E 12   .103E 12   .505E 11   .0         .0          .0


SC =30100502--CARBON BLACK THERMAL PROCESS     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1
TEMP RANGE   COUNT

                              ----------------------------------------------------------------------------------------------------
   0.- 100.    .0             I
 101.- 200.    .103E 12       I*
 201.- 300.    .0             I
 301.- 400.    .0             I
 401.- 500.    .0             I
 501.- 600.    .0             I
 601.- 700.    .0             I
 701.- 800.    .0             I
 801.- 900.    .0             I
 901.-1000.    .0             I
1001.-1100.    .0             I
1101.-1200.    .0             I
1201.-1300.    .0             I
1301.-1400.    .0             I
1401.-1500.    .0             I
1501.-1600.    .0             I
1601.-1700.    .0             I
1701.-1800.    .0             I
1801.-1900.    .0             I
1901.-2000.    .0             I
2001.-2100.    .0             I
2101.-2200.    .0             I
2201.-2300.    .0             I
2301.-2400.    .0             I
2401.-2500.    .0             I
2501.-2600.    .0             I
2601.-2700.    .0             I
2701.-2800.    .0             I
2801.-2900.    .0             I
2901.-3000.    .0             I
                              0---------10---------20---------30---------40---------50---------60---------70---------80---------90--------100
```

```
SCC= 30100502--CARBON BLACK THERMAL PROCESS      -TOTAL SCC -SIC =    0 -TOT RECS =      4
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.= 100.    .0         .0         .0         .0         .0         .0
  101.= 200.    .107E 12   .103E 12   .509E 11   .0         .0         .0
  201.= 300.    .0         .0         .0         .0         .0         .0
  301.= 400.    .0         .0         .0         .0         .0         .0
  401.= 500.    .0         .0         .0         .0         .0         .0
  501.= 600.    .0         .0         .0         .0         .0         .0
  601.= 700.    .0         .0         .0         .0         .0         .0
  701.= 800.    .0         .0         .0         .0         .0         .0
  801.= 900.    .108E 13   .108E 13   .753E 12   .462E 12   .440E 12   .402E 12
  901.=1000.    .0         .0         .0         .0         .0         .0
 1001.=1100.    .0         .0         .0         .0         .0         .0
 1101.=1200.    .0         .0         .0         .0         .0         .0
 1201.=1300.    .0         .0         .0         .0         .0         .0
 1301.=1400.    .808E 12   .482E 12   .366E 12   .297E 12   .282E 12   .256E 12
 1401.=1500.    .0         .0         .0         .0         .0         .0
 1501.=1600.    .0         .0         .0         .0         .0         .0
 1601.=1700.    .0         .0         .0         .0         .0         .0
 1701.=1800.    .0         .0         .0         .0         .0         .0
 1801.=1900.    .0         .0         .0         .0         .0         .0
 1901.=2000.    .0         .0         .0         .0         .0         .0
 2001.=2100.    .0         .0         .0         .0         .0         .0
 2101.=2200.    .0         .0         .0         .0         .0         .0
 2201.=2300.    .0         .0         .0         .0         .0         .0
 2301.=2400.    .0         .0         .0         .0         .0         .0
 2401.=2500.    .0         .0         .0         .0         .0         .0
 2501.=2600.    .0         .0         .0         .0         .0         .0
 2601.=2700.    .0         .0         .0         .0         .0         .0
 2701.=2800.    .0         .0         .0         .0         .0         .0
 2801.=2900.    .0         .0         .0         .0         .0         .0
 2901.=3000.    .0         .0         .0         .0         .0         .0

                .199E 13   .167E 13   .117E 13   .759E 12   .722E 12   .658E 12
```

```
SCC = 30100502--CARBON BLACKTHERMAL PROCESS      -TOTAL SCC -TOT RECS =      4
SIC          MAXIMUM     EXPECTED     MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             68 DEG      68 DEG       68 DEG     300 DEG    300 DEG     300 DEG
  28        .199E 13    .167E 13    .117E 13    .759E 12   .722E 12    .658E 12

            .199E 13    .167E 13    .117E 13    .759E 12   .722E 12    .658E 12

SCC 30100502--CARBON BLACK THERMAL PROCESS     --TOTAL SCC  -SIC =    0 -TOT RECS =      4
EMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
    0.- 100.   .0       I
  101.- 200.   .103E 12 I*
  201.- 300.   .0       I
  301.- 400.   .0       I
  401.- 500.   .0       I
  501.- 600.   .0       I
  601.- 700.   .0       I
  701.- 800.   .0       I
  801.- 900.   .108E 13 I***********
  901.-1000.   .0       I
 1001.-1100.   .0       I
 1101.-1200.   .0       I
 1201.-1300.   .0       I
 1301.-1400.   .402E 12 I****
 1401.-1500.   .0       I
 1501.-1600.   .0       I
 1601.-1700.   .0       I
 1701.-1800.   .0       I
 1801.-1900.   .0       I
 1901.-2000.   .0       I
 2001.-2100.   .0       I
 2101.-2200.   .0       I
 2201.-2300.   .0       I
 2301.-2400.   .0       I
 2401.-2500.   .0       I
 2501.-2600.   .0       I
 2601.-2700.   .0       I
 2701.-2800.   .0       I
 2801.-2900.   .0       I
 2901.-3000.   .0       I
                        I--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100503--CARBON BLACK FURNACE PROCESS GAS  -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      9

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG   300 DEG    300 DEG
   0.- 100.    .0          .0          .0         .0         .0         .0
 101.- 200.    .0          .0          .0         .0         .0         .0
 201.- 300.    .759E 08    .575E 08    .301E 08   .0         .0         .0
 301.- 400.    .0          .0          .0         .0         .0         .0
 401.- 500.    .0          .0          .0         .0         .0         .0
 501.- 600.    .935E 10    .757E 10    .491E 10   .218E 10   .207E 10   .189E 10
 601.- 700.    .0          .0          .0         .0         .0         .0
 701.- 800.    .307E 11    .253E 11    .606E 10   .944E 10   .898E 10   .291E 10
 801.- 900.    .0          .0          .0         .0         .0         .0
 901.-1000.    .0          .0          .0         .0         .0         .0
1001.-1100.    .0          .0          .0         .0         .0         .0
1101.-1200.    .0          .0          .0         .0         .0         .0
1201.-1300.    .116E 11    .998E 10    .748E 10   .583E 10   .554E 10   .504E 10
1301.-1400.    .0          .0          .0         .0         .0         .0
1401.-1500.    .0          .0          .0         .0         .0         .0
1501.-1600.    .0          .0          .0         .0         .0         .0
1601.-1700.    .0          .0          .0         .0         .0         .0
1701.-1800.    .0          .0          .0         .0         .0         .0
1801.-1900.    .0          .0          .0         .0         .0         .0
1901.-2000.    .0          .0          .0         .0         .0         .0
2001.-2100.    .0          .0          .0         .0         .0         .0
2101.-2200.    .0          .0          .0         .0         .0         .0
2201.-2300.    .0          .0          .0         .0         .0         .0
2301.-2400.    .0          .0          .0         .0         .0         .0
2401.-2500.    .0          .0          .0         .0         .0         .0
2501.-2600.    .0          .0          .0         .0         .0         .0
2601.-2700.    .0          .0          .0         .0         .0         .0
2701.-2800.    .0          .0          .0         .0         .0         .0
2801.-2900.    .0          .0          .0         .0         .0         .0
2901.-3000.    .0          .0          .0         .0         .0         .0

               .518E 11    .429E 11    .185E 11   .175E 11   .166E 11   .984E 10
```

```
SCC = 30100503--CARBON BLACKFURNACE PROCESS GAS  -NO CONTROL EQUIPMENT -TOT RECS =      9

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   28       .319E 11    .265E 11    .185E 11    .114E 11    .108E 11    .984E 10
   91       .199E 11    .164E 11    .0          .610E 10    .580E 10    .0

            .518E 11    .429E 11    .185E 11    .175E 11    .166E 11    .984E 10


CC = 30100503--CARBON BLACK FURNACE PROCESS GAS --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      9

TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .575E 08  !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .757E 10  !H
 601.- 700.  .0        !
 701.- 800.  .253E 11  !H
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .998E 10  !H
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100503--CARBON BLACK FURNACE PROCESS GAS   -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      8
   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG      300 DEG    300 DEG    300 DEG
    0.- 100.   .0         .0          .0          .0         .0         .0
  101.- 200.   .100E 12   .749E 11    .367E 11    .0         .0         .0
  201.- 300.   .0         .0          .0          .0         .0         .0
  301.- 400.   .143E 13   .111E 13    .633E 12    .704E 11   .669E 11   .612E 11
  401.- 500.   .0         .0          .0          .0         .0         .0
  501.- 600.   .0         .0          .0          .0         .0         .0
  601.- 700.   .0         .0          .0          .0         .0         .0
  701.- 800.   .0         .0          .0          .0         .0         .0
  801.- 900.   .0         .0          .0          .0         .0         .0
  901.-1000.   .0         .0          .0          .0         .0         .0
 1001.-1100.   .0         .0          .0          .0         .0         .0
 1101.-1200.   .0         .0          .0          .0         .0         .0
 1201.-1300.   .0         .0          .0          .0         .0         .0
 1301.-1400.   .0         .0          .0          .0         .0         .0
 1401.-1500.   .0         .0          .0          .0         .0         .0
 1501.-1600.   .0         .0          .0          .0         .0         .0
 1601.-1700.   .0         .0          .0          .0         .0         .0
 1701.-1800.   .0         .0          .0          .0         .0         .0
 1801.-1900.   .0         .0          .0          .0         .0         .0
 1901.-2000.   .0         .0          .0          .0         .0         .0
 2001.-2100.   .0         .0          .0          .0         .0         .0
 2101.-2200.   .0         .0          .0          .0         .0         .0
 2201.-2300.   .0         .0          .0          .0         .0         .0
 2301.-2400.   .0         .0          .0          .0         .0         .0
 2401.-2500.   .0         .0          .0          .0         .0         .0
 2501.-2600.   .0         .0          .0          .0         .0         .0
 2601.-2700.   .0         .0          .0          .0         .0         .0
 2701.-2800.   .0         .0          .0          .0         .0         .0
 2801.-2900.   .0         .0          .0          .0         .0         .0
 2901.-3000.   .0         .0          .0          .0         .0         .0

               .153E 13   .118E 13    .670E 12    .704E 11   .669E 11   .612E 11
```

```
SCC = 30100503--CARBON BLACKFURNACE PROCESS GAS  -WITH CONTROL EQUIPMENT -TOT RECS =     8

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28        .153E 13  .118E 13   .670E 12   .704E 11   .669E 11   .612E 11


             .153E 13  .118E 13   .670E 12   .704E 11   .669E 11   .612E 11


CC =30100503--CARBON BLACK FURNACE PROCESS GAS ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      8

TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
    0.- 100.  .0       !
  101.- 200.  .749E 11 !H
  201.- 300.  .0       !
  301.- 400.  .111E 13 !HHHHHHHHHHH
  401.- 500.  .0       !
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100503--CARBON BLACK FURNACE PROCESS GAS  -TOTAL SCC -SIC =    0 -TOT RECS =     17

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG    300 DEG    300 DEG
    0.- 100.   .0         .0          .0          .0         .0         .0
  101.- 200.   .100E 12   .749E 11    .367E 11    .0         .0         .0
  201.- 300.   .759E 08   .575E 08    .301E 08    .0         .0         .0
  301.- 400.   .143E 13   .111E 13    .633E 12    .704E 11   .669E 11   .612E 11
  401.- 500.   .0         .0          .0          .0         .0         .0
  501.- 600.   .935E 10   .757E 10    .491E 10    .218E 10   .207E 10   .189E 10
  601.- 700.   .0         .0          .0          .0         .0         .0
  701.- 800.   .307E 11   .253E 11    .606E 10    .944E 10   .898E 10   .291E 10
  801.- 900.   .0         .0          .0          .0         .0         .0
  901.-1000.   .0         .0          .0          .0         .0         .0
 1001.-1100.   .0         .0          .0          .0         .0         .0
 1101.-1200.   .0         .0          .0          .0         .0         .0
 1201.-1300.   .116E 11   .998E 10    .748E 10    .583E 10   .554E 10   .504E 10
 1301.-1400.   .0         .0          .0          .0         .0         .0
 1401.-1500.   .0         .0          .0          .0         .0         .0
 1501.-1600.   .0         .0          .0          .0         .0         .0
 1601.-1700.   .0         .0          .0          .0         .0         .0
 1701.-1800.   .0         .0          .0          .0         .0         .0
 1801.-1900.   .0         .0          .0          .0         .0         .0
 1901.-2000.   .0         .0          .0          .0         .0         .0
 2001.-2100.   .0         .0          .0          .0         .0         .0
 2101.-2200.   .0         .0          .0          .0         .0         .0
 2201.-2300.   .0         .0          .0          .0         .0         .0
 2301.-2400.   .0         .0          .0          .0         .0         .0
 2401.-2500.   .0         .0          .0          .0         .0         .0
 2501.-2600.   .0         .0          .0          .0         .0         .0
 2601.-2700.   .0         .0          .0          .0         .0         .0
 2701.-2800.   .0         .0          .0          .0         .0         .0
 2801.-2900.   .0         .0          .0          .0         .0         .0
 2901.-3000.   .0         .0          .0          .0         .0         .0

               .158E 13   .123E 13    .688E 12    .879E 11   .835E 11   .710E 11
```

```
SCC = 30100503--CARBON BLACKFURNACE PROCESS GAS  -TOTAL SCC -TOT RECS =     17

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28       .156E 13   .121E 13   .688E 12   .818E 11   .777E 11   .710E 11
   91       .199E 11   .164E 11   .0         .610E 10   .580E 10   .0


            .158E 13   .123E 13   .688E 12   .879E 11   .835E 11   .710E 11


CC 30100503--CARBON BLACK FURNACE PROCESS GAS --TOTAL SCC  -SIC =    0 -TOT RECS =     17

EMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .749E 11 !H
 201.- 300.   .575E 08 !
 301.- 400.   .111E 13 !HHHHHHHHHHH
 401.- 500.   .0       !
 501.- 600.   .757E 10 !H
 601.- 700.   .0       !
 701.- 800.   .253E 11 !H
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .998E 10 !H
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100504--CARBON BLACK FURNACE PROCESS OIL  -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      2

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG      60 DEG     60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.    .0          .0          .0         .0         .0         .0
  101.- 200.    .0          .0          .0         .0         .0         .0
  201.- 300.    .0          .0          .0         .0         .0         .0
  301.- 400.    .0          .0          .0         .0         .0         .0
  401.- 500.    .0          .0          .0         .0         .0         .0
  501.- 600.    .0          .0          .0         .0         .0         .0
  601.- 700.    .778E 12    .635E 12    .217E 12   .210E 12   .199E 12   .970E 11
  701.- 800.    .0          .0          .0         .0         .0         .0
  801.- 900.    .0          .0          .0         .0         .0         .0
  901.-1000.    .0          .0          .0         .0         .0         .0
 1001.-1100.    .0          .0          .0         .0         .0         .0
 1101.-1200.    .0          .0          .0         .0         .0         .0
 1201.-1300.    .0          .0          .0         .0         .0         .0
 1301.-1400.    .0          .0          .0         .0         .0         .0
 1401.-1500.    .0          .0          .0         .0         .0         .0
 1501.-1600.    .0          .0          .0         .0         .0         .0
 1601.-1700.    .0          .0          .0         .0         .0         .0
 1701.-1800.    .0          .0          .0         .0         .0         .0
 1801.-1900.    .0          .0          .0         .0         .0         .0
 1901.-2000.    .0          .0          .0         .0         .0         .0
 2001.-2100.    .0          .0          .0         .0         .0         .0
 2101.-2200.    .0          .0          .0         .0         .0         .0
 2201.-2300.    .0          .0          .0         .0         .0         .0
 2301.-2400.    .0          .0          .0         .0         .0         .0
 2401.-2500.    .0          .0          .0         .0         .0         .0
 2501.-2600.    .0          .0          .0         .0         .0         .0
 2601.-2700.    .0          .0          .0         .0         .0         .0
 2701.-2800.    .0          .0          .0         .0         .0         .0
 2801.-2900.    .0          .0          .0         .0         .0         .0
 2901.-3000.    .0          .0          .0         .0         .0         .0

                .778E 12    .635E 12    .217E 12   .210E 12   .199E 12   .970E 11
```

```
SCC = 30100504--CARBON BLACKFURNACE PROCESS OIL  -NO CONTROL EQUIPMENT -TOT RECS =      2

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28        .778E 12   .635E 12    .217E 12   .210E 12   .199E 12   .970E 11

             .778E 12   .635E 12    .217E 12   .210E 12   .199E 12   .970E 11


CC = 30100504--CARBON BLACK FURNACE PROCESS OIL --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2

TEMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.   .0         !
 101.- 200.   .0         !
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .635E 12   !HHHHHH
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100504--CARBON BLACK FURNACE PROCESS OIL   -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     21

   TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.  .323E 10   .303E 10   .247E 10    .0          .0          .0
  101.- 200.  .546E 11   .494E 11   .283E 11    .0          .0          .0
  201.- 300.  .111E 11   .831E 10   .416E 10    .0          .0          .0
  301.- 400.  .109E 13   .845E 12   .405E 12    .468E 11   .444E 11    .352E 11
  401.- 500.  .124E 11   .984E 10   .605E 10    .188E 10   .178E 10    .163E 10
  501.- 600.  .0         .0         .0          .0          .0          .0
  601.- 700.  .403E 09   .330E 09   .221E 09    .114E 09   .108E 09    .987E 08
  701.- 800.  .0         .0         .0          .0          .0          .0
  801.- 900.  .0         .0         .0          .0          .0          .0
  901.-1000.  .0         .0         .0          .0          .0          .0
 1001.-1100.  .0         .0         .0          .0          .0          .0
 1101.-1200.  .0         .0         .0          .0          .0          .0
 1201.-1300.  .668E 12   .574E 12   .0          .335E 12   .318E 12    .0
 1301.-1400.  .0         .0         .0          .0          .0          .0
 1401.-1500.  .0         .0         .0          .0          .0          .0
 1501.-1600.  .0         .0         .0          .0          .0          .0
 1601.-1700.  .0         .0         .0          .0          .0          .0
 1701.-1800.  .0         .0         .0          .0          .0          .0
 1801.-1900.  .0         .0         .0          .0          .0          .0
 1901.-2000.  .0         .0         .0          .0          .0          .0
 2001.-2100.  .0         .0         .0          .0          .0          .0
 2101.-2200.  .0         .0         .0          .0          .0          .0
 2201.-2300.  .0         .0         .0          .0          .0          .0
 2301.-2400.  .0         .0         .0          .0          .0          .0
 2401.-2500.  .0         .0         .0          .0          .0          .0
 2501.-2600.  .0         .0         .0          .0          .0          .0
 2601.-2700.  .0         .0         .0          .0          .0          .0
 2701.-2800.  .0         .0         .0          .0          .0          .0
 2801.-2900.  .0         .0         .0          .0          .0          .0
 2901.-3000.  .0         .0         .0          .0          .0          .0

              .184E 13   .149E 13   .446E 12    .384E 12   .365E 12    .369E 11
```

```
SCC = 30100504--CARBON BLACKFURNACE PROCESS OIL  -WITH CONTROL EQUIPMENT -TOT RECS =    21

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM   EXPECTED   MINIMUM
              60 DEG   60 DEG      60 DEG     300DEG   300 DEG    300 DEG
   28       .184E 13  .149E 13   .446E 12   .384E 12  .365E 12   .369E 11


            .184E 13  .149E 13   .446E 12   .384E 12  .365E 12   .369E 11


CC =30100504--CARBON BLACK FURNACE PROCESS OIL ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     21

TEMP RANGE    COUNT
                       -------------------------------------------------------------------------------------------------
   0.- 100.  .303E 10  !H
 101.- 200.  .494E 11  !H
 201.- 300.  .831E 10  !H
 301.- 400.  .845E 12  !HHHHHHHHH
 401.- 500.  .984E 10  !H
 501.- 600.  .0        !
 601.- 700.  .330E 09  !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .574E 12  !HHHHH
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100504--CARBON BLACK FURNACE PROCESS OIL  -TOTAL SCC -SIC =    0 -TOT RECS =     23

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
   0.- 100.    .323E 10   .303E 10    .247E 10    .0          .0          .0
 101.- 200.    .546E 11   .494E 11    .283E 11    .0          .0          .0
 201.- 300.    .111E 11   .831E 10    .416E 10    .0          .0          .0
 301.- 400.    .109E 13   .845E 12    .405E 12    .468E 11    .444E 11    .352E 11
 401.- 500.    .124E 11   .984E 10    .605E 10    .188E 10    .178E 10    .163E 10
 501.- 600.    .0         .0          .0          .0          .0          .0
 601.- 700.    .778E 12   .636E 12    .217E 12    .210E 12    .199E 12    .971E 11
 701.- 800.    .0         .0          .0          .0          .0          .0
 801.- 900.    .0         .0          .0          .0          .0          .0
 901.-1000.    .0         .0          .0          .0          .0          .0
1001.-1100.    .0         .0          .0          .0          .0          .0
1101.-1200.    .0         .0          .0          .0          .0          .0
1201.-1300.    .668E 12   .574E 12    .0          .335E 12    .318E 12    .0
1301.-1400.    .0         .0          .0          .0          .0          .0
1401.-1500.    .0         .0          .0          .0          .0          .0
1501.-1600.    .0         .0          .0          .0          .0          .0
1601.-1700.    .0         .0          .0          .0          .0          .0
1701.-1800.    .0         .0          .0          .0          .0          .0
1801.-1900.    .0         .0          .0          .0          .0          .0
1901.-2000.    .0         .0          .0          .0          .0          .0
2001.-2100.    .0         .0          .0          .0          .0          .0
2101.-2200.    .0         .0          .0          .0          .0          .0
2201.-2300.    .0         .0          .0          .0          .0          .0
2301.-2400.    .0         .0          .0          .0          .0          .0
2401.-2500.    .0         .0          .0          .0          .0          .0
2501.-2600.    .0         .0          .0          .0          .0          .0
2601.-2700.    .0         .0          .0          .0          .0          .0
2701.-2800.    .0         .0          .0          .0          .0          .0
2801.-2900.    .0         .0          .0          .0          .0          .0
2901.-3000.    .0         .0          .0          .0          .0          .0

               .262E 13   .212E 13    .663E 12    .593E 12    .564E 12    .134E 12
```

```
SCC = 30100504--CARBON BLACKFURNACE PROCESS OIL  -TOTAL SCC -TOT RECS =     23

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
  28         .262E 13   .212E 13   .663E 12   .593E 12   .564E 12   .134E 12


             .262E 13   .212E 13   .663E 12   .593E 12   .564E 12   .134E 12


CC 30100504--CARBON BLACK FURNACE PROCESS OIL --TOTAL SCC  -SIC =    0 -TOT RECS =     23

EMP RANGE   COUNT
                      -----------------------------------------------------------------------------------------------------
   0.- 100.   .303E 10  !H
 101.- 200.   .494E 11  !H
 201.- 300.   .831E 10  !H
 301.- 400.   .845E 12  !HHHHHHHH
 401.- 500.   .984E 10  !H
 501.- 600.   .0        !
 601.- 700.   .636E 12  !HHHHHH
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .574E 12  !HHHHH
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100505--CARBON BLACK FURNACE WITH GAS/OIL -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     14
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG      60 DEG     60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .0         .0          .0         .0          .0          .0
  101.- 200.   .572E 11   .427E 11    .212E 11   .0          .0          .0
  201.- 300.   .0         .0          .0         .0          .0          .0
  301.- 400.   .0         .0          .0         .0          .0          .0
  401.- 500.   .0         .0          .0         .0          .0          .0
  501.- 600.   .0         .0          .0         .0          .0          .0
  601.- 700.   .243E 12   .199E 12    .133E 12   .684E 11    .650E 11    .594E 11
  701.- 800.   .0         .0          .0         .0          .0          .0
  801.- 900.   .0         .0          .0         .0          .0          .0
  901.-1000.   .0         .0          .0         .0          .0          .0
 1001.-1100.   .0         .0          .0         .0          .0          .0
 1101.-1200.   .0         .0          .0         .0          .0          .0
 1201.-1300.   .0         .0          .0         .0          .0          .0
 1301.-1400.   .0         .0          .0         .0          .0          .0
 1401.-1500.   .0         .0          .0         .0          .0          .0
 1501.-1600.   .0         .0          .0         .0          .0          .0
 1601.-1700.   .0         .0          .0         .0          .0          .0
 1701.-1800.   .0         .0          .0         .0          .0          .0
 1801.-1900.   .0         .0          .0         .0          .0          .0
 1901.-2000.   .0         .0          .0         .0          .0          .0
 2001.-2100.   .0         .0          .0         .0          .0          .0
 2101.-2200.   .0         .0          .0         .0          .0          .0
 2201.-2300.   .0         .0          .0         .0          .0          .0
 2301.-2400.   .0         .0          .0         .0          .0          .0
 2401.-2500.   .0         .0          .0         .0          .0          .0
 2501.-2600.   .0         .0          .0         .0          .0          .0
 2601.-2700.   .0         .0          .0         .0          .0          .0
 2701.-2800.   .0         .0          .0         .0          .0          .0
 2801.-2900.   .0         .0          .0         .0          .0          .0
 2901.-3000.   .0         .0          .0         .0          .0          .0

               .300E 12   .241E 12    .154E 12   .684E 11    .650E 11    .594E 11
```

```
SCC = 30100505--CARBON BLACKFURNACE WITH GAS/OIL -NO CONTROL EQUIPMENT -TOT RECS =     14

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
   28       .300E 12   .241E 12   .154E 12   .684E 11   .650E 11   .594E 11


            .300E 12   .241E 12   .154E 12   .684E 11   .650E 11   .594E 11


CC = 30100505--CARBON BLACK FURNACE WITH GAS/OIL--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     14

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .427E 11  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .199E 12  !H
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100505--CARBON BLACK FURNACE WITH GAS/OIL  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     41
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                 60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
   0.- 100.     .0         .0          .0         .0         .0         .0
 101.- 200.     .427E 12   .319E 12    .112E 12   .0         .0         .0
 201.- 300.     .0         .0          .0         .0         .0         .0
 301.- 400.     .327E 13   .255E 13    .135E 13   .228E 12   .217E 12   .184E 12
 401.- 500.     .108E 13   .852E 12    .506E 12   .113E 12   .107E 12   .979E 11
 501.- 600.     .0         .0          .0         .0         .0         .0
 601.- 700.     .0         .0          .0         .0         .0         .0
 701.- 800.     .0         .0          .0         .0         .0         .0
 801.- 900.     .0         .0          .0         .0         .0         .0
 901.-1000.     .0         .0          .0         .0         .0         .0
1001.-1100.     .0         .0          .0         .0         .0         .0
1101.-1200.     .0         .0          .0         .0         .0         .0
1201.-1300.     .0         .0          .0         .0         .0         .0
1301.-1400.     .0         .0          .0         .0         .0         .0
1401.-1500.     .0         .0          .0         .0         .0         .0
1501.-1600.     .0         .0          .0         .0         .0         .0
1601.-1700.     .0         .0          .0         .0         .0         .0
1701.-1800.     .0         .0          .0         .0         .0         .0
1801.-1900.     .0         .0          .0         .0         .0         .0
1901.-2000.     .0         .0          .0         .0         .0         .0
2001.-2100.     .0         .0          .0         .0         .0         .0
2101.-2200.     .0         .0          .0         .0         .0         .0
2201.-2300.     .0         .0          .0         .0         .0         .0
2301.-2400.     .0         .0          .0         .0         .0         .0
2401.-2500.     .0         .0          .0         .0         .0         .0
2501.-2600.     .0         .0          .0         .0         .0         .0
2601.-2700.     .0         .0          .0         .0         .0         .0
2701.-2800.     .0         .0          .0         .0         .0         .0
2801.-2900.     .0         .0          .0         .0         .0         .0
2901.-3000.     .0         .0          .0         .0         .0         .0

                .479E 13   .372E 13    .197E 13   .341E 12   .324E 12   .282E 12
```

```
SCC = 30100505--CARBON BLACKFURNACE WITH GAS/OIL -WITH CONTROL EQUIPMENT -TOT RECS =    41

SIC            MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28         .466E 13   .362E 13   .191E 13   .333E 12   .317E 12   .276E 12
   29         .130E 12   .101E 12   .579E 11   .747E 10   .710E 10   .649E 10


              .479E 13   .372E 13   .197E 13   .341E 12   .324E 12   .282E 12


CC =30100505--CARBON BLACK FURNACE WITH GAS/OIL---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     41

TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .0          !
 101.- 200.   .319E 12    !HHH
 201.- 300.   .0          !
 301.- 400.   .255E 13    !HHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.   .852E 12    !HHHHHHHH
 501.- 600.   .0          !
 601.- 700.   .0          !
 701.- 800.   .0          !
 801.- 900.   .0          !
 901.-1000.   .0          !
1001.-1100.   .0          !
1101.-1200.   .0          !
1201.-1300.   .0          !
1301.-1400.   .0          !
1401.-1500.   .0          !
1501.-1600.   .0          !
1601.-1700.   .0          !
1701.-1800.   .0          !
1801.-1900.   .0          !
1901.-2000.   .0          !
2001.-2100.   .0          !
2101.-2200.   .0          !
2201.-2300.   .0          !
2301.-2400.   .0          !
2401.-2500.   .0          !
2501.-2600.   .0          !
2601.-2700.   .0          !
2701.-2800.   .0          !
2801.-2900.   .0          !
2901.-3000.   .0          !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100505--CARBON BLACK FURNACE WITH GAS/OIL -TOTAL SCC -SIC =    0 -TOT RECS =     55
   TEMP         MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                60 DEG      60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.    .0          .0          .0          .0          .0          .0
  101.- 200.    .484E 12    .361E 12    .134E 12    .0          .0          .0
  201.- 300.    .0          .0          .0          .0          .0          .0
  301.- 400.    .327E 13    .255E 13    .135E 13    .0          .0          .0
  401.- 500.    .108E 13    .852E 12    .506E 12    .228E 12    .217E 12    .184E 12
  501.- 600.    .0          .0          .0          .113E 12    .107E 12    .979E 11
  601.- 700.    .243E 12    .199E 12    .133E 12    .0          .0          .0
  701.- 800.    .0          .0          .0          .684E 11    .650E 11    .594E 11
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .508E 13    .396E 13    .212E 13    .409E 12    .389E 12    .342E 12
```

```
SCC = 30100505--CARBON BLACKFURNACE WITH GAS/OIL -TOTAL SCC -TOT RECS =     55

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   28       .496E 13   .386E 13    .207E 13   .402E 12   .381E 12    .335E 12
   29       .130E 12   .101E 12    .579E 11   .747E 10   .710E 10    .649E 10


            .508E 13   .396E 13    .212E 13   .409E 12   .389E 12    .342E 12


CC 30100505--CARBON BLACK FURNACE WITH GAS/OIL--TOTAL SCC  -SIC =    0 -TOT RECS =     55

EMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .0          !
 101.- 200.  .361E 12    !HHH
 201.- 300.  .0          !
 301.- 400.  .255E 13    !HHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .852E 12    !HHHHHHHH
 501.- 600.  .0          !
 601.- 700.  .199E 12    !H
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100599--CARBON BLACK OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     25

   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG      60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .212E 11    .199E 11    .628E 10    .0          .0          .0
  101.- 200.    .240E 11    .180E 11    .883E 10    .0          .0          .0
  201.- 300.    .0          .0          .0          .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .427E 11    .339E 11    .549E 10    .604E 10    .573E 10    .114E 10
  501.- 600.    .936E 11    .754E 11    .304E 11    .194E 11    .184E 11    .100E 11
  601.- 700.    .224E 12    .183E 12    .451E 11    .605E 11    .575E 11    .202E 11
  701.- 800.    .377E 11    .310E 11    .210E 11    .115E 11    .110E 11    .100E 11
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .445E 11    .376E 11    .0          .183E 11    .175E 11    .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .180E 11    .155E 11    .116E 11    .905E 10    .860E 10    .782E 10
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .792E 11    .696E 11    .548E 11    .488E 11    .463E 11    .393E 11
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .585E 12    .484E 12    .184E 12    .174E 12    .165E 12    .885E 11
```

```
SCC = 30100599--CARBON BLACKOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =     25

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   10       .157E 11   .118E 11   .580E 10   .0         .0         .0
   28       .442E 12   .367E 12   .127E 12   .142E 12   .135E 12   .686E 11
   30       .371E 11   .305E 11   .0         .840E 10   .798E 10   .0
   39       .895E 11   .743E 11   .507E 11   .229E 11   .218E 11   .199E 11


            .585E 12   .484E 12   .184E 12   .174E 12   .165E 12   .885E 11


CC = 30100599--CARBON BLACK OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     25

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .199E 11   !H
 101.- 200.  .180E 11   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .339E 11   !H
 501.- 600.  .754E 11   !H
 601.- 700.  .183E 12   !H
 701.- 800.  .310E 11   !H
 801.- 900.  .0         !
 901.-1000.  .376E 11   !H
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .155E 11   !H
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .696E 11   !H
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100599--CARBON BLACK OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     50

   TEMP         MAXIMUM   EXPECTED   MINIMUM    MAXIMUM   EXPECTED  MINIMUM
                 60 DEG    60 DEG    60 DEG     300 DEG   300 DEG   300 DEG
    0.- 100.    .392E 11  .368E 11  .300E 11   .0         .0        .0
  101.- 200.    .614E 12  .461E 12  .617E 11   .0         .0        .0
  201.- 300.    .488E 11  .368E 11  .417E 10   .0         .0        .0
  301.- 400.    .297E 12  .231E 12  .748E 11   .193E 11  .184E 11  .972E 10
  401.- 500.    .212E 12  .168E 12  .537E 11   .262E 11  .249E 11  .100E 11
  501.- 600.    .0        .0        .0         .0         .0        .0
  601.- 700.    .0        .0        .0         .0         .0        .0
  701.- 800.    .0        .0        .0         .0         .0        .0
  801.- 900.    .649E 11  .544E 11  .0         .248E 11  .236E 11  .0
  901.-1000.    .0        .0        .0         .0         .0        .0
 1001.-1100.    .253E 11  .215E 11  .156E 11   .112E 11  .106E 11  .967E 10
 1101.-1200.    .0        .0        .0         .0         .0        .0
 1201.-1300.    .231E 11  .199E 11  .149E 11   .116E 11  .110E 11  .100E 11
 1301.-1400.    .0        .0        .0         .0         .0        .0
 1401.-1500.    .0        .0        .0         .0         .0        .0
 1501.-1600.    .0        .0        .0         .0         .0        .0
 1601.-1700.    .0        .0        .0         .0         .0        .0
 1701.-1800.    .0        .0        .0         .0         .0        .0
 1801.-1900.    .0        .0        .0         .0         .0        .0
 1901.-2000.    .0        .0        .0         .0         .0        .0
 2001.-2100.    .0        .0        .0         .0         .0        .0
 2101.-2200.    .0        .0        .0         .0         .0        .0
 2201.-2300.    .0        .0        .0         .0         .0        .0
 2301.-2400.    .0        .0        .0         .0         .0        .0
 2401.-2500.    .0        .0        .0         .0         .0        .0
 2501.-2600.    .0        .0        .0         .0         .0        .0
 2601.-2700.    .0        .0        .0         .0         .0        .0
 2701.-2800.    .0        .0        .0         .0         .0        .0
 2801.-2900.    .0        .0        .0         .0         .0        .0
 2901.-3000.    .0        .0        .0         .0         .0        .0

                .132E 13  .103E 13  .255E 12   .931E 11  .885E 11  .394E 11
```

```
SCC = 30100599--CARBON BLACKOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =    50

SIC           MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28        .120E 13   .930E 12   .217E 12   .820E 11   .779E 11   .297E 11
   29        .448E 11   .357E 11   .810E 10   .0         .0         .0
   30        .460E 10   .432E 10   .352E 10   .0         .0         .0
   36        .777E 10   .729E 10   .594E 10   .0         .0         .0
   39        .653E 11   .526E 11   .200E 11   .112E 11   .106E 11   .967E 10


             .132E 13   .103E 13   .255E 12   .931E 11   .885E 11   .394E 11


CC =30100599--CARBON BLACK OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     50

TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .368E 11  !H
 101.- 200.   .461E 12  !HHHH
 201.- 300.   .368E 11  !H
 301.- 400.   .231E 12  !HH
 401.- 500.   .168E 12  !H
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .544E 11  !H
 901.-1000.   .0        !
1001.-1100.   .215E 11  !H
1101.-1200.   .0        !
1201.-1300.   .199E 11  !H
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100599--CARBON BLACK OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =      75

   TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
   0.- 100.   .605E 11   .567E 11    .363E 11    .0          .0          .0
 101.- 200.   .638E 12   .479E 12    .706E 11    .0          .0          .0
 201.- 300.   .488E 11   .368E 11    .417E 10    .0          .0          .0
 301.- 400.   .297E 12   .231E 12    .748E 11    .193E 11    .184E 11    .972E 10
 401.- 500.   .255E 12   .201E 12    .591E 11    .323E 11    .306E 11    .111E 11
 501.- 600.   .936E 11   .754E 11    .304E 11    .194E 11    .184E 11    .100E 11
 601.- 700.   .224E 12   .183E 12    .451E 11    .605E 11    .575E 11    .202E 11
 701.- 800.   .377E 11   .310E 11    .210E 11    .115E 11    .110E 11    .100E 11
 801.- 900.   .649E 11   .544E 11    .0          .248E 11    .236E 11    .0
 901.-1000.   .445E 11   .376E 11    .0          .183E 11    .175E 11    .0
1001.-1100.   .253E 11   .215E 11    .156E 11    .112E 11    .106E 11    .967E 10
1101.-1200.   .0         .0          .0          .0          .0          .0
1201.-1300.   .412E 11   .354E 11    .265E 11    .206E 11    .196E 11    .178E 11
1301.-1400.   .0         .0          .0          .0          .0          .0
1401.-1500.   .0         .0          .0          .0          .0          .0
1501.-1600.   .0         .0          .0          .0          .0          .0
1601.-1700.   .0         .0          .0          .0          .0          .0
1701.-1800.   .792E 11   .696E 11    .548E 11    .488E 11    .463E 11    .393E 11
1801.-1900.   .0         .0          .0          .0          .0          .0
1901.-2000.   .0         .0          .0          .0          .0          .0
2001.-2100.   .0         .0          .0          .0          .0          .0
2101.-2200.   .0         .0          .0          .0          .0          .0
2201.-2300.   .0         .0          .0          .0          .0          .0
2301.-2400.   .0         .0          .0          .0          .0          .0
2401.-2500.   .0         .0          .0          .0          .0          .0
2501.-2600.   .0         .0          .0          .0          .0          .0
2601.-2700.   .0         .0          .0          .0          .0          .0
2701.-2800.   .0         .0          .0          .0          .0          .0
2801.-2900.   .0         .0          .0          .0          .0          .0
2901.-3000.   .0         .0          .0          .0          .0          .0

              .191E 13   .151E 13    .438E 12    .267E 12    .253E 12    .128E 12
```

```
SCC = 30100599--CARBON BLACKOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     75

SIC          MAXIMUM     EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
   10        .157E 11    .118E 11    .580E 10    .0         .0          .0
   28        .164E 13    .130E 13    .344E 12    .224E 12   .213E 12    .984E 11
   29        .448E 11    .357E 11    .810E 10    .0         .0          .0
   30        .417E 11    .348E 11    .352E 10    .840E 10   .798E 10    .0
   36        .777E 10    .729E 10    .594E 10    .0         .0          .0
   39        .155E 12    .127E 12    .708E 11    .341E 11   .324E 11    .296E 11


             .191E 13    .151E 13    .438E 12    .267E 12   .253E 12    .128E 12


CC 30100599--CARBON BLACK OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     75

EMP RANGE    COUNT

                           ---------------------------------------------------------------------------------------------
    0.- 100.   .567E 11   !H
  101.- 200.   .479E 12   !HHHH
  201.- 300.   .368E 11   !H
  301.- 400.   .231E 12   !HH
  401.- 500.   .201E 12   !HH
  501.- 600.   .754E 11   !H
  601.- 700.   .183E 12   !H
  701.- 800.   .310E 11   !H
  801.- 900.   .544E 11   !H
  901.-1000.   .376E 11   !H
 1001.-1100.   .215E 11   !H
 1101.-1200.   .0         !
 1201.-1300.   .354E 11   !H
 1301.-1400.   .0         !
 1401.-1500.   .0         !
 1501.-1600.   .0         !
 1601.-1700.   .0         !
 1701.-1800.   .696E 11   !H
 1801.-1900.   .0         !
 1901.-2000.   .0         !
 2001.-2100.   .0         !
 2101.-2200.   .0         !
 2201.-2300.   .0         !
 2301.-2400.   .0         !
 2401.-2500.   .0         !
 2501.-2600.   .0         !
 2601.-2700.   .0         !
 2701.-2800.   .0         !
 2801.-2900.   .0         !
 2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100601--CHARCOAL MAN PYROLYSIS/DISTILLATI -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     86
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.  .775E 10   .727E 10   .198E 10   .0         .0         .0
  101.- 200.  .151E 12   .112E 12   .406E 10   .0         .0         .0
  201.- 300.  .223E 11   .170E 11   .0         .0         .0         .0
  301.- 400.  .856E 10   .666E 10   .254E 10   .524E 09   .498E 09   .361E 09
  401.- 500.  .0         .0         .0         .0         .0         .0
  501.- 600.  .147E 11   .119E 11   .0         .343E 10   .325E 10   .0
  601.- 700.  .0         .0         .0         .0         .0         .0
  701.- 800.  .0         .0         .0         .0         .0         .0
  801.- 900.  .0         .0         .0         .0         .0         .0
  901.-1000.  .0         .0         .0         .0         .0         .0
 1001.-1100.  .0         .0         .0         .0         .0         .0
 1101.-1200.  .0         .0         .0         .0         .0         .0
 1201.-1300.  .0         .0         .0         .0         .0         .0
 1301.-1400.  .0         .0         .0         .0         .0         .0
 1401.-1500.  .0         .0         .0         .0         .0         .0
 1501.-1600.  .0         .0         .0         .0         .0         .0
 1601.-1700.  .0         .0         .0         .0         .0         .0
 1701.-1800.  .0         .0         .0         .0         .0         .0
 1801.-1900.  .0         .0         .0         .0         .0         .0
 1901.-2000.  .0         .0         .0         .0         .0         .0
 2001.-2100.  .0         .0         .0         .0         .0         .0
 2101.-2200.  .0         .0         .0         .0         .0         .0
 2201.-2300.  .0         .0         .0         .0         .0         .0
 2301.-2400.  .0         .0         .0         .0         .0         .0
 2401.-2500.  .0         .0         .0         .0         .0         .0
 2501.-2600.  .0         .0         .0         .0         .0         .0
 2601.-2700.  .0         .0         .0         .0         .0         .0
 2701.-2800.  .0         .0         .0         .0         .0         .0
 2801.-2900.  .0         .0         .0         .0         .0         .0
 2901.-3000.  .0         .0         .0         .0         .0         .0

              .204E 12   .155E 12   .858E 10   .395E 10   .375E 10   .361E 09
```

```
SCC = 30100601--CHARCOAL MANPYROLYSIS/DISTILLATI -NO CONTROL EQUIPMENT -TOT RECS =     86

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG     300 DEG    300 DEG
   20       .254E 10   .189E 10   .0         .0         .0         .0
   24       .109E 12   .814E 11   .939E 09   .0         .0         .0
   28       .837E 11   .656E 11   .452E 10   .395E 10   .375E 10   .361E 09
   29       .851E 10   .637E 10   .312E 10   .0         .0         .0

            .204E 12   .155E 12   .858E 10   .395E 10   .375E 10   .361E 09

CC = 30100601--CHARCOAL MAN PYROLYSIS/DISTILLATI--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    86

TEMP RANGE   COUNT

                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .727E 10 !H
 101.- 200.  .112E 12 !H
 201.- 300.  .170E 11 !H
 301.- 400.  .666E 10 !H
 401.- 500.  .0       !
 501.- 600.  .119E 11 !H
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100601--CHARCOAL MAN PYROLYSIS/DISTILLATI  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     15
   TEMP        MAXIMUM   EXPECTED   MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG    60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
   0.- 100.   .0        .0         .0         .0        .0         .0
 101.- 200.   .0        .0         .0         .0        .0         .0
 201.- 300.   .0        .0         .0         .0        .0         .0
 301.- 400.   .0        .0         .0         .0        .0         .0
 401.- 500.   .557E 12  .440E 12   .763E 11   .693E 11  .658E 11   .192E 11
 501.- 600.   .0        .0         .0         .0        .0         .0
 601.- 700.   .0        .0         .0         .0        .0         .0
 701.- 800.   .0        .0         .0         .0        .0         .0
 801.- 900.   .0        .0         .0         .0        .0         .0
 901.-1000.   .0        .0         .0         .0        .0         .0
1001.-1100.   .587E 10  .498E 10   .363E 10   .259E 10  .247E 10   .225E 10
1101.-1200.   .0        .0         .0         .0        .0         .0
1201.-1300.   .0        .0         .0         .0        .0         .0
1301.-1400.   .635E 10  .548E 10   .413E 10   .328E 10  .312E 10   .284E 10
1401.-1500.   ********  ********   ********   ********  ********   ********
1501.-1600.   .126E 12  .110E 12   .614E 10   .733E 11  .697E 11   .444E 10
1601.-1700.   .0        .0         .0         .0        .0         .0
1701.-1800.   .0        .0         .0         .0        .0         .0
1801.-1900.   .0        .0         .0         .0        .0         .0
1901.-2000.   .0        .0         .0         .0        .0         .0
2001.-2100.   .0        .0         .0         .0        .0         .0
2101.-2200.   .0        .0         .0         .0        .0         .0
2201.-2300.   .0        .0         .0         .0        .0         .0
2301.-2400.   .0        .0         .0         .0        .0         .0
2401.-2500.   .0        .0         .0         .0        .0         .0
2501.-2600.   .0        .0         .0         .0        .0         .0
2601.-2700.   .0        .0         .0         .0        .0         .0
2701.-2800.   .0        .0         .0         .0        .0         .0
2801.-2900.   .0        .0         .0         .0        .0         .0
2901.-3000.   .0        .0         .0         .0        .0         .0

              .692E 12  .558E 12   .879E 11   .147E 12  .139E 12   .270E 11
```

```
SCC = 30100601--CHARCOAL MANPYROLYSIS/DISTILLATI -WITH CONTROL EQUIPMENT -TOT RECS =    15

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   20       .907E 10   .792E 10   .614E 10   .526E 10   .500E 10   .444E 10
   21       .566E 11   .446E 11   .0         .638E 10   .606E 10   .0
   24       .113E 12   .892E 11   .0         .128E 11   .121E 11   .0
   28       .389E 12   .308E 12   .776E 11   .508E 11   .482E 11   .197E 11
   29       .635E 10   .548E 10   .413E 10   .328E 10   .312E 10   .284E 10
   99       .117E 12   .102E 12   .0         .681E 11   .647E 11   .0

            .692E 12   .558E 12   .879E 11   .147E 12   .139E 12   .270E 11


CC =30100601--CHARCOAL MAN PYROLYSIS/DISTILLATI---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     15

TEMP RANGE   COUNT

                           ----------------------------------------------------------------------------------------------------
   0.- 100.  .0           !
 101.- 200.  .0           !
 201.- 300.  .0           !
 301.- 400.  .0           !
 401.- 500.  .440E 12     !HHHH
 501.- 600.  .0           !
 601.- 700.  .0           !
 701.- 800.  .0           !
 801.- 900.  .0           !
 901.-1000.  .0           !
1001.-1100.  .498E 10     !H
1101.-1200.  .0           !
1201.-1300.  .0           !
1301.-1400.  .548E 10     !H
1401.-1500.  ********     !
1501.-1600.  .110E 12     !H
1601.-1700.  .0           !
1701.-1800.  .0           !
1801.-1900.  .0           !
1901.-2000.  .0           !
2001.-2100.  .0           !
2101.-2200.  .0           !
2201.-2300.  .0           !
2301.-2400.  .0           !
2401.-2500.  .0           !
2501.-2600.  .0           !
2601.-2700.  .0           !
2701.-2800.  .0           !
2801.-2900.  .0           !
2901.-3000.  .0           !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100601--CHARCOAL MAN PYROLYSIS/DISTILLATI -TOTAL SCC -SIC =    0 -TOT RECS =    101

   TEMP         MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
               60 DEG      60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.   .775E 10    .727E 10    .198E 10    .0          .0          .0
  101.- 200.   .151E 12    .112E 12    .406E 10    .0          .0          .0
  201.- 300.   .223E 11    .170E 11    .0          .0          .0          .0
  301.- 400.   .856E 10    .666E 10    .254E 10    .524E 09    .498E 09    .361E 09
  401.- 500.   .557E 12    .440E 12    .763E 11    .693E 11    .658E 11    .192E 11
  501.- 600.   .147E 11    .119E 11    .0          .343E 10    .325E 10    .0
  601.- 700.   .0          .0          .0          .0          .0          .0
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .587E 10    .498E 10    .363E 10    .259E 10    .247E 10    .225E 10
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .635E 10    .548E 10    .413E 10    .328E 10    .312E 10    .284E 10
 1401.-1500.   ********    ********    ********    ********    ********    ********
 1501.-1600.   .126E 12    .110E 12    .614E 10    .733E 11    .697E 11    .444E 10
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .896E 12    .713E 12    .964E 11    .151E 12    .143E 12    .273E 11
```

```
SCC = 30100601--CHARCOAL MANPYROLYSIS/DISTILLATI -TOTAL SCC -TOT RECS =    101

SIC        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
           60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
  20       .116E 11   .981E 10    .614E 10   .526E 10   .500E 10    .444E 10
  21       .566E 11   .446E 11    .0         .638E 10   .606E 10    .0
  24       .222E 12   .171E 12    .939E 09   .128E 11   .121E 11    .0
  28       .473E 12   .373E 12    .821E 11   .548E 11   .520E 11    .201E 11
  29       .149E 11   .118E 11    .725E 10   .328E 10   .312E 10    .284E 10
  99       .117E 12   .102E 12    .0         .681E 11   .647E 11    .0

           .896E 12   .713E 12    .964E 11   .151E 12   .143E 12    .273E 11

CC 30100601--CHARCOAL MAN PYROLYSIS/DISTILLATI--TOTAL SCC  -SIC =    0 -TOT RECS =    101

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .727E 10   !H
 101.- 200.  .112E 12   !H
 201.- 300.  .170E 11   !H
 301.- 400.  .666E 10   !H
 401.- 500.  .440E 12   !HHHH
 501.- 600.  .119E 11   !H
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .498E 10   !H
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .548E 10   !H
1401.-1500.  ********   !
1501.-1600.  .110E 12   !H
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100699--CHARCOAL MAN OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     30
    TEMP       MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .838E 11   .786E 11   .727E 10   .0         .0          .0
  101.- 200.   .221E 12   .165E 12   .913E 10   .0         .0          .0
  201.- 300.   .236E 12   .181E 12   .764E 11   .0         .0          .0
  301.- 400.   .547E 11   .427E 11   .248E 11   .0         .0          .0
  401.- 500.   .142E 11   .113E 11   .694E 10   .404E 10   .384E 10    .351E 10
  501.- 600.   .0         .0         .0         .216E 10   .205E 10    .188E 10
  601.- 700.   .753E 11   .614E 11   .0         .0         .0          .0
  701.- 800.   .0         .0         .0         .199E 11   .189E 11    .0
  801.- 900.   .0         .0         .0         .0         .0          .0
  901.-1000.   .0         .0         .0         .0         .0          .0
 1001.-1100.   .0         .0         .0         .0         .0          .0
 1101.-1200.   .0         .0         .0         .0         .0          .0
 1201.-1300.   .0         .0         .0         .0         .0          .0
 1301.-1400.   .0         .0         .0         .0         .0          .0
 1401.-1500.   .0         .0         .0         .0         .0          .0
 1501.-1600.   .224E 12   .196E 12   .151E 12   .129E 12   .123E 12    .110E 12
 1601.-1700.   .0         .0         .0         .0         .0          .0
 1701.-1800.   .629E 12   .553E 12   .434E 12   .384E 12   .364E 12    .312E 12
 1801.-1900.   .0         .0         .0         .0         .0          .0
 1901.-2000.   .0         .0         .0         .0         .0          .0
 2001.-2100.   .0         .0         .0         .0         .0          .0
 2101.-2200.   .0         .0         .0         .0         .0          .0
 2201.-2300.   .0         .0         .0         .0         .0          .0
 2301.-2400.   .0         .0         .0         .0         .0          .0
 2401.-2500.   .0         .0         .0         .0         .0          .0
 2501.-2600.   .0         .0         .0         .0         .0          .0
 2601.-2700.   .0         .0         .0         .0         .0          .0
 2701.-2800.   .0         .0         .0         .0         .0          .0
 2801.-2900.   .0         .0         .0         .0         .0          .0
 2901.-3000.   .0         .0         .0         .0         .0          .0

               .154E 13   .129E 13   .710E 12   .539E 12   .512E 12    .427E 12
```

```
SCC = 30100699--CHARCOAL MANOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =     30

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   10       .181E 12   .139E 12   .761E 11   .0         .0         .0
   24       .547E 11   .420E 11   .0         .0         .0         .0
   28       .118E 13   .101E 13   .614E 12   .521E 12   .495E 12   .412E 12
   99       .127E 12   .988E 11   .198E 11   .177E 11   .168E 11   .142E 11

            .154E 13   .129E 13   .710E 12   .539E 12   .512E 12   .427E 12


CC = 30100699--CHARCOAL MAN OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     30

TEMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .786E 11  !H
 101.- 200.  .165E 12  !H
 201.- 300.  .181E 12  !H
 301.- 400.  .427E 11  !H
 401.- 500.  .113E 11  !H
 501.- 600.  .0        !
 601.- 700.  .614E 11  !H
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .196E 12  !H
1601.-1700.  .0        !
1701.-1800.  .553E 12  !HHHHH
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100699--CHARCOAL MAN OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     28

   TEMP        MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG    60 DEG    60 DEG     300 DEG    300 DEG    30  DEG
   0.- 100.   .201E 12  .189E 12   .130E 12   .0          .0         .0
 101.- 200.   .265E 12  .199E 12   .978E 11   .0          .0         .0
 201.- 300.   .0        .0         .0         .0          .0         .0
 301.- 400.   .0        .0         .0         .0          .0         .0
 401.- 500.   .128E 12  .101E 12   .239E 11   .175E 11   .166E 11   .496E 10
 501.- 600.   .0        .0         .0         .0          .0         .0
 601.- 700.   .0        .0         .0         .0          .0         .0
 701.- 800.   .167E 10  .137E 10   .931E 09   .511E 09   .486E 09   .444E 09
 801.- 900.   .0        .0         .0         .0          .0         .0
 901.-1000.   .0        .0         .0         .0          .0         .0
1001.-1100.   .376E 11  .317E 11   .228E 11   .156E 11   .149E 11   .136E 11
1101.-1200.   .0        .0         .0         .0          .0         .0
1201.-1300.   .0        .0         .0         .0          .0         .0
1301.-1400.   .0        .0         .0         .0          .0         .0
1401.-1500.   .0        .0         .0         .0          .0         .0
1501.-1600.   .0        .0         .0         .0          .0         .0
1601.-1700.   .0        .0         .0         .0          .0         .0
1701.-1800.   .0        .0         .0         .0          .0         .0
1801.-1900.   .0        .0         .0         .0          .0         .0
1901.-2000.   .0        .0         .0         .0          .0         .0
2001.-2100.   .0        .0         .0         .0          .0         .0
2101.-2200.   .0        .0         .0         .0          .0         .0
2201.-2300.   .0        .0         .0         .0          .0         .0
2301.-2400.   .0        .0         .0         .0          .0         .0
2401.-2500.   .0        .0         .0         .0          .0         .0
2501.-2600.   .0        .0         .0         .0          .0         .0
2601.-2700.   .0        .0         .0         .0          .0         .0
2701.-2800.   .0        .0         .0         .0          .0         .0
2801.-2900.   .0        .0         .0         .0          .0         .0
2901.-3000.   .0        .0         .0         .0          .0         .0

              .633E 12  .522E 12   .275E 12   .336E 11   .319E 11   .190E 11
```

```
SCC = 30100699--CHARCOAL MANOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =    28

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   10        .376E 11   .317E 11   .228E 11   .156E 11   .149E 11   .136E 11
   28        .575E 12   .471E 12   .237E 12   .180E 11   .171E 11   .540E 10
   35        .185E 09   .174E 09   .141E 09   .0         .0         .0
   99        .204E 11   .191E 11   .156E 11   .0         .0         .0

             .633E 12   .522E 12   .275E 12   .336E 11   .319E 11   .190E 11

CC =30100699--CHARCOAL MAN OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     28

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .189E 12   !H
 101.- 200.  .199E 12   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .101E 12   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .137E 10   !H
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .317E 11   !H
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100699--CHARCOAL MAN OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =     58

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.    .285E 12   .267E 12    .137E 12   .0         .0          .0
 101.- 200.    .485E 12   .364E 12    .107E 12   .0         .0          .0
 201.- 300.    .236E 12   .181E 12    .764E 11   .0         .0          .0
 301.- 400.    .547E 11   .427E 11    .248E 11   .404E 10   .384E 10    .351E 10
 401.- 500.    .142E 12   .113E 12    .308E 11   .196E 11   .186E 11    .683E 10
 501.- 600.    .0         .0          .0         .0         .0          .0
 601.- 700.    .753E 11   .614E 11    .0         .199E 11   .189E 11    .0
 701.- 800.    .167E 10   .137E 10    .931E 09   .511E 09   .486E 09    .444E 09
 801.- 900.    .0         .0          .0         .0         .0          .0
 901.-1000.    .0         .0          .0         .0         .0          .0
1001.-1100.    .376E 11   .317E 11    .228E 11   .156E 11   .149E 11    .136E 11
1101.-1200.    .0         .0          .0         .0         .0          .0
1201.-1300.    .0         .0          .0         .0         .0          .0
1301.-1400.    .0         .0          .0         .0         .0          .0
1401.-1500.    .0         .0          .0         .0         .0          .0
1501.-1600.    .224E 12   .196E 12    .151E 12   .129E 12   .123E 12    .110E 12
1601.-1700.    .0         .0          .0         .0         .0          .0
1701.-1800.    .629E 12   .553E 12    .434E 12   .384E 12   .364E 12    .312E 12
1801.-1900.    .0         .0          .0         .0         .0          .0
1901.-2000.    .0         .0          .0         .0         .0          .0
2001.-2100.    .0         .0          .0         .0         .0          .0
2101.-2200.    .0         .0          .0         .0         .0          .0
2201.-2300.    .0         .0          .0         .0         .0          .0
2301.-2400.    .0         .0          .0         .0         .0          .0
2401.-2500.    .0         .0          .0         .0         .0          .0
2501.-2600.    .0         .0          .0         .0         .0          .0
2601.-2700.    .0         .0          .0         .0         .0          .0
2701.-2800.    .0         .0          .0         .0         .0          .0
2801.-2900.    .0         .0          .0         .0         .0          .0
2901.-3000.    .0         .0          .0         .0         .0          .0

               .217E 13   .181E 13    .985E 12   .573E 12   .544E 12    .446E 12
```

```
SCC = 30100699--CHARCOAL MANOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     58

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
  10        .218E 12   .170E 12    .989E 11   .156E 11   .149E 11    .136E 11
  24        .547E 11   .420E 11    .0         .0         .0          .0
  28        .175E 13   .148E 13    .851E 12   .539E 12   .512E 12    .418E 12
  35        .185E 09   .174E 09    .141E 09   .0         .0          .0
  99        .148E 12   .118E 12    .354E 11   .177E 11   .168E 11    .142E 11


            .217E 13   .181E 13    .985E 12   .573E 12   .544E 12    .446E 12


CC 30100699--CHARCOAL MAN OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     58

EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .267E 12  !HH
 101.- 200.  .364E 12  !HHH
 201.- 300.  .181E 12  !H
 301.- 400.  .427E 11  !H
 401.- 500.  .113E 12  !H
 501.- 600.  .0        !
 601.- 700.  .614E 11  !H
 701.- 800.  .137E 10  !H
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .317E 11  !H
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .196E 12  !H
1601.-1700.  .0        !
1701.-1800.  .553E 12  !HHHHH
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100701--CHLORINE     GENERAL              -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      7
  TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .178E 12   .167E 12   .191E 11   .0         .0          .0
  101.- 200.   .198E 12   .186E 12   .995E 11   .0         .0          .0
  201.- 300.   .0         .0         .0         .0         .0          .0
  301.- 400.   .0         .0         .0         .0         .0          .0
  401.- 500.   .0         .0         .0         .0         .0          .0
  501.- 600.   .0         .0         .0         .0         .0          .0
  601.- 700.   .0         .0         .0         .0         .0          .0
  701.- 800.   .0         .0         .0         .0         .0          .0
  801.- 900.   .0         .0         .0         .0         .0          .0
  901.-1000.   .0         .0         .0         .0         .0          .0
 1001.-1100.   .0         .0         .0         .0         .0          .0
 1101.-1200.   .0         .0         .0         .0         .0          .0
 1201.-1300.   .0         .0         .0         .0         .0          .0
 1301.-1400.   .0         .0         .0         .0         .0          .0
 1401.-1500.   .0         .0         .0         .0         .0          .0
 1501.-1600.   .0         .0         .0         .0         .0          .0
 1601.-1700.   .0         .0         .0         .0         .0          .0
 1701.-1800.   .0         .0         .0         .0         .0          .0
 1801.-1900.   .0         .0         .0         .0         .0          .0
 1901.-2000.   .0         .0         .0         .0         .0          .0
 2001.-2100.   .0         .0         .0         .0         .0          .0
 2101.-2200.   .0         .0         .0         .0         .0          .0
 2201.-2300.   .0         .0         .0         .0         .0          .0
 2301.-2400.   .0         .0         .0         .0         .0          .0
 2401.-2500.   .0         .0         .0         .0         .0          .0
 2501.-2600.   .0         .0         .0         .0         .0          .0
 2601.-2700.   .0         .0         .0         .0         .0          .0
 2701.-2800.   .0         .0         .0         .0         .0          .0
 2801.-2900.   .0         .0         .0         .0         .0          .0
 2901.-3000.   .0         .0         .0         .0         .0          .0

               .376E 12   .353E 12   .119E 12   .0         .0          .0
```

```
SCC = 30100701--CHLORINE    GENERAL              -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG    300 DEG
   28       .376E 12    .353E 12     .119E 12    .0          .0          .0


            .376E 12    .353E 12     .119E 12    .0          .0          .0


CC = 30100701--CHLORINE     GENERAL              --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .167E 12  !H
 101.- 200.   .186E 12  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100701--CHLORINE     GENERAL              -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      9

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
   0.- 100.    .247E 11   .232E 11   .150E 11   .0         .0         .0
 101.- 200.    .254E 11   .238E 11   .139E 11   .0         .0         .0
 201.- 300.    .0         .0         .0         .0         .0         .0
 301.- 400.    .154E 11   .119E 11   .674E 10   .567E 09   .538E 09   .492E 09
 401.- 500.    .0         .0         .0         .0         .0         .0
 501.- 600.    .0         .0         .0         .0         .0         .0
 601.- 700.    .0         .0         .0         .0         .0         .0
 701.- 800.    .0         .0         .0         .0         .0         .0
 801.- 900.    .0         .0         .0         .0         .0         .0
 901.-1000.    .0         .0         .0         .0         .0         .0
1001.-1100.    .0         .0         .0         .0         .0         .0
1101.-1200.    .0         .0         .0         .0         .0         .0
1201.-1300.    .0         .0         .0         .0         .0         .0
1301.-1400.    .0         .0         .0         .0         .0         .0
1401.-1500.    .0         .0         .0         .0         .0         .0
1501.-1600.    .0         .0         .0         .0         .0         .0
1601.-1700.    .0         .0         .0         .0         .0         .0
1701.-1800.    .0         .0         .0         .0         .0         .0
1801.-1900.    .0         .0         .0         .0         .0         .0
1901.-2000.    .0         .0         .0         .0         .0         .0
2001.-2100.    .0         .0         .0         .0         .0         .0
2101.-2200.    .0         .0         .0         .0         .0         .0
2201.-2300.    .0         .0         .0         .0         .0         .0
2301.-2400.    .0         .0         .0         .0         .0         .0
2401.-2500.    .0         .0         .0         .0         .0         .0
2501.-2600.    .0         .0         .0         .0         .0         .0
2601.-2700.    .0         .0         .0         .0         .0         .0
2701.-2800.    .0         .0         .0         .0         .0         .0
2801.-2900.    .0         .0         .0         .0         .0         .0
2901.-3000.    .0         .0         .0         .0         .0         .0

               .655E 11   .589E 11   .356E 11   .567E 09   .538E 09   .492E 09
```

```
SCC = 30100701--CHLORINE    GENERAL              -WITH CONTROL EQUIPMENT -TOT RECS =     9

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG     60 DEG      60 DEG      300DEG     300 DEG      300 DEG
   20       .105E 11   .988E 10    .805E 10    .0          .0           .0
   28       .550E 11   .490E 11    .276E 11    .567E 09    .538E 09    .492E 09


            .655E 11   .589E 11    .356E 11    .567E 09    .538E 09    .492E 09


CC =30100701--CHLORINE     GENERAL             ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      9

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .232E 11   !H
 101.- 200.  .238E 11   !H
 201.- 300.  .0         !
 301.- 400.  .119E 11   !H
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100701--CHLORINE     GENERAL              -TOTAL SCC -SIC =    0 -TOT RECS =     16

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .202E 12   .190E 12   .340E 11   .0         .0          .0
  101.- 200.   .224E 12   .210E 12   .113E 12   .0         .0          .0
  201.- 300.   .0         .0         .0         .0         .0          .0
  301.- 400.   .154E 11   .119E 11   .674E 10   .567E 09   .538E 09   .492E 09
  401.- 500.   .0         .0         .0         .0         .0          .0
  501.- 600.   .0         .0         .0         .0         .0          .0
  601.- 700.   .0         .0         .0         .0         .0          .0
  701.- 800.   .0         .0         .0         .0         .0          .0
  801.- 900.   .0         .0         .0         .0         .0          .0
  901.-1000.   .0         .0         .0         .0         .0          .0
 1001.-1100.   .0         .0         .0         .0         .0          .0
 1101.-1200.   .0         .0         .0         .0         .0          .0
 1201.-1300.   .0         .0         .0         .0         .0          .0
 1301.-1400.   .0         .0         .0         .0         .0          .0
 1401.-1500.   .0         .0         .0         .0         .0          .0
 1501.-1600.   .0         .0         .0         .0         .0          .0
 1601.-1700.   .0         .0         .0         .0         .0          .0
 1701.-1800.   .0         .0         .0         .0         .0          .0
 1801.-1900.   .0         .0         .0         .0         .0          .0
 1901.-2000.   .0         .0         .0         .0         .0          .0
 2001.-2100.   .0         .0         .0         .0         .0          .0
 2101.-2200.   .0         .0         .0         .0         .0          .0
 2201.-2300.   .0         .0         .0         .0         .0          .0
 2301.-2400.   .0         .0         .0         .0         .0          .0
 2401.-2500.   .0         .0         .0         .0         .0          .0
 2501.-2600.   .0         .0         .0         .0         .0          .0
 2601.-2700.   .0         .0         .0         .0         .0          .0
 2701.-2800.   .0         .0         .0         .0         .0          .0
 2801.-2900.   .0         .0         .0         .0         .0          .0
 2901.-3000.   .0         .0         .0         .0         .0          .0

               .442E 12   .412E 12   .154E 12   .567E 09   .538E 09   .492E 09
```

```
SCC = 30100701--CHLORINE    GENERAL              -TOTAL SCC -TOT RECS =     16

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   20        .105E 11   .988E 10    .805E 10   .0         .0          .0
   28        .431E 12   .402E 12    .146E 12   .567E 09   .538E 09    .492E 09


             .442E 12   .412E 12    .154E 12   .567E 09   .538E 09    .492E 09


CC 30100701--CHLORINE     GENERAL          --TOTAL SCC  -SIC =    0 -TOT RECS =     16

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .190E 12  !H
 101.- 200.  .210E 12  !HH
 201.- 300.  .0        !
 301.- 400.  .119E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100799--CHLORINE     OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =       7

  TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG       60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.  .343E 10   .322E 10    .161E 10    .0          .0         .0
  101.- 200.  .153E 11   .115E 11    .567E 10    .0          .0         .0
  201.- 300.  .0         .0          .0          .0          .0         .0
  301.- 400.  .0         .0          .0          .0          .0         .0
  401.- 500.  .0         .0          .0          .0          .0         .0
  501.- 600.  .0         .0          .0          .0          .0         .0
  601.- 700.  .0         .0          .0          .0          .0         .0
  701.- 800.  .0         .0          .0          .0          .0         .0
  801.- 900.  .0         .0          .0          .0          .0         .0
  901.-1000.  .0         .0          .0          .0          .0         .0
 1001.-1100.  .0         .0          .0          .0          .0         .0
 1101.-1200.  .0         .0          .0          .0          .0         .0
 1201.-1300.  .0         .0          .0          .0          .0         .0
 1301.-1400.  .0         .0          .0          .0          .0         .0
 1401.-1500.  .0         .0          .0          .0          .0         .0
 1501.-1600.  .0         .0          .0          .0          .0         .0
 1601.-1700.  .0         .0          .0          .0          .0         .0
 1701.-1800.  .0         .0          .0          .0          .0         .0
 1801.-1900.  .0         .0          .0          .0          .0         .0
 1901.-2000.  .0         .0          .0          .0          .0         .0
 2001.-2100.  .0         .0          .0          .0          .0         .0
 2101.-2200.  .0         .0          .0          .0          .0         .0
 2201.-2300.  .0         .0          .0          .0          .0         .0
 2301.-2400.  .0         .0          .0          .0          .0         .0
 2401.-2500.  .0         .0          .0          .0          .0         .0
 2501.-2600.  .0         .0          .0          .0          .0         .0
 2601.-2700.  .0         .0          .0          .0          .0         .0
 2701.-2800.  .0         .0          .0          .0          .0         .0
 2801.-2900.  .0         .0          .0          .0          .0         .0
 2901.-3000.  .0         .0          .0          .0          .0         .0

              .188E 11   .148E 11    .728E 10    .0          .0         .0
```

```
SCC = 30100799--CHLORINE    OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   20       .132E 10   .124E 10   .0         .0         .0         .0
   28       .174E 11   .135E 11   .728E 10   .0         .0         .0

            .188E 11   .148E 11   .728E 10   .0         .0         .0

CC = 30100799--CHLORINE     OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=     0 -TOTAL RECS =      7

TEMP RANGE   COUNT

                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .322E 10  !H
 101.- 200.  .115E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100799--CHLORINE     OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      4
   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.     .283E 11   .266E 11   .217E 11   .0         .0          .0
  101.- 200.     .0         .0         .0         .0         .0          .0
  201.- 300.     .0         .0         .0         .0         .0          .0
  301.- 400.     .0         .0         .0         .0         .0          .0
  401.- 500.     .0         .0         .0         .0         .0          .0
  501.- 600.     .0         .0         .0         .0         .0          .0
  601.- 700.     .0         .0         .0         .0         .0          .0
  701.- 800.     .0         .0         .0         .0         .0          .0
  801.- 900.     .0         .0         .0         .0         .0          .0
  901.-1000.     .0         .0         .0         .0         .0          .0
 1001.-1100.     .0         .0         .0         .0         .0          .0
 1101.-1200.     .0         .0         .0         .0         .0          .0
 1201.-1300.     .0         .0         .0         .0         .0          .0
 1301.-1400.     .0         .0         .0         .0         .0          .0
 1401.-1500.     .0         .0         .0         .0         .0          .0
 1501.-1600.     .0         .0         .0         .0         .0          .0
 1601.-1700.     .0         .0         .0         .0         .0          .0
 1701.-1800.     .0         .0         .0         .0         .0          .0
 1801.-1900.     .0         .0         .0         .0         .0          .0
 1901.-2000.     .0         .0         .0         .0         .0          .0
 2001.-2100.     .0         .0         .0         .0         .0          .0
 2101.-2200.     .0         .0         .0         .0         .0          .0
 2201.-2300.     .0         .0         .0         .0         .0          .0
 2301.-2400.     .0         .0         .0         .0         .0          .0
 2401.-2500.     .0         .0         .0         .0         .0          .0
 2501.-2600.     .0         .0         .0         .0         .0          .0
 2601.-2700.     .0         .0         .0         .0         .0          .0
 2701.-2800.     .0         .0         .0         .0         .0          .0
 2801.-2900.     .0         .0         .0         .0         .0          .0
 2901.-3000.     .0         .0         .0         .0         .0          .0

                 .283E 11   .266E 11   .217E 11   .0         .0          .0
```

```
SCC = 30100799--CHLORINE    OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     4

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG       60 DEG      300DEG   300 DEG     300 DEG
   28       .280E 11   .263E 11    .214E 11   .0         .0          .0
   99       .305E 09   .286E 09    .233E 09   .0         .0          .0


            .283E 11   .266E 11    .217E 11   .0         .0          .0


CC =30100799--CHLORINE     OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TCTAL RECS =      4

TEMP RANGE   COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .266E 11    !H
 101.- 200.  .0          !
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100799--CHLORINE     OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =     11

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .318E 11   .298E 11    .233E 11   .0         .0         .0
  101.- 200.   .153E 11   .115E 11    .567E 10   .0         .0         .0
  201.- 300.   .0         .0          .0         .0         .0         .0
  301.- 400.   .0         .0          .0         .0         .0         .0
  401.- 500.   .0         .0          .0         .0         .0         .0
  501.- 600.   .0         .0          .0         .0         .0         .0
  601.- 700.   .0         .0          .0         .0         .0         .0
  701.- 800.   .0         .0          .0         .0         .0         .0
  801.- 900.   .0         .0          .0         .0         .0         .0
  901.-1000.   .0         .0          .0         .0         .0         .0
 1001.-1100.   .0         .0          .0         .0         .0         .0
 1101.-1200.   .0         .0          .0         .0         .0         .0
 1201.-1300.   .0         .0          .0         .0         .0         .0
 1301.-1400.   .0         .0          .0         .0         .0         .0
 1401.-1500.   .0         .0          .0         .0         .0         .0
 1501.-1600.   .0         .0          .0         .0         .0         .0
 1601.-1700.   .0         .0          .0         .0         .0         .0
 1701.-1800.   .0         .0          .0         .0         .0         .0
 1801.-1900.   .0         .0          .0         .0         .0         .0
 1901.-2000.   .0         .0          .0         .0         .0         .0
 2001.-2100.   .0         .0          .0         .0         .0         .0
 2101.-2200.   .0         .0          .0         .0         .0         .0
 2201.-2300.   .0         .0          .0         .0         .0         .0
 2301.-2400.   .0         .0          .0         .0         .0         .0
 2401.-2500.   .0         .0          .0         .0         .0         .0
 2501.-2600.   .0         .0          .0         .0         .0         .0
 2601.-2700.   .0         .0          .0         .0         .0         .0
 2701.-2800.   .0         .0          .0         .0         .0         .0
 2801.-2900.   .0         .0          .0         .0         .0         .0
 2901.-3000.   .0         .0          .0         .0         .0         .0

               .471E 11   .414E 11    .289E 11   .0         .0         .0
```

```
SCC = 30100799--CHLORINE    OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =      11

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG    300 DEG      300 DEG
   20       .132E 10    .124E 10     .0          .0         .0           .0
   28       .455E 11    .398E 11     .287E 11    .0         .0           .0
   99       .305E 09    .286E 09     .233E 09    .0         .0           .0


            .471E 11    .414E 11     .289E 11    .0         .0           .0


CC 30100799--CHLORINE     OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     11

EMP RANGE   COUNT

                           ----------------------------------------------------------------------------------------------------
   0.- 100.  .298E 11   !H
 101.- 200.  .115E 11   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100801--CHLOR-ALKALI LIQUIFICATION-DIAPHR -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      7
   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .604E 09   .567E 09    .0          .0          .0          .0
  101.- 200.   .513E 10   .466E 10    .0          .0          .0          .0
  201.- 300.   .0         .0          .0          .0          .0          .0
  301.- 400.   .0         .0          .0          .0          .0          .0
  401.- 500.   .0         .0          .0          .0          .0          .0
  501.- 600.   .0         .0          .0          .0          .0          .0
  601.- 700.   .0         .0          .0          .0          .0          .0
  701.- 800.   .0         .0          .0          .0          .0          .0
  801.- 900.   .0         .0          .0          .0          .0          .0
  901.-1000.   .0         .0          .0          .0          .0          .0
 1001.-1100.   .0         .0          .0          .0          .0          .0
 1101.-1200.   .0         .0          .0          .0          .0          .0
 1201.-1300.   .0         .0          .0          .0          .0          .0
 1301.-1400.   .0         .0          .0          .0          .0          .0
 1401.-1500.   .0         .0          .0          .0          .0          .0
 1501.-1600.   .0         .0          .0          .0          .0          .0
 1601.-1700.   .0         .0          .0          .0          .0          .0
 1701.-1800.   .0         .0          .0          .0          .0          .0
 1801.-1900.   .0         .0          .0          .0          .0          .0
 1901.-2000.   .0         .0          .0          .0          .0          .0
 2001.-2100.   .0         .0          .0          .0          .0          .0
 2101.-2200.   .0         .0          .0          .0          .0          .0
 2201.-2300.   .0         .0          .0          .0          .0          .0
 2301.-2400.   .0         .0          .0          .0          .0          .0
 2401.-2500.   .0         .0          .0          .0          .0          .0
 2501.-2600.   .0         .0          .0          .0          .0          .0
 2601.-2700.   .0         .0          .0          .0          .0          .0
 2701.-2800.   .0         .0          .0          .0          .0          .0
 2801.-2900.   .0         .0          .0          .0          .0          .0
 2901.-3000.   .0         .0          .0          .0          .0          .0

               .574E 10   .522E 10    .0          .0          .0          .0
```

```
SCC = 30100801--CHLOR-ALKALILIQUIFICATION-DIAPHR -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .480E 10   .434E 10    .0          .0         .0          .0
   99       .939E 09   .880E 09    .0          .0         .0          .0


            .574E 10   .522E 10    .0          .0         .0          .0


CC = 30100801--CHLOR-ALKALI LIQUIFICATION-DIAPHR--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .567E 09   !
 101.- 200.  .466E 10   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100801--CHLOR-ALKALI LIQUIFICATION-DIAPHR  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30100801--CHLOR-ALKALILIQUIFICATION-DIAPHR -WITH CONTROL EQUIPMENT -TOT RECS =      1

SIC           MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG    60 DEG      60 DEG     300DEG    300 DEG     300 DEG
TEMP OUTSIDE CURVES       40.0
TEMP OUTSIDE CURVES       40.0
TEMP OUTSIDE CURVES       40.0
TEMP OUTSIDE CURVES       50.0
TEMP OUTSIDE CURVES       50.0
TEMP OUTSIDE CURVES       50.0
TEMP OUTSIDE CURVES       50.0
TEMP OUTSIDE CURVES       50.0
TEMP OUTSIDE CURVES       50.0
TEMP OUTSIDE CURVES       20.0
TEMP OUTSIDE CURVES       20.0
TEMP OUTSIDE CURVES       20.0
```

```
SCC= 30100802--CHLOR-ALKALI LIQUIFICATION-MERCUR -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      7

    TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.    .532E 10    .499E 10    .373E 10    .0          .0          .0
 101.- 200.    .0          .0          .0          .0          .0          .0
 201.- 300.    .0          .0          .0          .0          .0          .0
 301.- 400.    .0          .0          .0          .0          .0          .0
 401.- 500.    .0          .0          .0          .0          .0          .0
 501.- 600.    .0          .0          .0          .0          .0          .0
 601.- 700.    .0          .0          .0          .0          .0          .0
 701.- 800.    .0          .0          .0          .0          .0          .0
 801.- 900.    .0          .0          .0          .0          .0          .0
 901.-1000.    .0          .0          .0          .0          .0          .0
1001.-1100.    .0          .0          .0          .0          .0          .0
1101.-1200.    .0          .0          .0          .0          .0          .0
1201.-1300.    .0          .0          .0          .0          .0          .0
1301.-1400.    .0          .0          .0          .0          .0          .0
1401.-1500.    .0          .0          .0          .0          .0          .0
1501.-1600.    .0          .0          .0          .0          .0          .0
1601.-1700.    .0          .0          .0          .0          .0          .0
1701.-1800.    .0          .0          .0          .0          .0          .0
1801.-1900.    .0          .0          .0          .0          .0          .0
1901.-2000.    .0          .0          .0          .0          .0          .0
2001.-2100.    .0          .0          .0          .0          .0          .0
2101.-2200.    .0          .0          .0          .0          .0          .0
2201.-2300.    .0          .0          .0          .0          .0          .0
2301.-2400.    .0          .0          .0          .0          .0          .0
2401.-2500.    .0          .0          .0          .0          .0          .0
2501.-2600.    .0          .0          .0          .0          .0          .0
2601.-2700.    .0          .0          .0          .0          .0          .0
2701.-2800.    .0          .0          .0          .0          .0          .0
2801.-2900.    .0          .0          .0          .0          .0          .0
2901.-3000.    .0          .0          .0          .0          .0          .0

               .532E 10    .499E 10    .373E 10    .0          .0          .0
```

```
SCC = 30100802--CHLOR-ALKALILIQUIFICATION-MERCUR -NO CONTROL EQUIPMENT -TOT RECS =       7

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG     300 DEG
   28       .532E 10    .499E 10    .373E 10    .0          .0          .0


            .532E 10    .499E 10    .373E 10    .0          .0          .0


CC = 30100802--CHLOR-ALKALI LIQUIFICATION-MERCUR--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT
                         ------------------------------------------------------------------------------------------------------
   0.- 100.  .499E 10  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100802--CHLOR-ALKALI LIQUIFICATION-MERCUR  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.    .923E 10   .866E 10   .705E 10   .0         .0          .0
 101.- 200.    .534E 11   .464E 11   .228E 11   .0         .0          .0
 201.- 300.    .0         .0         .0         .0         .0          .0
 301.- 400.    .0         .0         .0         .0         .0          .0
 401.- 500.    .0         .0         .0         .0         .0          .0
 501.- 600.    .0         .0         .0         .0         .0          .0
 601.- 700.    .0         .0         .0         .0         .0          .0
 701.- 800.    .0         .0         .0         .0         .0          .0
 801.- 900.    .0         .0         .0         .0         .0          .0
 901.-1000.    .0         .0         .0         .0         .0          .0
1001.-1100.    .0         .0         .0         .0         .0          .0
1101.-1200.    .0         .0         .0         .0         .0          .0
1201.-1300.    .0         .0         .0         .0         .0          .0
1301.-1400.    .0         .0         .0         .0         .0          .0
1401.-1500.    .0         .0         .0         .0         .0          .0
1501.-1600.    .0         .0         .0         .0         .0          .0
1601.-1700.    .0         .0         .0         .0         .0          .0
1701.-1800.    .0         .0         .0         .0         .0          .0
1801.-1900.    .0         .0         .0         .0         .0          .0
1901.-2000.    .0         .0         .0         .0         .0          .0
2001.-2100.    .0         .0         .0         .0         .0          .0
2101.-2200.    .0         .0         .0         .0         .0          .0
2201.-2300.    .0         .0         .0         .0         .0          .0
2301.-2400.    .0         .0         .0         .0         .0          .0
2401.-2500.    .0         .0         .0         .0         .0          .0
2501.-2600.    .0         .0         .0         .0         .0          .0
2601.-2700.    .0         .0         .0         .0         .0          .0
2701.-2800.    .0         .0         .0         .0         .0          .0
2801.-2900.    .0         .0         .0         .0         .0          .0
2901.-3000.    .0         .0         .0         .0         .0          .0

               .627E 11   .550E 11   .298E 11   .0         .0          .0
```

```
SCC = 30100802--CHLOR-ALKALILIQUIFICATION-MERCUR -WITH CONTROL EQUIPMENT -TOT RECS =     5

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28       .627E 11   .550E 11   .298E 11   .0         .0          .0


            .627E 11   .550E 11   .298E 11   .0         .0          .0


CC =30100802--CHLOR-ALKALI LIQUIFICATION-MERCUR---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE    COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .866E 10  !H
 101.- 200.  .464E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100802--CHLOR-ALKALI LIQUIFICATION-MERCUR -TOTAL SCC -SIC =    0 -TOT RECS =     12
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.   .145E 11   .136E 11    .108E 11   .0         .0          .0
 101.- 200.   .534E 11   .464E 11    .228E 11   .0         .0          .0
 201.- 300.   .0         .0          .0         .0         .0          .0
 301.- 400.   .0         .0          .0         .0         .0          .0
 401.- 500.   .0         .0          .0         .0         .0          .0
 501.- 600.   .0         .0          .0         .0         .0          .0
 601.- 700.   .0         .0          .0         .0         .0          .0
 701.- 800.   .0         .0          .0         .0         .0          .0
 801.- 900.   .0         .0          .0         .0         .0          .0
 901.-1000.   .0         .0          .0         .0         .0          .0
1001.-1100.   .0         .0          .0         .0         .0          .0
1101.-1200.   .0         .0          .0         .0         .0          .0
1201.-1300.   .0         .0          .0         .0         .0          .0
1301.-1400.   .0         .0          .0         .0         .0          .0
1401.-1500.   .0         .0          .0         .0         .0          .0
1501.-1600.   .0         .0          .0         .0         .0          .0
1601.-1700.   .0         .0          .0         .0         .0          .0
1701.-1800.   .0         .0          .0         .0         .0          .0
1801.-1900.   .0         .0          .0         .0         .0          .0
1901.-2000.   .0         .0          .0         .0         .0          .0
2001.-2100.   .0         .0          .0         .0         .0          .0
2101.-2200.   .0         .0          .0         .0         .0          .0
2201.-2300.   .0         .0          .0         .0         .0          .0
2301.-2400.   .0         .0          .0         .0         .0          .0
2401.-2500.   .0         .0          .0         .0         .0          .0
2501.-2600.   .0         .0          .0         .0         .0          .0
2601.-2700.   .0         .0          .0         .0         .0          .0
2701.-2800.   .0         .0          .0         .0         .0          .0
2801.-2900.   .0         .0          .0         .0         .0          .0
2901.-3000.   .0         .0          .0         .0         .0          .0

              .680E 11   .600E 11    .336E 11   .0         .0          .0
```

```
SCC = 30100802--CHLOR-ALKALILIQUIFICATION-MERCUR -TOTAL SCC -TOT RECS =     12
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG   300 DEG    300 DEG
   28       .680E 11   .600E 11    .336E 11    .0        .0         .0


            .680E 11   .600E 11    .336E 11    .0        .0         .0

CC 30100802--CHLOR-ALKALI LIQUIFICATION-MERCUR--TOTAL SCC  -SIC =    0 -TOT RECS =     12
EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .136E 11  !H
 101.- 200.  .464E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100803--CHLOR-ALKALI LOADING TANK CAR VEN -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      2
   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30100803--CHLOR-ALKALILOADING TANK CAR VEN -NO CONTROL EQUIPMENT -TOT RECS =      2

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30100803--CHLOR-ALKALI LOADING TANK CAR VEN  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30100803--CHLOR-ALKALILOADING TANK CAR VEN -WITH CONTROL EQUIPMENT -TOT RECS =      0
SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30100805--CHLOR-ALKALI AIR-BLOW MERCURY CEL -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30100805--CHLOR-ALKALIAIR-BLOW MERCURY CEL -NO CONTROL EQUIPMENT -TOT RECS =      0

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30100805--CHLOR-ALKALI AIR-BLOW MERCURY CEL  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1
   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG    60 DEG     60 DEG     300 DEG   300 DEG    300 DEG
  0.- 100.     .0        .0          .0         .0        .0         .0
 101.- 200.    .191E 11  .179E 11    .116E 11   .0        .0         .0
 201.- 300.    .0        .0          .0         .0        .0         .0
 301.- 400.    .0        .0          .0         .0        .0         .0
 401.- 500.    .0        .0          .0         .0        .0         .0
 501.- 600.    .0        .0          .0         .0        .0         .0
 601.- 700.    .0        .0          .0         .0        .0         .0
 701.- 800.    .0        .0          .0         .0        .0         .0
 801.- 900.    .0        .0          .0         .0        .0         .0
 901.-1000.    .0        .0          .0         .0        .0         .0
1001.-1100.    .0        .0          .0         .0        .0         .0
1101.-1200.    .0        .0          .0         .0        .0         .0
1201.-1300.    .0        .0          .0         .0        .0         .0
1301.-1400.    .0        .0          .0         .0        .0         .0
1401.-1500.    .0        .0          .0         .0        .0         .0
1501.-1600.    .0        .0          .0         .0        .0         .0
1601.-1700.    .0        .0          .0         .0        .0         .0
1701.-1800.    .0        .0          .0         .0        .0         .0
1801.-1900.    .0        .0          .0         .0        .0         .0
1901.-2000.    .0        .0          .0         .0        .0         .0
2001.-2100.    .0        .0          .0         .0        .0         .0
2101.-2200.    .0        .0          .0         .0        .0         .0
2201.-2300.    .0        .0          .0         .0        .0         .0
2301.-2400.    .0        .0          .0         .0        .0         .0
2401.-2500.    .0        .0          .0         .0        .0         .0
2501.-2600.    .0        .0          .0         .0        .0         .0
2601.-2700.    .0        .0          .0         .0        .0         .0
2701.-2800.    .0        .0          .0         .0        .0         .0
2801.-2900.    .0        .0          .0         .0        .0         .0
2901.-3000.    .0        .0          .0         .0        .0         .0

               .191E 11  .179E 11    .116E 11   .0        .0         .0
```

```
SCC = 30100805--CHLOR-ALKALIAIR-BLOW MERCURY CEL -WITH CONTROL EQUIPMENT -TOT RECS =      1

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28       .191E 11    .179E 11    .116E 11    .0          .0           .0


            .191E 11    .179E 11    .116E 11    .0          .0           .0


CC =30100805--CHLOR-ALKALI AIR-BLOW MERCURY CEL---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE    COUNT

                             ----------------------------------------------------------------------------------------------------
    0.- 100.   .0            !
  101.- 200.   .179E 11      !H
  201.- 300.   .0            !
  301.- 400.   .0            !
  401.- 500.   .0            !
  501.- 600.   .0            !
  601.- 700.   .0            !
  701.- 800.   .0            !
  801.- 900.   .0            !
  901.-1000.   .0            !
 1001.-1100.   .0            !
 1101.-1200.   .0            !
 1201.-1300.   .0            !
 1301.-1400.   .0            !
 1401.-1500.   .0            !
 1501.-1600.   .0            !
 1601.-1700.   .0            !
 1701.-1800.   .0            !
 1801.-1900.   .0            !
 1901.-2000.   .0            !
 2001.-2100.   .0            !
 2101.-2200.   .0            !
 2201.-2300.   .0            !
 2301.-2400.   .0            !
 2401.-2500.   .0            !
 2501.-2600.   .0            !
 2601.-2700.   .0            !
 2701.-2800.   .0            !
 2801.-2900.   .0            !
 2901.-3000.   .0            !
                             0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100899--CHLOR-ALKALI OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     10
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .278E 11   .260E 11   .169E 11    .0         .0          .0
  101.- 200.   .378E 11   .283E 11   .139E 11    .0         .0          .0
  201.- 300.   .0         .0         .0          .0         .0          .0
  301.- 400.   .0         .0         .0          .0         .0          .0
  401.- 500.   .0         .0         .0          .0         .0          .0
  501.- 600.   .0         .0         .0          .0         .0          .0
  601.- 700.   .0         .0         .0          .0         .0          .0
  701.- 800.   .0         .0         .0          .0         .0          .0
  801.- 900.   .0         .0         .0          .0         .0          .0
  901.-1000.   .0         .0         .0          .0         .0          .0
 1001.-1100.   .0         .0         .0          .0         .0          .0
 1101.-1200.   .0         .0         .0          .0         .0          .0
 1201.-1300.   .0         .0         .0          .0         .0          .0
 1301.-1400.   .0         .0         .0          .0         .0          .0
 1401.-1500.   .0         .0         .0          .0         .0          .0
 1501.-1600.   .0         .0         .0          .0         .0          .0
 1601.-1700.   .0         .0         .0          .0         .0          .0
 1701.-1800.   .0         .0         .0          .0         .0          .0
 1801.-1900.   .0         .0         .0          .0         .0          .0
 1901.-2000.   .0         .0         .0          .0         .0          .0
 2001.-2100.   .0         .0         .0          .0         .0          .0
 2101.-2200.   .0         .0         .0          .0         .0          .0
 2201.-2300.   .0         .0         .0          .0         .0          .0
 2301.-2400.   .0         .0         .0          .0         .0          .0
 2401.-2500.   .0         .0         .0          .0         .0          .0
 2501.-2600.   .0         .0         .0          .0         .0          .0
 2601.-2700.   .0         .0         .0          .0         .0          .0
 2701.-2800.   .0         .0         .0          .0         .0          .0
 2801.-2900.   .0         .0         .0          .0         .0          .0
 2901.-3000.   .0         .0         .0          .0         .0          .0

               .655E 11   .544E 11   .309E 11    .0         .0          .0
```

```
SCC = 30100899--CHLOR-ALKALIOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =     10
SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG    300 DEG
   28       .655E 11    .544E 11    .309E 11    .0          .0          .0


            .655E 11    .544E 11    .309E 11    .0          .0          .0


CC = 30100899--CHLOR-ALKALI OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     10
TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .260E 11   !H
 101.- 200.  .283E 11   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100
```

```
SCC= 30100899--CHLOR-ALKALI OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5
    TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                   60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.     .437E 11   .410E 11   .125E 09   .0         .0          .0
  101.- 200.     .152E 12   .114E 12   .561E 11   .0         .0          .0
  201.- 300.     .0         .0         .0         .0         .0          .0
  301.- 400.     .0         .0         .0         .0         .0          .0
  401.- 500.     .0         .0         .0         .0         .0          .0
  501.- 600.     .117E 12   .945E 11   .0         .272E 11   .258E 11    .0
  601.- 700.     .0         .0         .0         .0         .0          .0
  701.- 800.     .0         .0         .0         .0         .0          .0
  801.- 900.     .0         .0         .0         .0         .0          .0
  901.-1000.     .0         .0         .0         .0         .0          .0
 1001.-1100.     .0         .0         .0         .0         .0          .0
 1101.-1200.     .0         .0         .0         .0         .0          .0
 1201.-1300.     .0         .0         .0         .0         .0          .0
 1301.-1400.     .0         .0         .0         .0         .0          .0
 1401.-1500.     .0         .0         .0         .0         .0          .0
 1501.-1600.     .0         .0         .0         .0         .0          .0
 1601.-1700.     .0         .0         .0         .0         .0          .0
 1701.-1800.     .0         .0         .0         .0         .0          .0
 1801.-1900.     .0         .0         .0         .0         .0          .0
 1901.-2000.     .0         .0         .0         .0         .0          .0
 2001.-2100.     .0         .0         .0         .0         .0          .0
 2101.-2200.     .0         .0         .0         .0         .0          .0
 2201.-2300.     .0         .0         .0         .0         .0          .0
 2301.-2400.     .0         .0         .0         .0         .0          .0
 2401.-2500.     .0         .0         .0         .0         .0          .0
 2501.-2600.     .0         .0         .0         .0         .0          .0
 2601.-2700.     .0         .0         .0         .0         .0          .0
 2701.-2800.     .0         .0         .0         .0         .0          .0
 2801.-2900.     .0         .0         .0         .0         .0          .0
 2901.-3000.     .0         .0         .0         .0         .0          .0

                 .312E 12   .250E 12   .562E 11   .272E 11   .258E 11    .0
```

```
SCC = 30100899--CHLOR-ALKALIOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     5

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG     300DEG    300 DEG    300 DEG
   24       .850E 10   .798E 10   .125E 09   .0         .0         .0
   28       .304E 12   .242E 12   .561E 11   .272E 11   .258E 11   .0


            .312E 12   .250E 12   .562E 11   .272E 11   .258E 11   .0


CC =30100899--CHLOR-ALKALI OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .410E 11  !H
 101.- 200.  .114E 12  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .945E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100899--CHLOR-ALKALI OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =     15
   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG    300 DEG    300 DEG
    0.- 100.   .715E 11   .671E 11    .171E 11    .0         .0         .0
  101.- 200.   .190E 12   .143E 12    .700E 11    .0         .0         .0
  201.- 300.   .0         .0          .0          .0         .0         .0
  301.- 400.   .0         .0          .0          .0         .0         .0
  401.- 500.   .0         .0          .0          .0         .0         .0
  501.- 600.   .117E 12   .945E 11    .0          .272E 11   .258E 11   .0
  601.- 700.   .0         .0          .0          .0         .0         .0
  701.- 800.   .0         .0          .0          .0         .0         .0
  801.- 900.   .0         .0          .0          .0         .0         .0
  901.-1000.   .0         .0          .0          .0         .0         .0
 1001.-1100.   .0         .0          .0          .0         .0         .0
 1101.-1200.   .0         .0          .0          .0         .0         .0
 1201.-1300.   .0         .0          .0          .0         .0         .0
 1301.-1400.   .0         .0          .0          .0         .0         .0
 1401.-1500.   .0         .0          .0          .0         .0         .0
 1501.-1600.   .0         .0          .0          .0         .0         .0
 1601.-1700.   .0         .0          .0          .0         .0         .0
 1701.-1800.   .0         .0          .0          .0         .0         .0
 1801.-1900.   .0         .0          .0          .0         .0         .0
 1901.-2000.   .0         .0          .0          .0         .0         .0
 2001.-2100.   .0         .0          .0          .0         .0         .0
 2101.-2200.   .0         .0          .0          .0         .0         .0
 2201.-2300.   .0         .0          .0          .0         .0         .0
 2301.-2400.   .0         .0          .0          .0         .0         .0
 2401.-2500.   .0         .0          .0          .0         .0         .0
 2501.-2600.   .0         .0          .0          .0         .0         .0
 2601.-2700.   .0         .0          .0          .0         .0         .0
 2701.-2800.   .0         .0          .0          .0         .0         .0
 2801.-2900.   .0         .0          .0          .0         .0         .0
 2901.-3000.   .0         .0          .0          .0         .0         .0

               .378E 12   .304E 12    .870E 11    .272E 11   .258E 11   .0
```

```
SCC = 30100899--CHLOR-ALKALIOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =      15

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   24       .850E 10   .798E 10    .125E 09   .0          .0          .0
   28       .369E 12   .296E 12    .869E 11   .272E 11    .258E 11    .0

            .378E 12   .304E 12    .870E 11   .272E 11    .258E 11    .0

CC 30100899--CHLOR-ALKALI OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     15

EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .671E 11  !H
  101.- 200.  .143E 12  !H
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .945E 11  !H
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100901--CLEANING CHE SOAP/DETERGENT SPRAY -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     11

   TEMP         MAXIMUM   EXPECTED    MINIMUM     MAXIMUM   EXPECTED    MINIMUM
                 60 DEG     60 DEG     60 DEG     300 DEG   300 DEG     300 DEG
    0.- 100.   .113E 12  .106E 12   .204E 09    .0         .0          .0
  101.- 200.   .170E 12  .143E 12   .578E 11    .0         .0          .0
  201.- 300.   .0        .0         .0          .0         .0          .0
  301.- 400.   .0        .0         .0          .0         .0          .0
  401.- 500.   .0        .0         .0          .0         .0          .0
  501.- 600.   .0        .0         .0          .0         .0          .0
  601.- 700.   .0        .0         .0          .0         .0          .0
  701.- 800.   .0        .0         .0          .0         .0          .0
  801.- 900.   .0        .0         .0          .0         .0          .0
  901.-1000.   .0        .0         .0          .0         .0          .0
 1001.-1100.   .0        .0         .0          .0         .0          .0
 1101.-1200.   .0        .0         .0          .0         .0          .0
 1201.-1300.   .0        .0         .0          .0         .0          .0
 1301.-1400.   .0        .0         .0          .0         .0          .0
 1401.-1500.   .0        .0         .0          .0         .0          .0
 1501.-1600.   .0        .0         .0          .0         .0          .0
 1601.-1700.   .0        .0         .0          .0         .0          .0
 1701.-1800.   .0        .0         .0          .0         .0          .0
 1801.-1900.   .0        .0         .0          .0         .0          .0
 1901.-2000.   .0        .0         .0          .0         .0          .0
 2001.-2100.   .0        .0         .0          .0         .0          .0
 2101.-2200.   .0        .0         .0          .0         .0          .0
 2201.-2300.   .0        .0         .0          .0         .0          .0
 2301.-2400.   .0        .0         .0          .0         .0          .0
 2401.-2500.   .0        .0         .0          .0         .0          .0
 2501.-2600.   .0        .0         .0          .0         .0          .0
 2601.-2700.   .0        .0         .0          .0         .0          .0
 2701.-2800.   .0        .0         .0          .0         .0          .0
 2801.-2900.   .0        .0         .0          .0         .0          .0
 2901.-3000.   .0        .0         .0          .0         .0          .0

               .283E 12  .249E 12   .580E 11    .0         .0          .0
```

```
SCC = 30100901--CLEANING CHESOAP/DETERGENT SPRAY -NO CONTROL EQUIPMENT -TOT RECS =     11

SIC           MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
               60 DEG      60 DEG       60 DEG     300 DEG     300 DEG    300 DEG
   28        .283E 12    .249E 12    .580E 11    .0          .0          .0


             .283E 12    .249E 12    .580E 11    .0          .0          .0


CC = 30100901--CLEANING CHE SOAP/DETERGENT SPRAY--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     11

TEMP RANGE    COUNT

                                ----------------------------------------------------------------------------------------------------
   0.- 100.   .106E 12   !H
 101.- 200.   .143E 12   !H
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100901--CLEANING CHE SOAP/DETERGENT SPRAY  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     34
   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .272E 10   .255E 10   .208E 10   .0         .0          .0
  101.- 200.    .275E 13   .222E 13   .618E 12   .0         .0          .0
  201.- 300.    .137E 12   .104E 12   .0         .0         .0          .0
  301.- 400.    .0         .0         .0         .0         .0          .0
  401.- 500.    .325E 12   .259E 12   .159E 12   .494E 11   .469E 11    .429E 11
  501.- 600.    .0         .0         .0         .0         .0          .0
  601.- 700.    .185E 12   .150E 12   .0         .0         .0          .0
  701.- 800.    .0         .0         .0         .445E 11   .422E 11    .0
  801.- 900.    .0         .0         .0         .0         .0          .0
  901.-1000.    .0         .0         .0         .0         .0          .0
 1001.-1100.    .0         .0         .0         .0         .0          .0
 1101.-1200.    .0         .0         .0         .0         .0          .0
 1201.-1300.    .0         .0         .0         .0         .0          .0
 1301.-1400.    .0         .0         .0         .0         .0          .0
 1401.-1500.    .0         .0         .0         .0         .0          .0
 1501.-1600.    .0         .0         .0         .0         .0          .0
 1601.-1700.    .0         .0         .0         .0         .0          .0
 1701.-1800.    .0         .0         .0         .0         .0          .0
 1801.-1900.    .0         .0         .0         .0         .0          .0
 1901.-2000.    .0         .0         .0         .0         .0          .0
 2001.-2100.    .0         .0         .0         .0         .0          .0
 2101.-2200.    .0         .0         .0         .0         .0          .0
 2201.-2300.    .0         .0         .0         .0         .0          .0
 2301.-2400.    .0         .0         .0         .0         .0          .0
 2401.-2500.    .0         .0         .0         .0         .0          .0
 2501.-2600.    .0         .0         .0         .0         .0          .0
 2601.-2700.    .0         .0         .0         .0         .0          .0
 2701.-2800.    .0         .0         .0         .0         .0          .0
 2801.-2900.    .0         .0         .0         .0         .0          .0
 2901.-3000.    .0         .0         .0         .0         .0          .0

                .340E 13   .274E 13   .779E 12   .939E 11   .891E 11    .429E 11
```

```
SCC = 30100901--CLEANING CHESOAP/DETERGENT SPRAY -WITH CONTROL EQUIPMENT -TOT RECS =    34
SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   20        .182E 10   .170E 10    .139E 10    .0          .0           .0
   28        .339E 13   .274E 13    .777E 12    .939E 11    .891E 11     .429E 11
   36        .900E 09   .844E 09    .687E 09    .0          .0           .0

             .340E 13   .274E 13    .779E 12    .939E 11    .891E 11     .429E 11


CC =30100901--CLEANING CHE SOAP/DETERGENT SPRAY---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     34
TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .255E 10   !H
 101.- 200.   .222E 13   !HHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .104E 12   !H
 301.- 400.   .0         !
 401.- 500.   .259E 12   !HH
 501.- 600.   .0         !
 601.- 700.   .150E 12   !H
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100901--CLEANING CHE SOAP/DETERGENT SPRAY -TOTAL SCC -SIC =    0 -TOT RECS =     45
   TEMP        MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG      60 DEG       60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.   .115E 12    .108E 12    .228E 10    .0          .0          .0
  101.- 200.   .292E 13    .237E 13    .676E 12    .0          .0          .0
  201.- 300.   .137E 12    .104E 12    .0          .0          .0          .0
  301.- 400.   .0          .0          .0          .0          .0          .0
  401.- 500.   .325E 12    .259E 12    .159E 12    .494E 11    .469E 11    .429E 11
  501.- 600.   .0          .0          .0          .0          .0          .0
  601.- 700.   .185E 12    .150E 12    .0          .445E 11    .422E 11    .0
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .368E 13    .299E 13    .837E 12    .939E 11    .891E 11    .429E 11
```

```
SCC = 30100901--CLEANING CHESOAP/DETERGENT SPRAY -TOTAL SCC -TOT RECS =     45

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   20      .182E 10   .170E 10   .139E 10   .0         .0          .0
   28      .368E 13   .299E 13   .835E 12   .939E 11   .891E 11    .429E 11
   36      .900E 09   .844E 09   .687E 09   .0         .0          .0

           .368E 13   .299E 13   .837E 12   .939E 11   .891E 11    .429E 11


CC 30100901--CLEANING CHE SOAP/DETERGENT SPRAY--TOTAL SCC  -SIC =    0 -TOT RECS =     45

EMP RANGE    COUNT

                       ------------------------------------------------------------------------------------------------------
   0.- 100.   .108E 12 !H
 101.- 200.   .237E 13 !HHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .104E 12 !H
 301.- 400.   .0       !
 401.- 500.   .259E 12 !HH
 501.- 600.   .0       !
 601.- 700.   .150E 12 !H
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100910--CLEANING CHE SPECIALTY CLEANERS   -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      7

   TEMP          MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                  60 DEG    60 DEG      60 DEG    300 DEG    300 DEG   300 DEG
   0.- 100.     .134E 11  .126E 11    .0         .0         .0         .0
 101.- 200.     .0        .0          .0         .0         .0         .0
 201.- 300.     .0        .0          .0         .0         .0         .0
 301.- 400.     .339E 12  .262E 12    .148E 12   .125E 11   .118E 11   .108E 11
 401.- 500.     .0        .0          .0         .0         .0         .0
 501.- 600.     .0        .0          .0         .0         .0         .0
 601.- 700.     .0        .0          .0         .0         .0         .0
 701.- 800.     .169E 11  .139E 11    .936E 10   .498E 10   .474E 10   .433E 10
 801.- 900.     .0        .0          .0         .0         .0         .0
 901.-1000.     .0        .0          .0         .0         .0         .0
1001.-1100.     .0        .0          .0         .0         .0         .0
1101.-1200.     .0        .0          .0         .0         .0         .0
1201.-1300.     .0        .0          .0         .0         .0         .0
1301.-1400.     .0        .0          .0         .0         .0         .0
1401.-1500.     .0        .0          .0         .0         .0         .0
1501.-1600.     .0        .0          .0         .0         .0         .0
1601.-1700.     .0        .0          .0         .0         .0         .0
1701.-1800.     .0        .0          .0         .0         .0         .0
1801.-1900.     .0        .0          .0         .0         .0         .0
1901.-2000.     .0        .0          .0         .0         .0         .0
2001.-2100.     .0        .0          .0         .0         .0         .0
2101.-2200.     .0        .0          .0         .0         .0         .0
2201.-2300.     .0        .0          .0         .0         .0         .0
2301.-2400.     .0        .0          .0         .0         .0         .0
2401.-2500.     .0        .0          .0         .0         .0         .0
2501.-2600.     .0        .0          .0         .0         .0         .0
2601.-2700.     .0        .0          .0         .0         .0         .0
2701.-2800.     .0        .0          .0         .0         .0         .0
2801.-2900.     .0        .0          .0         .0         .0         .0
2901.-3000.     .0        .0          .0         .0         .0         .0

                .369E 12  .289E 12    .158E 12   .174E 11   .166E 11   .151E 11
```

```
SCC = 30100910--CLEANING CHESPECIALTY CLEANERS   -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .369E 12   .289E 12   .158E 12   .174E 11   .166E 11   .151E 11


            .369E 12   .289E 12   .158E 12   .174E 11   .166E 11   .151E 11


CC = 30100910--CLEANING CHE SPECIALTY CLEANERS  --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .126E 11  !H
  101.- 200.  .0        !
  201.- 300.  .0        !
  301.- 400.  .262E 12  !HH
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .139E 11  !H
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100910--CLEANING CHE SPECIALTY CLEANERS    -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     11
    TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG      60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.    .149E 11    .140E 11    .675E 10    .0          .0          .0
  101.- 200.    .0          .0          .0          .0          .0          .0
  201.- 300.    .169E 09    .126E 09    .635E 08    .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .151E 11    .141E 11    .681E 10    .0          .0          .0
```

```
SCC = 30100910--CLEANING CHESPECIALTY CLEANERS   -WITH CONTROL EQUIPMENT -TOT RECS =     11

SIC            MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
               60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
  15          .859E 09   .805E 09    .656E 09    .0          .0           .0
  28          .142E 11   .133E 11    .615E 10    .0          .0           .0


              .151E 11   .141E 11    .681E 10    .0          .0           .0


CC =30100910--CLEANING CHE SPECIALTY CLEANERS  ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     11

TEMP RANGE    COUNT

                         -----------------------------------------------------------------------------------------------------
   0.- 100.   .140E 11   !H
 101.- 200.   .0         !
 201.- 300.   .126E 09   !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100910--CLEANING CHE SPECIALTY CLEANERS   -TOTAL SCC -SIC =    0 -TOT RECS =     18

   TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
               60 DEG      60 DEG      60 DEG     300 DEG     300 DEG     300 DEG
    0.- 100.   .283E 11    .266E 11    .675E 10    .0          .0          .0
  101.- 200.   .0          .0          .0          .0          .0          .0
  201.- 300.   .169E 09    .126E 09    .635E 08    .0          .0          .0
  301.- 400.   .339E 12    .262E 12    .148E 12    .125E 11    .118E 11    .108E 11
  401.- 500.   .0          .0          .0          .0          .0          .0
  501.- 600.   .0          .0          .0          .0          .0          .0
  601.- 700.   .0          .0          .0          .0          .0          .0
  701.- 800.   .169E 11    .139E 11    .936E 10    .498E 10    .474E 10    .433E 10
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .384E 12    .303E 12    .164E 12    .174E 11    .166E 11    .151E 11
```

```
SCC = 30180910--CLEANING CHESPECIALTY CLEANERS   -TOTAL SCC -TOT RECS =     18

SIC             MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   15          .859E 09   .805E 09    .656E 09   .0         .0          .0
   28          .384E 12   .302E 12    .164E 12   .174E 11   .166E 11    .151E 11


               .384E 12   .303E 12    .164E 12   .174E 11   .166E 11    .151E 11


CC 30180910--CLEANING CHE SPECIALTY CLEANERS  --TOTAL SCC  -SIC =    0 -TOT RECS =     18

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .266E 11  !H
 101.- 200.   .0        !
 201.- 300.   .126E 09  !
 301.- 400.   .262E 12  !HH
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .139E 11  !H
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100999--CLEANING CHE OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     27
   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .145E 11   .136E 11   .758E 10    .0          .0          .0
  101.- 200.   .223E 12   .175E 12   .336E 11    .0          .0          .0
  201.- 300.   .390E 09   .292E 09   .147E 09    .0          .0          .0
  301.- 400.   .0         .0         .0          .0          .0          .0
  401.- 500.   .0         .0         .0          .0          .0          .0
  501.- 600.   .0         .0         .0          .0          .0          .0
  601.- 700.   .0         .0         .0          .0          .0          .0
  701.- 800.   .0         .0         .0          .0          .0          .0
  801.- 900.   .0         .0         .0          .0          .0          .0
  901.-1000.   .0         .0         .0          .0          .0          .0
 1001.-1100.   .0         .0         .0          .0          .0          .0
 1101.-1200.   .0         .0         .0          .0          .0          .0
 1201.-1300.   .0         .0         .0          .0          .0          .0
 1301.-1400.   .0         .0         .0          .0          .0          .0
 1401.-1500.   .0         .0         .0          .0          .0          .0
 1501.-1600.   .0         .0         .0          .0          .0          .0
 1601.-1700.   .0         .0         .0          .0          .0          .0
 1701.-1800.   .0         .0         .0          .0          .0          .0
 1801.-1900.   .0         .0         .0          .0          .0          .0
 1901.-2000.   .0         .0         .0          .0          .0          .0
 2001.-2100.   .0         .0         .0          .0          .0          .0
 2101.-2200.   .0         .0         .0          .0          .0          .0
 2201.-2300.   .0         .0         .0          .0          .0          .0
 2301.-2400.   .0         .0         .0          .0          .0          .0
 2401.-2500.   .0         .0         .0          .0          .0          .0
 2501.-2600.   .0         .0         .0          .0          .0          .0
 2601.-2700.   .0         .0         .0          .0          .0          .0
 2701.-2800.   .0         .0         .0          .0          .0          .0
 2801.-2900.   .0         .0         .0          .0          .0          .0
 2901.-3000.   .0         .0         .0          .0          .0          .0

               .238E 12   .189E 12   .413E 11    .0          .0          .0
```

```
SCC = 30100999--CLEANING CHEOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      27
SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED     MINIMUM
              60 DEG      60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
   13        .642E 11    .487E 11    .179E 10    .0          .0          .0
   28        .174E 12    .140E 12    .395E 11    .0          .0          .0

             .238E 12    .189E 12    .413E 11    .0          .0          .0

CC = 30100999--CLEANING CHE OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     27
TEMP RANGE    COUNT
                         ----------------------------------------------------------------------------------------------------
    0.- 100.  .136E 11  !H
  101.- 200.  .175E 12  !H
  201.- 300.  .292E 09  !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0---------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100999--CLEANING CHE OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     86
    TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                  60 DEG      60 DEG     60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.     .284E 12    .267E 12    .469E 11    .0          .0          .0
  101.- 200.     .211E 12    .161E 12    .726E 11    .0          .0          .0
  201.- 300.     .739E 11    .553E 11    .275E 11    .0          .0          .0
  301.- 400.     .0          .0          .0          .0          .0          .0
  401.- 500.     .812E 10    .646E 10    .397E 10    .123E 10    .117E 10    .107E 10
  501.- 600.     .0          .0          .0          .0          .0          .0
  601.- 700.     .0          .0          .0          .0          .0          .0
  701.- 800.     .0          .0          .0          .0          .0          .0
  801.- 900.     .0          .0          .0          .0          .0          .0
  901.-1000.     .0          .0          .0          .0          .0          .0
 1001.-1100.     .0          .0          .0          .0          .0          .0
 1101.-1200.     .0          .0          .0          .0          .0          .0
 1201.-1300.     .0          .0          .0          .0          .0          .0
 1301.-1400.     .0          .0          .0          .0          .0          .0
 1401.-1500.     .0          .0          .0          .0          .0          .0
 1501.-1600.     .0          .0          .0          .0          .0          .0
 1601.-1700.     .0          .0          .0          .0          .0          .0
 1701.-1800.     .0          .0          .0          .0          .0          .0
 1801.-1900.     .0          .0          .0          .0          .0          .0
 1901.-2000.     .0          .0          .0          .0          .0          .0
 2001.-2100.     .0          .0          .0          .0          .0          .0
 2101.-2200.     .0          .0          .0          .0          .0          .0
 2201.-2300.     .0          .0          .0          .0          .0          .0
 2301.-2400.     .0          .0          .0          .0          .0          .0
 2401.-2500.     .0          .0          .0          .0          .0          .0
 2501.-2600.     .0          .0          .0          .0          .0          .0
 2601.-2700.     .0          .0          .0          .0          .0          .0
 2701.-2800.     .0          .0          .0          .0          .0          .0
 2801.-2900.     .0          .0          .0          .0          .0          .0
 2901.-3000.     .0          .0          .0          .0          .0          .0

                 .577E 12    .490E 12    .151E 12    .123E 10    .117E 10    .107E 10
```

```
SCC = 30100999--CLEANING CHEOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =    86

SIC            MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
               60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   26         .501E 10   .470E 10    .0          .0          .0           .0
   28         .490E 12   .423E 12    .129E 12    .123E 10    .117E 10     .107E 10
   30         .233E 10   .219E 10    .178E 10    .0          .0           .0
   34         .802E 11   .603E 11    .198E 11    .0          .0           .0

              .577E 12   .490E 12    .151E 12    .123E 10    .117E 10     .107E 10


CC =30100999--CLEANING CHE OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     86

TEMP RANGE   COUNT

                       -----------------------------------------------------------------------------------------------------
    0.- 100.  .267E 12  !HH
  101.- 200.  .161E 12  !H
  201.- 300.  .553E 11  !H
  301.- 400.  .0        !
  401.- 500.  .646E 10  !H
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30100999--CLEANING CHE OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =     0 -TOT RECS =    113

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
     0.- 100.  .299E 12   .280E 12    .545E 11    .0          .0          .0
   101.- 200.  .434E 12   .336E 12    .106E 12    .0          .0          .0
   201.- 300.  .743E 11   .555E 11    .277E 11    .0          .0          .0
   301.- 400.  .0         .0          .0          .0          .0          .0
   401.- 500.  .812E 10   .646E 10    .397E 10    .123E 10    .117E 10    .107E 10
   501.- 600.  .0         .0          .0          .0          .0          .0
   601.- 700.  .0         .0          .0          .0          .0          .0
   701.- 800.  .0         .0          .0          .0          .0          .0
   801.- 900.  .0         .0          .0          .0          .0          .0
   901.-1000.  .0         .0          .0          .0          .0          .0
  1001.-1100.  .0         .0          .0          .0          .0          .0
  1101.-1200.  .0         .0          .0          .0          .0          .0
  1201.-1300.  .0         .0          .0          .0          .0          .0
  1301.-1400.  .0         .0          .0          .0          .0          .0
  1401.-1500.  .0         .0          .0          .0          .0          .0
  1501.-1600.  .0         .0          .0          .0          .0          .0
  1601.-1700.  .0         .0          .0          .0          .0          .0
  1701.-1800.  .0         .0          .0          .0          .0          .0
  1801.-1900.  .0         .0          .0          .0          .0          .0
  1901.-2000.  .0         .0          .0          .0          .0          .0
  2001.-2100.  .0         .0          .0          .0          .0          .0
  2101.-2200.  .0         .0          .0          .0          .0          .0
  2201.-2300.  .0         .0          .0          .0          .0          .0
  2301.-2400.  .0         .0          .0          .0          .0          .0
  2401.-2500.  .0         .0          .0          .0          .0          .0
  2501.-2600.  .0         .0          .0          .0          .0          .0
  2601.-2700.  .0         .0          .0          .0          .0          .0
  2701.-2800.  .0         .0          .0          .0          .0          .0
  2801.-2900.  .0         .0          .0          .0          .0          .0
  2901.-3000.  .0         .0          .0          .0          .0          .0

               .815E 12   .679E 12    .192E 12    .123E 10    .117E 10    .107E 10
```

```
SCC = 30100999--CLEANING CHEOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =    113
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   13        .642E 11   .487E 11    .179E 10   .0         .0          .0
   24        .501E 10   .470E 10    .0         .0         .0          .0
   28        .664E 12   .563E 12    .169E 12   .123E 10   .117E 10    .107E 10
   30        .233E 10   .219E 10    .178E 10   .0         .0          .0
   34        .802E 11   .603E 11    .198E 11   .0         .0          .0

             .815E 12   .679E 12    .192E 12   .123E 10   .117E 10    .107E 10

CC 30100999--CLEANING CHE OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =    113
EMP RANGE    COUNT

                          ------------------------------------------------------------------------------------------------------
    0.= 100.  .288E 12   !HH
  101.= 200.  .336E 12   !HHHH
  201.= 300.  .355E 11   !H
  301.= 400.  .0         !
  401.= 500.  .646E 10   !H
  501.= 600.  .0         !
  601.= 700.  .0         !
  701.= 800.  .0         !
  801.= 900.  .0         !
  901.=1000.  .0         !
 1001.=1100.  .0         !
 1101.=1200.  .0         !
 1201.=1300.  .0         !
 1301.=1400.  .0         !
 1401.=1500.  .0         !
 1501.=1600.  .0         !
 1601.=1700.  .0         !
 1701.=1800.  .0         !
 1801.=1900.  .0         !
 1901.=2000.  .0         !
 2001.=2100.  .0         !
 2101.=2200.  .0         !
 2201.=2300.  .0         !
 2301.=2400.  .0         !
 2401.=2500.  .0         !
 2501.=2600.  .0         !
 2601.=2700.  .0         !
 2701.=2800.  .0         !
 2801.=2900.  .0         !
 2901.=3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101001--EXPLOSIVES-T NITRATION REACTORS   -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     11
    TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
     0.= 100.   .161E 12   .151E 12    .322E 11    .0          .0          .0
   101.= 200.   .525E 11   .493E 11    .162E 11    .0          .0          .0
   201.= 300.   .0         .0          .0          .0          .0          .0
   301.= 400.   .0         .0          .0          .0          .0          .0
   401.= 500.   .0         .0          .0          .0          .0          .0
   501.= 600.   .0         .0          .0          .0          .0          .0
   601.= 700.   .0         .0          .0          .0          .0          .0
   701.= 800.   .0         .0          .0          .0          .0          .0
   801.= 900.   .0         .0          .0          .0          .0          .0
   901.=1000.   .0         .0          .0          .0          .0          .0
  1001.=1100.   .0         .0          .0          .0          .0          .0
  1101.=1200.   .0         .0          .0          .0          .0          .0
  1201.=1300.   .0         .0          .0          .0          .0          .0
  1301.=1400.   .0         .0          .0          .0          .0          .0
  1401.=1500.   .0         .0          .0          .0          .0          .0
  1501.=1600.   .0         .0          .0          .0          .0          .0
  1601.=1700.   .0         .0          .0          .0          .0          .0
  1701.=1800.   .0         .0          .0          .0          .0          .0
  1801.=1900.   .0         .0          .0          .0          .0          .0
  1901.=2000.   .0         .0          .0          .0          .0          .0
  2001.=2100.   .0         .0          .0          .0          .0          .0
  2101.=2200.   .0         .0          .0          .0          .0          .0
  2201.=2300.   .0         .0          .0          .0          .0          .0
  2301.=2400.   .0         .0          .0          .0          .0          .0
  2401.=2500.   .0         .0          .0          .0          .0          .0
  2501.=2600.   .0         .0          .0          .0          .0          .0
  2601.=2700.   .0         .0          .0          .0          .0          .0
  2701.=2800.   .0         .0          .0          .0          .0          .0
  2801.=2900.   .0         .0          .0          .0          .0          .0
  2901.=3000.   .0         .0          .0          .0          .0          .0

                .213E 12   .200E 12    .484E 11    .0          .0          .0
```

```
SCC = 30101001--EXPLOSIVES-TNITRATION REACTORS   -NO CONTROL EQUIPMENT -TOT RECS =     11

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG   300 DEG    300 DEG
   28        .171E 12   .161E 12   .162E 11   .0         .0         .0
   97        .421E 11   .395E 11   .322E 11   .0         .0         .0

             .213E 12   .200E 12   .484E 11   .0         .0         .0


CC = 30101001--EXPLOSIVES-T NITRATION REACTORS  --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     11

TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
    0.- 100.  .151E 12  !H
  101.- 200.  .693E 11  !H
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101001--EXPLOSIVES-T NITRATION REACTORS    -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1
   TEMP         MAXIMUM   EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG    60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.    .444E 10  .416E 10    .339E 10    .0         .0          .0
  101.- 200.    .0        .0          .0          .0         .0          .0
  201.- 300.    .0        .0          .0          .0         .0          .0
  301.- 400.    .0        .0          .0          .0         .0          .0
  401.- 500.    .0        .0          .0          .0         .0          .0
  501.- 600.    .0        .0          .0          .0         .0          .0
  601.- 700.    .0        .0          .0          .0         .0          .0
  701.- 800.    .0        .0          .0          .0         .0          .0
  801.- 900.    .0        .0          .0          .0         .0          .0
  901.-1000.    .0        .0          .0          .0         .0          .0
 1001.-1100.    .0        .0          .0          .0         .0          .0
 1101.-1200.    .0        .0          .0          .0         .0          .0
 1201.-1300.    .0        .0          .0          .0         .0          .0
 1301.-1400.    .0        .0          .0          .0         .0          .0
 1401.-1500.    .0        .0          .0          .0         .0          .0
 1501.-1600.    .0        .0          .0          .0         .0          .0
 1601.-1700.    .0        .0          .0          .0         .0          .0
 1701.-1800.    .0        .0          .0          .0         .0          .0
 1801.-1900.    .0        .0          .0          .0         .0          .0
 1901.-2000.    .0        .0          .0          .0         .0          .0
 2001.-2100.    .0        .0          .0          .0         .0          .0
 2101.-2200.    .0        .0          .0          .0         .0          .0
 2201.-2300.    .0        .0          .0          .0         .0          .0
 2301.-2400.    .0        .0          .0          .0         .0          .0
 2401.-2500.    .0        .0          .0          .0         .0          .0
 2501.-2600.    .0        .0          .0          .0         .0          .0
 2601.-2700.    .0        .0          .0          .0         .0          .0
 2701.-2800.    .0        .0          .0          .0         .0          .0
 2801.-2900.    .0        .0          .0          .0         .0          .0
 2901.-3000.    .0        .0          .0          .0         .0          .0

                .444E 10  .416E 10    .339E 10    .0         .0          .0
```

```
SCC = 30101001--EXPLOSIVES-TNITRATION REACTORS   -WITH CONTROL EQUIPMENT -TOT RECS =     1
SCC            MAXIMUM    EXPECTED   MINIMUM    MAXIMUM     EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300DEG     300 DEG     300 DEG
   20         .444E 10   .416E 10   .339E 10   .0          .0          .0

              .444E 10   .416E 10   .339E 10   .0          .0          .0

SCC =30101001--EXPLOSIVES-T NITRATION REACTORS  ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1
TEMP RANGE    COUNT

                          ====================================================================================================
    0.=  100.   .416E 10  IW
  101.=  200.   .0        I
  201.=  300.   .0        I
  301.=  400.   .0        I
  401.=  500.   .0        I
  501.=  600.   .0        I
  601.=  700.   .0        I
  701.=  800.   .0        I
  801.=  900.   .0        I
  901.=1000.    .0        I
 1001.=1100.    .0        I
 1101.=1200.    .0        I
 1201.=1300.    .0        I
 1301.=1400.    .0        I
 1401.=1500.    .0        I
 1501.=1600.    .0        I
 1601.=1700.    .0        I
 1701.=1800.    .0        I
 1801.=1900.    .0        I
 1901.=2000.    .0        I
 2001.=2100.    .0        I
 2101.=2200.    .0        I
 2201.=2300.    .0        I
 2301.=2400.    .0        I
 2401.=2500.    .0        I
 2501.=2600.    .0        I
 2601.=2700.    .0        I
 2701.=2800.    .0        I
 2801.=2900.    .0        I
 2901.=3000.    .0        I
                          0---------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101001--EXPLOSIVES-T NITRATION REACTORS   -TOTAL SCC -SIC =    0 -TOT RECS =     12
   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.= 100.     .165E 12    .155E 12    .355E 11    .0          .0          .0
  101.= 200.     .525E 11    .493E 11    .162E 11    .0          .0          .0
  201.= 300.     .0          .0          .0          .0          .0          .0
  301.= 400.     .0          .0          .0          .0          .0          .0
  401.= 500.     .0          .0          .0          .0          .0          .0
  501.= 600.     .0          .0          .0          .0          .0          .0
  601.= 700.     .0          .0          .0          .0          .0          .0
  701.= 800.     .0          .0          .0          .0          .0          .0
  801.= 900.     .0          .0          .0          .0          .0          .0
  901.=1000.     .0          .0          .0          .0          .0          .0
 1001.=1100.     .0          .0          .0          .0          .0          .0
 1101.=1200.     .0          .0          .0          .0          .0          .0
 1201.=1300.     .0          .0          .0          .0          .0          .0
 1301.=1400.     .0          .0          .0          .0          .0          .0
 1401.=1500.     .0          .0          .0          .0          .0          .0
 1501.=1600.     .0          .0          .0          .0          .0          .0
 1601.=1700.     .0          .0          .0          .0          .0          .0
 1701.=1800.     .0          .0          .0          .0          .0          .0
 1801.=1900.     .0          .0          .0          .0          .0          .0
 1901.=2000.     .0          .0          .0          .0          .0          .0
 2001.=2100.     .0          .0          .0          .0          .0          .0
 2101.=2200.     .0          .0          .0          .0          .0          .0
 2201.=2300.     .0          .0          .0          .0          .0          .0
 2301.=2400.     .0          .0          .0          .0          .0          .0
 2401.=2500.     .0          .0          .0          .0          .0          .0
 2501.=2600.     .0          .0          .0          .0          .0          .0
 2601.=2700.     .0          .0          .0          .0          .0          .0
 2701.=2800.     .0          .0          .0          .0          .0          .0
 2801.=2900.     .0          .0          .0          .0          .0          .0
 2901.=3000.     .0          .0          .0          .0          .0          .0

                .218E 12    .204E 12    .518E 11    .0          .0          .0
```

```
SCC = 30101001--EXPLOSIVES-TNITRATION REACTORS   -TOTAL SCC -TOT RECS =     12

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28        .174E 12   .165E 12   .196E 11   .0         .0         .0
   97        .421E 11   .395E 11   .322E 11   .0         .0         .0

             .216E 12   .204E 12   .518E 11   .0         .0         .0


CC 30101001--EXPLOSIVES-T NITRATION REACTORS  --TOTAL SCC  -SIC =    0 -TOT RECS =     12

EMP RANGE   COUNT

                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .155E 12  IM
 101.- 200.  .493E 11  IM
 201.- 300.  .0        I
 301.- 400.  .0        I
 401.- 500.  .0        I
 501.- 600.  .0        I
 601.- 700.  .0        I
 701.- 800.  .0        I
 801.- 900.  .0        I
 901.-1000.  .0        I
1001.-1100.  .0        I
1101.-1200.  .0        I
1201.-1300.  .0        I
1301.-1400.  .0        I
1401.-1500.  .0        I
1501.-1600.  .0        I
1601.-1700.  .0        I
1701.-1800.  .0        I
1801.-1900.  .0        I
1901.-2000.  .0        I
2001.-2100.  .0        I
2101.-2200.  .0        I
2201.-2300.  .0        I
2301.-2400.  .0        I
2401.-2500.  .0        I
2501.-2600.  .0        I
2601.-2700.  .0        I
2701.-2800.  .0        I
2801.-2900.  .0        I
2901.-3000.  .0        I
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100
```

```
SCC= 30101002--EXPLOSIVES-T HN03 CONCENTRATORS   -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      9
   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .0         .0           .0          .0          .0          .0
  101.- 200.   .255E 12   .198E 12     .899E 10    .0          .0          .0
  201.- 300.   .781E 11   .585E 11     .288E 10    .0          .0          .0
  301.- 400.   .268E 12   .206E 12     .114E 12    .293E 10    .278E 10    .255E 10
  401.- 500.   .0         .0           .0          .0          .0          .0
  501.- 600.   .0         .0           .0          .0          .0          .0
  601.- 700.   .0         .0           .0          .0          .0          .0
  701.- 800.   .0         .0           .0          .0          .0          .0
  801.- 900.   .0         .0           .0          .0          .0          .0
  901.-1000.   .0         .0           .0          .0          .0          .0
 1001.-1100.   .0         .0           .0          .0          .0          .0
 1101.-1200.   .0         .0           .0          .0          .0          .0
 1201.-1300.   .0         .0           .0          .0          .0          .0
 1301.-1400.   .0         .0           .0          .0          .0          .0
 1401.-1500.   .0         .0           .0          .0          .0          .0
 1501.-1600.   .0         .0           .0          .0          .0          .0
 1601.-1700.   .0         .0           .0          .0          .0          .0
 1701.-1800.   .238E 11   .210E 11     .165E 11    .147E 11    .139E 11    .118E 11
 1801.-1900.   .0         .0           .0          .0          .0          .0
 1901.-2000.   .0         .0           .0          .0          .0          .0
 2001.-2100.   .0         .0           .0          .0          .0          .0
 2101.-2200.   .0         .0           .0          .0          .0          .0
 2201.-2300.   .0         .0           .0          .0          .0          .0
 2301.-2400.   .0         .0           .0          .0          .0          .0
 2401.-2500.   .0         .0           .0          .0          .0          .0
 2501.-2600.   .0         .0           .0          .0          .0          .0
 2601.-2700.   .0         .0           .0          .0          .0          .0
 2701.-2800.   .0         .0           .0          .0          .0          .0
 2801.-2900.   .0         .0           .0          .0          .0          .0
 2901.-3000.   .0         .0           .0          .0          .0          .0

               .625E 12   .483E 12     .142E 12    .176E 11    .167E 11    .144E 11
```

```
SCC = 30101002--EXPLOSIVES-THN03 CONCENTRATORS   -NO CONTROL EQUIPMENT -TOT RECS =      9

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
  28        .324E 12   .246E 12   .284E 11   .147E 11   .139E 11   .118E 11
  97        .268E 12   .206E 12   .114E 12   .293E 10   .278E 10   .255E 10
  99        .329E 11   .308E 11   .0         .0         .0         .0


            .625E 12   .483E 12   .142E 12   .176E 11   .167E 11   .144E 11


CC = 30101002--EXPLOSIVES-T HN03 CONCENTRATORS  --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      9

TEMP RANGE   COUNT
                     -----------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .198E 12  !H
 201.- 300.  .585E 11  !H
 301.- 400.  .206E 12  !HH
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .210E 11  !H
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101002--EXPLOSIVES-T HNO3 CONCENTRATORS    -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.   .0          .0         .0         .0         .0         .0
  101.- 200.   .0          .0         .0         .0         .0         .0
  201.- 300.   .594E 10   .446E 10   .178E 10    .0         .0         .0
  301.- 400.   .0          .0         .0         .0         .0         .0
  401.- 500.   .0          .0         .0         .0         .0         .0
  501.- 600.   .0          .0         .0         .0         .0         .0
  601.- 700.   .0          .0         .0         .0         .0         .0
  701.- 800.   .0          .0         .0         .0         .0         .0
  801.- 900.   .0          .0         .0         .0         .0         .0
  901.-1000.   .0          .0         .0         .0         .0         .0
 1001.-1100.   .0          .0         .0         .0         .0         .0
 1101.-1200.   .0          .0         .0         .0         .0         .0
 1201.-1300.   .0          .0         .0         .0         .0         .0
 1301.-1400.   .0          .0         .0         .0         .0         .0
 1401.-1500.   .0          .0         .0         .0         .0         .0
 1501.-1600.   .0          .0         .0         .0         .0         .0
 1601.-1700.   .0          .0         .0         .0         .0         .0
 1701.-1800.   .0          .0         .0         .0         .0         .0
 1801.-1900.   .0          .0         .0         .0         .0         .0
 1901.-2000.   .0          .0         .0         .0         .0         .0
 2001.-2100.   .0          .0         .0         .0         .0         .0
 2101.-2200.   .0          .0         .0         .0         .0         .0
 2201.-2300.   .0          .0         .0         .0         .0         .0
 2301.-2400.   .0          .0         .0         .0         .0         .0
 2401.-2500.   .0          .0         .0         .0         .0         .0
 2501.-2600.   .0          .0         .0         .0         .0         .0
 2601.-2700.   .0          .0         .0         .0         .0         .0
 2701.-2800.   .0          .0         .0         .0         .0         .0
 2801.-2900.   .0          .0         .0         .0         .0         .0
 2901.-3000.   .0          .0         .0         .0         .0         .0

               .594E 10   .446E 10   .178E 10    .0         .0         .0
```

```
SCC = 30101002--EXPLOSIVES-THN03 CONCENTRATORS   -WITH CONTROL EQUIPMENT -TOT RECS =     5

SIC           MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28        .594E 10   .446E 10   .178E 10   .0         .0          .0


             .594E 10   .446E 10   .178E 10   .0         .0          .0


CC =30101002--EXPLOSIVES-T HN03 CONCENTRATORS  ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE   COUNT

                             ----------------------------------------------------------------------------------------------------
   0.- 100.  .0              !
 101.- 200.  .0              !
 201.- 300.  .446E 10        !H
 301.- 400.  .0              !
 401.- 500.  .0              !
 501.- 600.  .0              !
 601.- 700.  .0              !
 701.- 800.  .0              !
 801.- 900.  .0              !
 901.-1000.  .0              !
1001.-1100.  .0              !
1101.-1200.  .0              !
1201.-1300.  .0              !
1301.-1400.  .0              !
1401.-1500.  .0              !
1501.-1600.  .0              !
1601.-1700.  .0              !
1701.-1800.  .0              !
1801.-1900.  .0              !
1901.-2000.  .0              !
2001.-2100.  .0              !
2101.-2200.  .0              !
2201.-2300.  .0              !
2301.-2400.  .0              !
2401.-2500.  .0              !
2501.-2600.  .0              !
2601.-2700.  .0              !
2701.-2800.  .0              !
2801.-2900.  .0              !
2901.-3000.  .0              !
                             0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101002--EXPLOSIVES-T HN03 CONCENTRATORS   -TOTAL SCC -SIC =    0 -TOT RECS =     14

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .0         .0          .0         .0         .0          .0
  101.- 200.   .255E 12   .198E 12    .899E 10   .0         .0          .0
  201.- 300.   .840E 11   .629E 11    .465E 10   .0         .0          .0
  301.- 400.   .268E 12   .206E 12    .114E 12   .293E 10   .278E 10    .255E 10
  401.- 500.   .0         .0          .0         .0         .0          .0
  501.- 600.   .0         .0          .0         .0         .0          .0
  601.- 700.   .0         .0          .0         .0         .0          .0
  701.- 800.   .0         .0          .0         .0         .0          .0
  801.- 900.   .0         .0          .0         .0         .0          .0
  901.-1000.   .0         .0          .0         .0         .0          .0
 1001.-1100.   .0         .0          .0         .0         .0          .0
 1101.-1200.   .0         .0          .0         .0         .0          .0
 1201.-1300.   .0         .0          .0         .0         .0          .0
 1301.-1400.   .0         .0          .0         .0         .0          .0
 1401.-1500.   .0         .0          .0         .0         .0          .0
 1501.-1600.   .0         .0          .0         .0         .0          .0
 1601.-1700.   .0         .0          .0         .0         .0          .0
 1701.-1800.   .238E 11   .210E 11    .165E 11   .147E 11   .139E 11    .118E 11
 1801.-1900.   .0         .0          .0         .0         .0          .0
 1901.-2000.   .0         .0          .0         .0         .0          .0
 2001.-2100.   .0         .0          .0         .0         .0          .0
 2101.-2200.   .0         .0          .0         .0         .0          .0
 2201.-2300.   .0         .0          .0         .0         .0          .0
 2301.-2400.   .0         .0          .0         .0         .0          .0
 2401.-2500.   .0         .0          .0         .0         .0          .0
 2501.-2600.   .0         .0          .0         .0         .0          .0
 2601.-2700.   .0         .0          .0         .0         .0          .0
 2701.-2800.   .0         .0          .0         .0         .0          .0
 2801.-2900.   .0         .0          .0         .0         .0          .0
 2901.-3000.   .0         .0          .0         .0         .0          .0

               .631E 12   .488E 12    .144E 12   .176E 11   .167E 11    .144E 11
```

```
SCC = 30101002--EXPLOSIVES-THNO3 CONCENTRATORS   -TOTAL SCC -TOT RECS =     14

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28       .330E 12   .251E 12   .301E 11   .147E 11   .139E 11   .118E 11
   97       .268E 12   .206E 12   .114E 12   .293E 10   .278E 10   .255E 10
   99       .329E 11   .308E 11   .0         .0         .0         .0


            .631E 12   .488E 12   .144E 12   .176E 11   .167E 11   .144E 11


CC 30101002--EXPLOSIVES-T HNO3 CONCENTRATORS  --TOTAL SCC  -SIC =    0 -TOT RECS =     14

EMP RANGE    COUNT

                                 -----------------------------------------------------------------------------------------------------
    0.- 100.   .0                !
  101.- 200.   .198E 12          !H
  201.- 300.   .629E 11          !H
  301.- 400.   .206E 12          !HH
  401.- 500.   .0                !
  501.- 600.   .0                !
  601.- 700.   .0                !
  701.- 800.   .0                !
  801.- 900.   .0                !
  901.-1000.   .0                !
 1001.-1100.   .0                !
 1101.-1200.   .0                !
 1201.-1300.   .0                !
 1301.-1400.   .0                !
 1401.-1500.   .0                !
 1501.-1600.   .0                !
 1601.-1700.   .0                !
 1701.-1800.   .210E 11          !H
 1801.-1900.   .0                !
 1901.-2000.   .0                !
 2001.-2100.   .0                !
 2101.-2200.   .0                !
 2201.-2300.   .0                !
 2301.-2400.   .0                !
 2401.-2500.   .0                !
 2501.-2600.   .0                !
 2601.-2700.   .0                !
 2701.-2800.   .0                !
 2801.-2900.   .0                !
 2901.-3000.   .0                !
                                 0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101003--EXPLOSIVES-T H2S04 REGENERATOR    -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =       5
   TEMP          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
    0.- 100.    .426E 10    .400E 10     .326E 10    .0          .0          .0
  101.- 200.    .204E 09    .152E 09     .748E 08    .0          .0          .0
  201.- 300.    .0          .0           .0          .0          .0          .0
  301.- 400.    .0          .0           .0          .0          .0          .0
  401.- 500.    .0          .0           .0          .0          .0          .0
  501.- 600.    .0          .0           .0          .0          .0          .0
  601.- 700.    .0          .0           .0          .0          .0          .0
  701.- 800.    .0          .0           .0          .0          .0          .0
  801.- 900.    .0          .0           .0          .0          .0          .0
  901.-1000.    .0          .0           .0          .0          .0          .0
 1001.-1100.    .0          .0           .0          .0          .0          .0
 1101.-1200.    .0          .0           .0          .0          .0          .0
 1201.-1300.    .0          .0           .0          .0          .0          .0
 1301.-1400.    .0          .0           .0          .0          .0          .0
 1401.-1500.    .0          .0           .0          .0          .0          .0
 1501.-1600.    .0          .0           .0          .0          .0          .0
 1601.-1700.    .0          .0           .0          .0          .0          .0
 1701.-1800.    .0          .0           .0          .0          .0          .0
 1801.-1900.    .0          .0           .0          .0          .0          .0
 1901.-2000.    .0          .0           .0          .0          .0          .0
 2001.-2100.    .0          .0           .0          .0          .0          .0
 2101.-2200.    .0          .0           .0          .0          .0          .0
 2201.-2300.    .0          .0           .0          .0          .0          .0
 2301.-2400.    .0          .0           .0          .0          .0          .0
 2401.-2500.    .0          .0           .0          .0          .0          .0
 2501.-2600.    .0          .0           .0          .0          .0          .0
 2601.-2700.    .0          .0           .0          .0          .0          .0
 2701.-2800.    .0          .0           .0          .0          .0          .0
 2801.-2900.    .0          .0           .0          .0          .0          .0
 2901.-3000.    .0          .0           .0          .0          .0          .0

                .447E 10    .415E 10     .333E 10    .0          .0          .0
```

```
SCC = 30101003--EXPLOSIVES-TH2SO4 REGENERATOR    -NO CONTROL EQUIPMENT -TOT RECS =      5
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .288E 10   .266E 10    .212E 10   .0         .0          .0
   97       .158E 10   .149E 10    .121E 10   .0         .0          .0

            .447E 10   .415E 10    .333E 10   .0         .0          .0

CC = 30101003--EXPLOSIVES-T H2SO4 REGENERATOR   --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5
TEMP RANGE    COUNT
                        -------------------------------------------------------------------------------------------------
   0.- 100.  .400E 10  !H
 101.- 200.  .152E 09  !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101003--EXPLOSIVES-T H2S04 REGENERATOR    -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     3
    TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                   60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
     0.- 100.    .218E 11   .205E 11   .167E 11    .0          .0          .0
   101.- 200.    .777E 11   .584E 11   .0          .0          .0          .0
   201.- 300.    .855E 11   .646E 11   .0          .0          .0          .0
   301.- 400.    .0         .0         .0          .0          .0          .0
   401.- 500.    .0         .0         .0          .0          .0          .0
   501.- 600.    .0         .0         .0          .0          .0          .0
   601.- 700.    .0         .0         .0          .0          .0          .0
   701.- 800.    .0         .0         .0          .0          .0          .0
   801.- 900.    .0         .0         .0          .0          .0          .0
   901.-1000.    .0         .0         .0          .0          .0          .0
  1001.-1100.    .0         .0         .0          .0          .0          .0
  1101.-1200.    .0         .0         .0          .0          .0          .0
  1201.-1300.    .0         .0         .0          .0          .0          .0
  1301.-1400.    .0         .0         .0          .0          .0          .0
  1401.-1500.    .0         .0         .0          .0          .0          .0
  1501.-1600.    .0         .0         .0          .0          .0          .0
  1601.-1700.    .0         .0         .0          .0          .0          .0
  1701.-1800.    .0         .0         .0          .0          .0          .0
  1801.-1900.    .0         .0         .0          .0          .0          .0
  1901.-2000.    .0         .0         .0          .0          .0          .0
  2001.-2100.    .0         .0         .0          .0          .0          .0
  2101.-2200.    .0         .0         .0          .0          .0          .0
  2201.-2300.    .0         .0         .0          .0          .0          .0
  2301.-2400.    .0         .0         .0          .0          .0          .0
  2401.-2500.    .0         .0         .0          .0          .0          .0
  2501.-2600.    .0         .0         .0          .0          .0          .0
  2601.-2700.    .0         .0         .0          .0          .0          .0
  2701.-2800.    .0         .0         .0          .0          .0          .0
  2801.-2900.    .0         .0         .0          .0          .0          .0
  2901.-3000.    .0         .0         .0          .0          .0          .0

                 .185E 12   .143E 12   .167E 11    .0          .0          .0
```

```
SCC = 30101003--EXPLOSIVES-TH2S04 REGENERATOR    -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC           MAXIMUM    EXPECTED   MINIMUM    MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300DEG    300 DEG     300 DEG
   28        .185E 12   .143E 12   .167E 11   .0          .0          .0


             .185E 12   .143E 12   .167E 11   .0          .0          .0


CC =30101003--EXPLOSIVES-T H2S04 REGENERATOR   ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .205E 11  !H
 101.- 200.  .584E 11  !H
 201.- 300.  .646E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101003--EXPLOSIVES-T H2SO4 REGENERATOR    -TOTAL SCC -SIC =    0 -TOT RECS =      8

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .261E 11   .245E 11   .199E 11   .0         .0         .0
  101.- 200.   .779E 11   .586E 11   .748E 08   .0         .0         .0
  201.- 300.   .855E 11   .646E 11   .0         .0         .0         .0
  301.- 400.   .0         .0         .0         .0         .0         .0
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .190E 12   .148E 12   .200E 11   .0         .0         .0
```

```
SCC = 30101003--EXPLOSIVES-TH2S04 REGENERATOR    -TOTAL SCC -TOT RECS =      8

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   28       .188E 12   .146E 12    .188E 11    .0         .0          .0
   97       .158E 10   .149E 10    .121E 10    .0         .0          .0


            .190E 12   .148E 12    .200E 11    .0         .0          .0


CC 30101003--EXPLOSIVES-T H2S04 REGENERATOR   --TOTAL SCC  -SIC =    0 -TOT RECS =      8

EMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .245E 11   !H
 101.- 200.  .586E 11   !H
 201.- 300.  .646E 11   !H
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101004--EXPLOSIVES-T RED WATER INCINERATO -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1
   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101004--EXPLOSIVES-TRED WATER INCINERATO -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30101004--EXPLOSIVES-T RED WATER INCINERATO  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      2
   TEMP         MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                 60 DEG    60 DEG     60 DEG     300 DEG   300 DEG    300 DEG
   0.- 100.     .0        .0          .0         .0          .0         .0
 101.- 200.     .141E 11  .106E 11    .261E 10   .0          .0         .0
 201.- 300.     .0        .0          .0         .0          .0         .0
 301.- 400.     .0        .0          .0         .0          .0         .0
 401.- 500.     .0        .0          .0         .0          .0         .0
 501.- 600.     .0        .0          .0         .0          .0         .0
 601.- 700.     .0        .0          .0         .0          .0         .0
 701.- 800.     .0        .0          .0         .0          .0         .0
 801.- 900.     .0        .0          .0         .0          .0         .0
 901.-1000.     .0        .0          .0         .0          .0         .0
1001.-1100.     .0        .0          .0         .0          .0         .0
1101.-1200.     .0        .0          .0         .0          .0         .0
1201.-1300.     .0        .0          .0         .0          .0         .0
1301.-1400.     .0        .0          .0         .0          .0         .0
1401.-1500.     .0        .0          .0         .0          .0         .0
1501.-1600.     .0        .0          .0         .0          .0         .0
1601.-1700.     .0        .0          .0         .0          .0         .0
1701.-1800.     .0        .0          .0         .0          .0         .0
1801.-1900.     .0        .0          .0         .0          .0         .0
1901.-2000.     .0        .0          .0         .0          .0         .0
2001.-2100.     .0        .0          .0         .0          .0         .0
2101.-2200.     .0        .0          .0         .0          .0         .0
2201.-2300.     .0        .0          .0         .0          .0         .0
2301.-2400.     .0        .0          .0         .0          .0         .0
2401.-2500.     .0        .0          .0         .0          .0         .0
2501.-2600.     .0        .0          .0         .0          .0         .0
2601.-2700.     .0        .0          .0         .0          .0         .0
2701.-2800.     .0        .0          .0         .0          .0         .0
2801.-2900.     .0        .0          .0         .0          .0         .0
2901.-3000.     .0        .0          .0         .0          .0         .0

                .141E 11  .106E 11    .261E 10   .0          .0         .0
```

```
SCC = 30101004--EXPLOSIVES-TRED WATER INCINERATO -WITH CONTROL EQUIPMENT -TOT RECS =     2

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM      EXPECTED     MINIMUM
             60 DEG     60 DEG       60 DEG       300DEG     300 DEG      300 DEG
   28       .695E 10   .523E 10    .0          .0           .0           .0
   97       .713E 10   .533E 10    .261E 10    .0           .0           .0


            .141E 11   .106E 11    .261E 10    .0           .0           .0


CC =30101004--EXPLOSIVES-T RED WATER INCINERATO---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2

TEMP RANGE   COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .0           !
 101.- 200.  .106E 11     !H
 201.- 300.  .0           !
 301.- 400.  .0           !
 401.- 500.  .0           !
 501.- 600.  .0           !
 601.- 700.  .0           !
 701.- 800.  .0           !
 801.- 900.  .0           !
 901.-1000.  .0           !
1001.-1100.  .0           !
1101.-1200.  .0           !
1201.-1300.  .0           !
1301.-1400.  .0           !
1401.-1500.  .0           !
1501.-1600.  .0           !
1601.-1700.  .0           !
1701.-1800.  .0           !
1801.-1900.  .0           !
1901.-2000.  .0           !
2001.-2100.  .0           !
2101.-2200.  .0           !
2201.-2300.  .0           !
2301.-2400.  .0           !
2401.-2500.  .0           !
2501.-2600.  .0           !
2601.-2700.  .0           !
2701.-2800.  .0           !
2801.-2900.  .0           !
2901.-3000.  .0           !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101005--EXPLOSIVES-T OPEN WASTE BURN     -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     10
     TEMP         MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
                   60 DEG       60 DEG       60 DEG    300 DEG     300 DEG      300 DEG
     0.- 100.     .0           .0           .0          .0          .0           .0
   101.- 200.     .318E 11     .239E 11     .587E 10    .0          .0           .0
   201.- 300.     .921E 11     .704E 11     .0          .0          .0           .0
   301.- 400.     .206E 11     .161E 11     .0          .153E 10    .146E 10     .0
   401.- 500.     .450E 11     .358E 11     .0          .684E 10    .650E 10     .0
   501.- 600.     .0           .0           .0          .0          .0           .0
   601.- 700.     .0           .0           .0          .0          .0           .0
   701.- 800.     .0           .0           .0          .0          .0           .0
   801.- 900.     .0           .0           .0          .0          .0           .0
   901.-1000.     .0           .0           .0          .0          .0           .0
  1001.-1100.     .0           .0           .0          .0          .0           .0
  1101.-1200.     .0           .0           .0          .0          .0           .0
  1201.-1300.     .0           .0           .0          .0          .0           .0
  1301.-1400.     .0           .0           .0          .0          .0           .0
  1401.-1500.     .0           .0           .0          .0          .0           .0
  1501.-1600.     .0           .0           .0          .0          .0           .0
  1601.-1700.     .0           .0           .0          .0          .0           .0
  1701.-1800.     .0           .0           .0          .0          .0           .0
  1801.-1900.     .0           .0           .0          .0          .0           .0
  1901.-2000.     .0           .0           .0          .0          .0           .0
  2001.-2100.     .0           .0           .0          .0          .0           .0
  2101.-2200.     .0           .0           .0          .0          .0           .0
  2201.-2300.     .0           .0           .0          .0          .0           .0
  2301.-2400.     .0           .0           .0          .0          .0           .0
  2401.-2500.     .0           .0           .0          .0          .0           .0
  2501.-2600.     .0           .0           .0          .0          .0           .0
  2601.-2700.     .0           .0           .0          .0          .0           .0
  2701.-2800.     .0           .0           .0          .0          .0           .0
  2801.-2900.     .0           .0           .0          .0          .0           .0
  2901.-3000.     .0           .0           .0          .0          .0           .0

                  .190E 12     .146E 12     .587E 10    .838E 10    .795E 10     .0
```

```
SCC = 30101005--EXPLOSIVES-TOPEN WASTE BURN      -NO CONTROL EQUIPMENT -TOT RECS =     10

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300 DEG    300 DEG    300 DEG
   28       .206E 11   .161E 11   .0          .153E 10   .146E 10   .0
   44       .183E 11   .139E 11   .0          .0         .0         .0
   49       .101E 12   .783E 11   .0          .684E 10   .650E 10   .0
   97       .183E 11   .139E 11   .0          .0         .0         .0
   99       .318E 11   .239E 11   .587E 10    .0         .0         .0

            .190E 12   .146E 12   .587E 10    .838E 10   .795E 10   .0


CC = 30101005--EXPLOSIVES-T OPEN WASTE BURN     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     10

TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .239E 11 !H
 201.- 300.   .704E 11 !H
 301.- 400.   .161E 11 !H
 401.- 500.   .358E 11 !H
 501.- 600.   .0       !
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101005--EXPLOSIVES-T OPEN WASTE BURN       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101005--EXPLOSIVES-TOPEN WASTE BURN      -WITH CONTROL EQUIPMENT -TOT RECS =     0
SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30101099--EXPLOSIVES-T OTHER/NOT CLASSIFED  -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     24

    TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .102E 12    .953E 11    .343E 11    .0          .0          .0
  101.- 200.    .396E 11    .342E 11    .139E 11    .0          .0          .0
  201.- 300.    .283E 10    .217E 10    .119E 10    .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .144E 12    .132E 12    .493E 11    .0          .0          .0
```

```
SCC = 30101099--EXPLOSIVES-TOTHER/NOT CLASSIFED  -NO CONTROL EQUIPMENT -TOT RECS =     24

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
              60 DEG      60 DEG       60 DEG     300 DEG     300 DEG    300 DEG
   28       .142E 11    .133E 11    .899E 10    .0          .0          .0
   34       .114E 12    .106E 12    .345E 11    .0          .0          .0
   99       .159E 11    .120E 11    .587E 10    .0          .0          .0

            .144E 12    .132E 12    .493E 11    .0          .0          .0


CC = 30101099--EXPLOSIVES-T OTHER/NOT CLASSIFED --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     24

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .953E 11   !H
 101.- 200.  .342E 11   !H
 201.- 300.  .217E 10   !H
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101099--EXPLOSIVES-T OTHER/NOT CLASSIFED   -WITH CONTROL EQUIPMENT -SIC =    ) -TOT RECS =      6

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.  .160E 11   .150E 11   .318E 10   .0        .0         .0
  101.- 200.  .0         .0         .0         .0        .0         .0
  201.- 300.  .0         .0         .0         .0        .0         .0
  301.- 400.  .0         .0         .0         .0        .0         .0
  401.- 500.  .0         .0         .0         .0        .0         .0
  501.- 600.  .0         .0         .0         .0        .0         .0
  601.- 700.  .0         .0         .0         .0        .0         .0
  701.- 800.  .0         .0         .0         .0        .0         .0
  801.- 900.  .0         .0         .0         .0        .0         .0
  901.-1000.  .0         .0         .0         .0        .0         .0
 1001.-1100.  .0         .0         .0         .0        .0         .0
 1101.-1200.  .0         .0         .0         .0        .0         .0
 1201.-1300.  .0         .0         .0         .0        .0         .0
 1301.-1400.  .0         .0         .0         .0        .0         .0
 1401.-1500.  .0         .0         .0         .0        .0         .0
 1501.-1600.  .0         .0         .0         .0        .0         .0
 1601.-1700.  .0         .0         .0         .0        .0         .0
 1701.-1800.  .0         .0         .0         .0        .0         .0
 1801.-1900.  .0         .0         .0         .0        .0         .0
 1901.-2000.  .0         .0         .0         .0        .0         .0
 2001.-2100.  .0         .0         .0         .0        .0         .0
 2101.-2200.  .0         .0         .0         .0        .0         .0
 2201.-2300.  .0         .0         .0         .0        .0         .0
 2301.-2400.  .0         .0         .0         .0        .0         .0
 2401.-2500.  .0         .0         .0         .0        .0         .0
 2501.-2600.  .0         .0         .0         .0        .0         .0
 2601.-2700.  .0         .0         .0         .0        .0         .0
 2701.-2800.  .0         .0         .0         .0        .0         .0
 2801.-2900.  .0         .0         .0         .0        .0         .0
 2901.-3000.  .0         .0         .0         .0        .0         .0

              .160E 11   .150E 11   .318E 10   .0        .0         .0
```

```
SCC = 30101099--EXPLOSIVES-TOTHER/NOT CLASSIFED  -WITH CONTROL EQUIPMENT -TOT RECS =     6

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG     60 DEG      60 DEG       300DEG     300 DEG      300 DEG
   28        .416E 10   .391E 10    .318E 10    .0          .0           .0
   34        .118E 11   .111E 11    .0          .0          .0           .0

             .160E 11   .150E 11    .318E 10    .0          .0           .0


CC =30101099--EXPLOSIVES-T OTHER/NOT CLASSIFED ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      6

TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
    0.- 100.  .150E 11   !H
  101.- 200.  .0         !
  201.- 300.  .0         !
  301.- 400.  .0         !
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101099--EXPLOSIVES-T OTHER/NOT CLASSIFED  -TOTAL SCC -SIC =    0 -TOT RECS =     30
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.   .118E 12   .110E 12    .375E 11   .0         .0          .0
 101.- 200.   .396E 11   .342E 11    .139E 11   .0         .0          .0
 201.- 300.   .283E 10   .217E 10    .119E 10   .0         .0          .0
 301.- 400.   .0         .0          .0         .0         .0          .0
 401.- 500.   .0         .0          .0         .0         .0          .0
 501.- 600.   .0         .0          .0         .0         .0          .0
 601.- 700.   .0         .0          .0         .0         .0          .0
 701.- 800.   .0         .0          .0         .0         .0          .0
 801.- 900.   .0         .0          .0         .0         .0          .0
 901.-1000.   .0         .0          .0         .0         .0          .0
1001.-1100.   .0         .0          .0         .0         .0          .0
1101.-1200.   .0         .0          .0         .0         .0          .0
1201.-1300.   .0         .0          .0         .0         .0          .0
1301.-1400.   .0         .0          .0         .0         .0          .0
1401.-1500.   .0         .0          .0         .0         .0          .0
1501.-1600.   .0         .0          .0         .0         .0          .0
1601.-1700.   .0         .0          .0         .0         .0          .0
1701.-1800.   .0         .0          .0         .0         .0          .0
1801.-1900.   .0         .0          .0         .0         .0          .0
1901.-2000.   .0         .0          .0         .0         .0          .0
2001.-2100.   .0         .0          .0         .0         .0          .0
2101.-2200.   .0         .0          .0         .0         .0          .0
2201.-2300.   .0         .0          .0         .0         .0          .0
2301.-2400.   .0         .0          .0         .0         .0          .0
2401.-2500.   .0         .0          .0         .0         .0          .0
2501.-2600.   .0         .0          .0         .0         .0          .0
2601.-2700.   .0         .0          .0         .0         .0          .0
2701.-2800.   .0         .0          .0         .0         .0          .0
2801.-2900.   .0         .0          .0         .0         .0          .0
2901.-3000.   .0         .0          .0         .0         .0          .0

              .160E 12   .147E 12    .525E 11   .0         .0          .0
```

```
SCC = 30101099--EXPLOSIVES-TOTHER/NOT CLASSIFED  -TOTAL SCC -TOT RECS =     30
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG   300 DEG    300 DEG
   28       .184E 11   .172E 11    .122E 11    .0        .0         .0
   34       .126E 12   .117E 12    .345E 11    .0        .0         .0
   99       .159E 11   .120E 11    .587E 10    .0        .0         .0

            .160E 12   .147E 12    .525E 11    .0        .0         .0

CC 30101099--EXPLOSIVES-T OTHER/NOT CLASSIFED --TOTAL SCC  -SIC =    0 -TOT RECS =     30
EMP RANGE   COUNT

                        ---------------------------------------------------------------------------------------------------
    0.- 100.   .110E 12  !H
  101.- 200.   .342E 11  !H
  201.- 300.   .217E 10  !H
  301.- 400.   .0        !
  401.- 500.   .0        !
  501.- 600.   .0        !
  601.- 700.   .0        !
  701.- 800.   .0        !
  801.- 900.   .0        !
  901.-1000.   .0        !
 1001.-1100.   .0        !
 1101.-1200.   .0        !
 1201.-1300.   .0        !
 1301.-1400.   .0        !
 1401.-1500.   .0        !
 1501.-1600.   .0        !
 1601.-1700.   .0        !
 1701.-1800.   .0        !
 1801.-1900.   .0        !
 1901.-2000.   .0        !
 2001.-2100.   .0        !
 2101.-2200.   .0        !
 2201.-2300.   .0        !
 2301.-2400.   .0        !
 2401.-2500.   .0        !
 2501.-2600.   .0        !
 2601.-2700.   .0        !
 2701.-2800.   .0        !
 2801.-2900.   .0        !
 2901.-3000.   .0        !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101101--HYDROCHL ACI BYPRODUCT WITHOUT SC -NO CONTROL EQUIPMENT -SIC =     0  -TOT RECS =      0

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101101--HYDROCHL ACIBYPRODUCT WITHOUT SC -NO CONTROL EQUIPMENT -TOT RECS =      0

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30101101--HYDROCHL ACI BYPRODUCT WITHOUT SC  -WITH CONTROL EQUIPMENT -SIC =     0 -TOT RECS =       3
   TEMP          MAXIMUM    EXPECTED     MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
     0.- 100.   .221E 10    .207E 10    .972E 09    .0          .0          .0
   101.- 200.   .0          .0          .0          .0          .0          .0
   201.- 300.   .154E 11    .115E 11    .578E 10    .0          .0          .0
   301.- 400.   .0          .0          .0          .0          .0          .0
   401.- 500.   .0          .0          .0          .0          .0          .0
   501.- 600.   .0          .0          .0          .0          .0          .0
   601.- 700.   .0          .0          .0          .0          .0          .0
   701.- 800.   .0          .0          .0          .0          .0          .0
   801.- 900.   .0          .0          .0          .0          .0          .0
   901.-1000.   .0          .0          .0          .0          .0          .0
  1001.-1100.   .0          .0          .0          .0          .0          .0
  1101.-1200.   .0          .0          .0          .0          .0          .0
  1201.-1300.   .0          .0          .0          .0          .0          .0
  1301.-1400.   .0          .0          .0          .0          .0          .0
  1401.-1500.   .0          .0          .0          .0          .0          .0
  1501.-1600.   .0          .0          .0          .0          .0          .0
  1601.-1700.   .0          .0          .0          .0          .0          .0
  1701.-1800.   .0          .0          .0          .0          .0          .0
  1801.-1900.   .0          .0          .0          .0          .0          .0
  1901.-2000.   .0          .0          .0          .0          .0          .0
  2001.-2100.   .0          .0          .0          .0          .0          .0
  2101.-2200.   .0          .0          .0          .0          .0          .0
  2201.-2300.   .0          .0          .0          .0          .0          .0
  2301.-2400.   .0          .0          .0          .0          .0          .0
  2401.-2500.   .0          .0          .0          .0          .0          .0
  2501.-2600.   .0          .0          .0          .0          .0          .0
  2601.-2700.   .0          .0          .0          .0          .0          .0
  2701.-2800.   .0          .0          .0          .0          .0          .0
  2801.-2900.   .0          .0          .0          .0          .0          .0
  2901.-3000.   .0          .0          .0          .0          .0          .0

                .176E 11    .136E 11    .675E 10    .0          .0          .0
```

```
SCC = 30101101--HYDROCHL ACIBYPRODUCT WITHOUT SC -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
  28        .163E 11  .124E 11   .578E 10   .0         .0          .0
  33        .127E 10  .119E 10   .972E 09   .0         .0          .0

            .176E 11  .136E 11   .675E 10   .0         .0          .0


CC =30101101--HYDROCHL ACI BYPRODUCT WITHOUT SC---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3

TEMP RANGE   COUNT
                          -----------------------------------------------------------------------------------------------------
   0.- 100.  .207E 10    !H
 101.- 200.  .0          !
 201.- 300.  .115E 11    !H
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101102--HYDROCHL ACI BYPRODUCT WITH SCRUB -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      6
   TEMP          MAXIMUM    EXPECTED     MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG       60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.    .101E 11    .949E 10    .774E 10    .0         .0          .0
  101.- 200.    .110E 11    .828E 10    .407E 10    .0         .0          .0
  201.- 300.    .107E 11    .823E 10    .452E 10    .0         .0          .0
  301.- 400.    .0          .0          .0          .0         .0          .0
  401.- 500.    .0          .0          .0          .0         .0          .0
  501.- 600.    .0          .0          .0          .0         .0          .0
  601.- 700.    .0          .0          .0          .0         .0          .0
  701.- 800.    .0          .0          .0          .0         .0          .0
  801.- 900.    .0          .0          .0          .0         .0          .0
  901.-1000.    .0          .0          .0          .0         .0          .0
 1001.-1100.    .0          .0          .0          .0         .0          .0
 1101.-1200.    .0          .0          .0          .0         .0          .0
 1201.-1300.    .0          .0          .0          .0         .0          .0
 1301.-1400.    .0          .0          .0          .0         .0          .0
 1401.-1500.    .0          .0          .0          .0         .0          .0
 1501.-1600.    .0          .0          .0          .0         .0          .0
 1601.-1700.    .0          .0          .0          .0         .0          .0
 1701.-1800.    .0          .0          .0          .0         .0          .0
 1801.-1900.    .0          .0          .0          .0         .0          .0
 1901.-2000.    .0          .0          .0          .0         .0          .0
 2001.-2100.    .0          .0          .0          .0         .0          .0
 2101.-2200.    .0          .0          .0          .0         .0          .0
 2201.-2300.    .0          .0          .0          .0         .0          .0
 2301.-2400.    .0          .0          .0          .0         .0          .0
 2401.-2500.    .0          .0          .0          .0         .0          .0
 2501.-2600.    .0          .0          .0          .0         .0          .0
 2601.-2700.    .0          .0          .0          .0         .0          .0
 2701.-2800.    .0          .0          .0          .0         .0          .0
 2801.-2900.    .0          .0          .0          .0         .0          .0
 2901.-3000.    .0          .0          .0          .0         .0          .0

                .319E 11    .260E 11    .163E 11    .0         .0          .0
```

```
SCC = 30101102--HYDROCHL ACIBYPRODUCT WITH SCRUB -NO CONTROL EQUIPMENT -TOT RECS =      6
SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28        .319E 11   .260E 11    .163E 11   .0         .0          .0


             .319E 11   .260E 11    .163E 11   .0         .0          .0

CC = 30101102--HYDROCHL ACI BYPRODUCT WITH SCRUB--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      6
TEMP RANGE    COUNT

                          ---------------------------------------------------------------------------------------------------
   0.- 100.   .949E 10   !H
 101.- 200.   .828E 10   !H
 201.- 300.   .823E 10   !H
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101102--HYDROCHL ACI BYPRODUCT WITH SCRUB  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      7
   TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.  .132E 11   .124E 11    .101E 11    .0          .0          .0
  101.- 200.  .0         .0          .0          .0          .0          .0
  201.- 300.  .0         .0          .0          .0          .0          .0
  301.- 400.  .0         .0          .0          .0          .0          .0
  401.- 500.  .0         .0          .0          .0          .0          .0
  501.- 600.  .0         .0          .0          .0          .0          .0
  601.- 700.  .0         .0          .0          .0          .0          .0
  701.- 800.  .0         .0          .0          .0          .0          .0
  801.- 900.  .0         .0          .0          .0          .0          .0
  901.-1000.  .0         .0          .0          .0          .0          .0
 1001.-1100.  .0         .0          .0          .0          .0          .0
 1101.-1200.  .0         .0          .0          .0          .0          .0
 1201.-1300.  .0         .0          .0          .0          .0          .0
 1301.-1400.  .0         .0          .0          .0          .0          .0
 1401.-1500.  .0         .0          .0          .0          .0          .0
 1501.-1600.  .0         .0          .0          .0          .0          .0
 1601.-1700.  .0         .0          .0          .0          .0          .0
 1701.-1800.  .0         .0          .0          .0          .0          .0
 1801.-1900.  .0         .0          .0          .0          .0          .0
 1901.-2000.  .0         .0          .0          .0          .0          .0
 2001.-2100.  .0         .0          .0          .0          .0          .0
 2101.-2200.  .0         .0          .0          .0          .0          .0
 2201.-2300.  .0         .0          .0          .0          .0          .0
 2301.-2400.  .0         .0          .0          .0          .0          .0
 2401.-2500.  .0         .0          .0          .0          .0          .0
 2501.-2600.  .0         .0          .0          .0          .0          .0
 2601.-2700.  .0         .0          .0          .0          .0          .0
 2701.-2800.  .0         .0          .0          .0          .0          .0
 2801.-2900.  .0         .0          .0          .0          .0          .0
 2901.-3000.  .0         .0          .0          .0          .0          .0

              .132E 11   .124E 11    .101E 11    .0          .0          .0
```

```
SCC = 30101102--HYDROCHL ACIBYPRODUCT WITH SCRUB -WITH CONTROL EQUIPMENT -TOT RECS =     7

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28       .619E 10  .581E 10   .473E 10   .0         .0          .0
   99       .699E 10  .656E 10   .534E 10   .0         .0          .0

            .132E 11  .124E 11   .101E 11   .0         .0          .0


CC =30101102--HYDROCHL ACI BYPRODUCT WITH SCRUB---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .124E 11    !H
 101.- 200.  .0          !
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101102--HYDROCHL ACI BYPRODUCT WITH SCRUB -TOTAL SCC -SIC =    0 -TOT RECS =     13
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .233E 11   .219E 11   .178E 11   .0         .0          .0
  101.- 200.   .110E 11   .828E 10   .407E 10   .0         .0          .0
  201.- 300.   .107E 11   .823E 10   .452E 10   .0         .0          .0
  301.- 400.   .0         .0         .0         .0         .0          .0
  401.- 500.   .0         .0         .0         .0         .0          .0
  501.- 600.   .0         .0         .0         .0         .0          .0
  601.- 700.   .0         .0         .0         .0         .0          .0
  701.- 800.   .0         .0         .0         .0         .0          .0
  801.- 900.   .0         .0         .0         .0         .0          .0
  901.-1000.   .0         .0         .0         .0         .0          .0
 1001.-1100.   .0         .0         .0         .0         .0          .0
 1101.-1200.   .0         .0         .0         .0         .0          .0
 1201.-1300.   .0         .0         .0         .0         .0          .0
 1301.-1400.   .0         .0         .0         .0         .0          .0
 1401.-1500.   .0         .0         .0         .0         .0          .0
 1501.-1600.   .0         .0         .0         .0         .0          .0
 1601.-1700.   .0         .0         .0         .0         .0          .0
 1701.-1800.   .0         .0         .0         .0         .0          .0
 1801.-1900.   .0         .0         .0         .0         .0          .0
 1901.-2000.   .0         .0         .0         .0         .0          .0
 2001.-2100.   .0         .0         .0         .0         .0          .0
 2101.-2200.   .0         .0         .0         .0         .0          .0
 2201.-2300.   .0         .0         .0         .0         .0          .0
 2301.-2400.   .0         .0         .0         .0         .0          .0
 2401.-2500.   .0         .0         .0         .0         .0          .0
 2501.-2600.   .0         .0         .0         .0         .0          .0
 2601.-2700.   .0         .0         .0         .0         .0          .0
 2701.-2800.   .0         .0         .0         .0         .0          .0
 2801.-2900.   .0         .0         .0         .0         .0          .0
 2901.-3000.   .0         .0         .0         .0         .0          .0

               .450E 11   .384E 11   .264E 11   .0         .0          .0
```

```
SCC = 30101102--HYDROCHL ACIBYPRODUCT WITH SCRUB -TOTAL SCC -TOT RECS =     13

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   28        .381E 11   .318E 11    .211E 11   .0         .0          .0
   99        .699E 10   .656E 10    .534E 10   .0         .0          .0


             .450E 11   .384E 11    .264E 11   .0         .0          .0

CC 30101102--HYDROCHL ACI BYPRODUCT WITH SCRUB--TOTAL SCC  -SIC =    0 -TOT RECS =     13

EMP RANGE    COUNT

                          -----------------------------------------------------------------------------------------------------
   0.- 100.  .219E 11    !H
 101.- 200.  .828E 10    !H
 201.- 300.  .823E 10    !H
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101199--HYDROCHL ACI OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      2

   TEMP          MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                  60 DEG    60 DEG      60 DEG    300 DEG   300 DEG    300 DEG
    0.- 100.    .152E 11   .143E 11   .116E 11   .0         .0         .0
  101.- 200.    .330E 11   .248E 11   .0         .0         .0         .0
  201.- 300.    .0         .0         .0         .0         .0         .0
  301.- 400.    .0         .0         .0         .0         .0         .0
  401.- 500.    .0         .0         .0         .0         .0         .0
  501.- 600.    .0         .0         .0         .0         .0         .0
  601.- 700.    .0         .0         .0         .0         .0         .0
  701.- 800.    .0         .0         .0         .0         .0         .0
  801.- 900.    .0         .0         .0         .0         .0         .0
  901.-1000.    .0         .0         .0         .0         .0         .0
 1001.-1100.    .0         .0         .0         .0         .0         .0
 1101.-1200.    .0         .0         .0         .0         .0         .0
 1201.-1300.    .0         .0         .0         .0         .0         .0
 1301.-1400.    .0         .0         .0         .0         .0         .0
 1401.-1500.    .0         .0         .0         .0         .0         .0
 1501.-1600.    .0         .0         .0         .0         .0         .0
 1601.-1700.    .0         .0         .0         .0         .0         .0
 1701.-1800.    .0         .0         .0         .0         .0         .0
 1801.-1900.    .0         .0         .0         .0         .0         .0
 1901.-2000.    .0         .0         .0         .0         .0         .0
 2001.-2100.    .0         .0         .0         .0         .0         .0
 2101.-2200.    .0         .0         .0         .0         .0         .0
 2201.-2300.    .0         .0         .0         .0         .0         .0
 2301.-2400.    .0         .0         .0         .0         .0         .0
 2401.-2500.    .0         .0         .0         .0         .0         .0
 2501.-2600.    .0         .0         .0         .0         .0         .0
 2601.-2700.    .0         .0         .0         .0         .0         .0
 2701.-2800.    .0         .0         .0         .0         .0         .0
 2801.-2900.    .0         .0         .0         .0         .0         .0
 2901.-3000.    .0         .0         .0         .0         .0         .0

                .482E 11   .390E 11   .116E 11   .0         .0         .0
```

```
SCC = 30101199--HYDROCHL ACIOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =       2

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM   EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG    300 DEG    300 DEG
   28       .482E 11    .390E 11    .116E 11    .0          .0          .0


            .482E 11    .390E 11    .116E 11    .0          .0          .0


CC = 30101199--HYDROCHL ACI OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2

TEMP RANGE    COUNT

                         ------------------------------------------------------------------------------------------
   0.- 100.  .143E 11   !H
 101.- 200.  .248E 11   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101199--HYDROCHL ACI OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5
   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG      60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.    .122E 10    .114E 10    .931E 09    .0          .0          .0
  101.- 200.    .477E 08    .448E 08    .289E 08    .0          .0          .0
  201.- 300.    .0          .0          .0          .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .127E 10    .119E 10    .960E 09    .0          .0          .0
```

```
SCC = 30101199--HYDROCHL ACIOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     5

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG    300 DEG
   28       .127E 10   .119E 10   .960E 09   .0         .0         .0


            .127E 10   .119E 10   .960E 09   .0         .0         .0


CC =30101199--HYDROCHL ACI OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .114E 10  !H
 101.- 200.  .448E 08  !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101199--HYDROCHL ACI OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =      7

   TEMP        MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG    60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
   0.- 100.   .164E 11   .154E 11   .126E 11   .0         .0         .0
 101.- 200.   .330E 11   .248E 11   .289E 08   .0         .0         .0
 201.- 300.   .0         .0         .0         .0         .0         .0
 301.- 400.   .0         .0         .0         .0         .0         .0
 401.- 500.   .0         .0         .0         .0         .0         .0
 501.- 600.   .0         .0         .0         .0         .0         .0
 601.- 700.   .0         .0         .0         .0         .0         .0
 701.- 800.   .0         .0         .0         .0         .0         .0
 801.- 900.   .0         .0         .0         .0         .0         .0
 901.-1000.   .0         .0         .0         .0         .0         .0
1001.-1100.   .0         .0         .0         .0         .0         .0
1101.-1200.   .0         .0         .0         .0         .0         .0
1201.-1300.   .0         .0         .0         .0         .0         .0
1301.-1400.   .0         .0         .0         .0         .0         .0
1401.-1500.   .0         .0         .0         .0         .0         .0
1501.-1600.   .0         .0         .0         .0         .0         .0
1601.-1700.   .0         .0         .0         .0         .0         .0
1701.-1800.   .0         .0         .0         .0         .0         .0
1801.-1900.   .0         .0         .0         .0         .0         .0
1901.-2000.   .0         .0         .0         .0         .0         .0
2001.-2100.   .0         .0         .0         .0         .0         .0
2101.-2200.   .0         .0         .0         .0         .0         .0
2201.-2300.   .0         .0         .0         .0         .0         .0
2301.-2400.   .0         .0         .0         .0         .0         .0
2401.-2500.   .0         .0         .0         .0         .0         .0
2501.-2600.   .0         .0         .0         .0         .0         .0
2601.-2700.   .0         .0         .0         .0         .0         .0
2701.-2800.   .0         .0         .0         .0         .0         .0
2801.-2900.   .0         .0         .0         .0         .0         .0
2901.-3000.   .0         .0         .0         .0         .0         .0

              .494E 11   .402E 11   .126E 11   .0         .0         .0
```

```
SCC = 30101199--HYDROCHL ACIOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =      7

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28       .494E 11   .402E 11   .126E 11    .0         .0         .0


            .494E 11   .402E 11   .126E 11    .0         .0         .0


CC 30101199--HYDROCHL ACI OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =      7

EMP RANGE   COUNT

                          -----------------------------------------------------------------------------------------------------
   0.- 100.  .154E 11  !H
 101.- 200.  .248E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101201--HYDROFL ACID ROTARY KILN WITH SCR -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      4
   TEMP        MAXIMUM    EXPECTED     MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.  .406E 11   .381E 11    .176E 11    .0         .0         .0
  101.- 200.  .547E 11   .408E 11    .0          .0         .0         .0
  201.- 300.  .0         .0          .0          .0         .0         .0
  301.- 400.  .0         .0          .0          .0         .0         .0
  401.- 500.  .0         .0          .0          .0         .0         .0
  501.- 600.  .0         .0          .0          .0         .0         .0
  601.- 700.  .0         .0          .0          .0         .0         .0
  701.- 800.  .0         .0          .0          .0         .0         .0
  801.- 900.  .0         .0          .0          .0         .0         .0
  901.-1000.  .0         .0          .0          .0         .0         .0
 1001.-1100.  .0         .0          .0          .0         .0         .0
 1101.-1200.  .0         .0          .0          .0         .0         .0
 1201.-1300.  .0         .0          .0          .0         .0         .0
 1301.-1400.  .0         .0          .0          .0         .0         .0
 1401.-1500.  .0         .0          .0          .0         .0         .0
 1501.-1600.  .0         .0          .0          .0         .0         .0
 1601.-1700.  .0         .0          .0          .0         .0         .0
 1701.-1800.  .0         .0          .0          .0         .0         .0
 1801.-1900.  .0         .0          .0          .0         .0         .0
 1901.-2000.  .0         .0          .0          .0         .0         .0
 2001.-2100.  .0         .0          .0          .0         .0         .0
 2101.-2200.  .0         .0          .0          .0         .0         .0
 2201.-2300.  .0         .0          .0          .0         .0         .0
 2301.-2400.  .0         .0          .0          .0         .0         .0
 2401.-2500.  .0         .0          .0          .0         .0         .0
 2501.-2600.  .0         .0          .0          .0         .0         .0
 2601.-2700.  .0         .0          .0          .0         .0         .0
 2701.-2800.  .0         .0          .0          .0         .0         .0
 2801.-2900.  .0         .0          .0          .0         .0         .0
 2901.-3000.  .0         .0          .0          .0         .0         .0

              .953E 11   .789E 11    .176E 11    .0         .0         .0
```

```
SCC = 30101201--HYDROFL ACIDROTARY KILN WITH SCR -NO CONTROL EQUIPMENT -TOT RECS =      4

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG     300 DEG
   28       .953E 11    .789E 11    .176E 11    .0          .0          .0


            .953E 11    .789E 11    .176E 11    .0          .0          .0


CC = 30101201--HYDROFL ACID ROTARY KILN WITH SCR--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      4

TEMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .381E 11  !H
 101.- 200.  .408E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101201--HYDROFL ACID ROTARY KILN WITH SCR  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =       1
   TEMP          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.     .0          .0          .0          .0          .0          .0
  101.- 200.     .298E 10    .279E 10    .137E 10    .0          .0          .0
  201.- 300.     .0          .0          .0          .0          .0          .0
  301.- 400.     .0          .0          .0          .0          .0          .0
  401.- 500.     .0          .0          .0          .0          .0          .0
  501.- 600.     .0          .0          .0          .0          .0          .0
  601.- 700.     .0          .0          .0          .0          .0          .0
  701.- 800.     .0          .0          .0          .0          .0          .0
  801.- 900.     .0          .0          .0          .0          .0          .0
  901.-1000.     .0          .0          .0          .0          .0          .0
 1001.-1100.     .0          .0          .0          .0          .0          .0
 1101.-1200.     .0          .0          .0          .0          .0          .0
 1201.-1300.     .0          .0          .0          .0          .0          .0
 1301.-1400.     .0          .0          .0          .0          .0          .0
 1401.-1500.     .0          .0          .0          .0          .0          .0
 1501.-1600.     .0          .0          .0          .0          .0          .0
 1601.-1700.     .0          .0          .0          .0          .0          .0
 1701.-1800.     .0          .0          .0          .0          .0          .0
 1801.-1900.     .0          .0          .0          .0          .0          .0
 1901.-2000.     .0          .0          .0          .0          .0          .0
 2001.-2100.     .0          .0          .0          .0          .0          .0
 2101.-2200.     .0          .0          .0          .0          .0          .0
 2201.-2300.     .0          .0          .0          .0          .0          .0
 2301.-2400.     .0          .0          .0          .0          .0          .0
 2401.-2500.     .0          .0          .0          .0          .0          .0
 2501.-2600.     .0          .0          .0          .0          .0          .0
 2601.-2700.     .0          .0          .0          .0          .0          .0
 2701.-2800.     .0          .0          .0          .0          .0          .0
 2801.-2900.     .0          .0          .0          .0          .0          .0
 2901.-3000.     .0          .0          .0          .0          .0          .0

                 .298E 10    .279E 10    .137E 10    .0          .0          .0
```

```
SCC = 30101201--HYDROFL ACIDROTARY KILN WITH SCR -WITH CONTROL EQUIPMENT -TOT RECS =      1

SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
  28         .298E 10   .279E 10    .137E 10    .0          .0           .0


             .298E 10   .279E 10    .137E 10    .0          .0           .0


CC =30101201--HYDROFL ACID ROTARY KILN WITH SCR---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE    COUNT

                               ---------------------------------------------------------------------------------------------------
   0.- 100.   .0              !
 101.- 200.   .279E 10        !H
 201.- 300.   .0              !
 301.- 400.   .0              !
 401.- 500.   .0              !
 501.- 600.   .0              !
 601.- 700.   .0              !
 701.- 800.   .0              !
 801.- 900.   .0              !
 901.-1000.   .0              !
1001.-1100.   .0              !
1101.-1200.   .0              !
1201.-1300.   .0              !
1301.-1400.   .0              !
1401.-1500.   .0              !
1501.-1600.   .0              !
1601.-1700.   .0              !
1701.-1800.   .0              !
1801.-1900.   .0              !
1901.-2000.   .0              !
2001.-2100.   .0              !
2101.-2200.   .0              !
2201.-2300.   .0              !
2301.-2400.   .0              !
2401.-2500.   .0              !
2501.-2600.   .0              !
2601.-2700.   .0              !
2701.-2800.   .0              !
2801.-2900.   .0              !
2901.-3000.   .0              !
                              0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101201--HYDROFL ACID ROTARY KILN WITH SCR -TOTAL SCC -SIC =    0 -TOT RECS =       5

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM     EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG     300 DEG    300 DEG
   0.- 100.   .406E 11   .381E 11   .176E 11   .0          .0         .0
 101.- 200.   .576E 11   .436E 11   .137E 10   .0          .0         .0
 201.- 300.   .0         .0         .0         .0          .0         .0
 301.- 400.   .0         .0         .0         .0          .0         .0
 401.- 500.   .0         .0         .0         .0          .0         .0
 501.- 600.   .0         .0         .0         .0          .0         .0
 601.- 700.   .0         .0         .0         .0          .0         .0
 701.- 800.   .0         .0         .0         .0          .0         .0
 801.- 900.   .0         .0         .0         .0          .0         .0
 901.-1000.   .0         .0         .0         .0          .0         .0
1001.-1100.   .0         .0         .0         .0          .0         .0
1101.-1200.   .0         .0         .0         .0          .0         .0
1201.-1300.   .0         .0         .0         .0          .0         .0
1301.-1400.   .0         .0         .0         .0          .0         .0
1401.-1500.   .0         .0         .0         .0          .0         .0
1501.-1600.   .0         .0         .0         .0          .0         .0
1601.-1700.   .0         .0         .0         .0          .0         .0
1701.-1800.   .0         .0         .0         .0          .0         .0
1801.-1900.   .0         .0         .0         .0          .0         .0
1901.-2000.   .0         .0         .0         .0          .0         .0
2001.-2100.   .0         .0         .0         .0          .0         .0
2101.-2200.   .0         .0         .0         .0          .0         .0
2201.-2300.   .0         .0         .0         .0          .0         .0
2301.-2400.   .0         .0         .0         .0          .0         .0
2401.-2500.   .0         .0         .0         .0          .0         .0
2501.-2600.   .0         .0         .0         .0          .0         .0
2601.-2700.   .0         .0         .0         .0          .0         .0
2701.-2800.   .0         .0         .0         .0          .0         .0
2801.-2900.   .0         .0         .0         .0          .0         .0
2901.-3000.   .0         .0         .0         .0          .0         .0

              .983E 11   .817E 11   .190E 11   .0          .0         .0
```

```
SCC = 30101201--HYDROFL ACIDROTARY KILN WITH SCR -TOTAL SCC -TOT RECS =      5

SIC            MAXIMUM     EXPECTED     MINIMUM     MAXIMUM   EXPECTED    MINIMUM
               60 DEG      60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
   28         .983E 11    .817E 11    .190E 11    .0         .0          .0


              .983E 11    .817E 11    .190E 11    .0         .0          .0


CC 30101201--HYDROFL ACID ROTARY KILN WITH SCR--TOTAL SCC  -SIC =    0 -TOT RECS =      5

EMP RANGE   COUNT
                      -----------------------------------------------------------------------------------------------------
   0.- 100.  .381E 11  !H
 101.- 200.  .436E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101203--HYDROFL ACID GRIND/DRY FLUORSPAR  -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1
   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101203--HYDROFL ACIDGRIND/DRY FLUORSPAR  -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30101203--HYDROFL ACID GRIND/DRY FLUORSPAR   -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      7

   TEMP        MAXIMUM   EXPECTED   MINIMUM   MAXIMUM   EXPECTED   MINIMUM
                60 DEG    60 DEG    60 DEG    300 DEG   300 DEG    300 DEG
   0.- 100.    .0        .0         .0         .0         .0         .0
 101.- 200.    .126E 12  .939E 11   .375E 11   .0         .0         .0
 201.- 300.    .324E 11  .248E 11   .136E 11   .0         .0         .0
 301.- 400.    .0        .0         .0         .0         .0         .0
 401.- 500.    .0        .0         .0         .0         .0         .0
 501.- 600.    .0        .0         .0         .0         .0         .0
 601.- 700.    .0        .0         .0         .0         .0         .0
 701.- 800.    .0        .0         .0         .0         .0         .0
 801.- 900.    .0        .0         .0         .0         .0         .0
 901.-1000.    .0        .0         .0         .0         .0         .0
1001.-1100.    .0        .0         .0         .0         .0         .0
1101.-1200.    .0        .0         .0         .0         .0         .0
1201.-1300.    .0        .0         .0         .0         .0         .0
1301.-1400.    .0        .0         .0         .0         .0         .0
1401.-1500.    .0        .0         .0         .0         .0         .0
1501.-1600.    .0        .0         .0         .0         .0         .0
1601.-1700.    .0        .0         .0         .0         .0         .0
1701.-1800.    .0        .0         .0         .0         .0         .0
1801.-1900.    .0        .0         .0         .0         .0         .0
1901.-2000.    .0        .0         .0         .0         .0         .0
2001.-2100.    .0        .0         .0         .0         .0         .0
2101.-2200.    .0        .0         .0         .0         .0         .0
2201.-2300.    .0        .0         .0         .0         .0         .0
2301.-2400.    .0        .0         .0         .0         .0         .0
2401.-2500.    .0        .0         .0         .0         .0         .0
2501.-2600.    .0        .0         .0         .0         .0         .0
2601.-2700.    .0        .0         .0         .0         .0         .0
2701.-2800.    .0        .0         .0         .0         .0         .0
2801.-2900.    .0        .0         .0         .0         .0         .0
2901.-3000.    .0        .0         .0         .0         .0         .0

               .158E 12  .119E 12   .511E 11   .0         .0         .0
```

```
SCC = 30101203--HYDROFL ACIDGRIND/DRY FLUORSPAR  -WITH CONTROL EQUIPMENT -TOT RECS =      7
SIC          MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG       300DEG    300 DEG     300 DEG
   28       .146E 12    .109E 12    .464E 11    .0          .0          .0
   32       .128E 11    .952E 10    .472E 10    .0          .0          .0


            .158E 12    .119E 12    .511E 11    .0          .0          .0

CC =30101203--HYDROFL ACID GRIND/DRY FLUORSPAR ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7
TEMP RANGE    COUNT
                      ----------------------------------------------------------------------------------------------------
    0.- 100.   .0     !
  101.- 200.   .939E 11 !H
  201.- 300.   .248E 11 !H
  301.- 400.   .0     !
  401.- 500.   .0     !
  501.- 600.   .0     !
  601.- 700.   .0     !
  701.- 800.   .0     !
  801.- 900.   .0     !
  901.-1000.   .0     !
 1001.-1100.   .0     !
 1101.-1200.   .0     !
 1201.-1300.   .0     !
 1301.-1400.   .0     !
 1401.-1500.   .0     !
 1501.-1600.   .0     !
 1601.-1700.   .0     !
 1701.-1800.   .0     !
 1801.-1900.   .0     !
 1901.-2000.   .0     !
 2001.-2100.   .0     !
 2101.-2200.   .0     !
 2201.-2300.   .0     !
 2301.-2400.   .0     !
 2401.-2500.   .0     !
 2501.-2600.   .0     !
 2601.-2700.   .0     !
 2701.-2800.   .0     !
 2801.-2900.   .0     !
 2901.-3000.   .0     !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101299--HYDROFL ACID OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      3

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101299--HYDROFL ACIDOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      3
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30101299--HYDROFL ACID OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      6
   TEMP          MAXIMUM    EXPECTED     MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.    .367E 10   .344E 10    .430E 09    .0          .0         .0
  101.- 200.    .231E 11   .174E 11    .854E 10    .0          .0         .0
  201.- 300.    .913E 10   .684E 10    .344E 10    .0          .0         .0
  301.- 400.    .0         .0          .0          .0          .0         .0
  401.- 500.    .0         .0          .0          .0          .0         .0
  501.- 600.    .0         .0          .0          .0          .0         .0
  601.- 700.    .0         .0          .0          .0          .0         .0
  701.- 800.    .0         .0          .0          .0          .0         .0
  801.- 900.    .0         .0          .0          .0          .0         .0
  901.-1000.    .0         .0          .0          .0          .0         .0
 1001.-1100.    .0         .0          .0          .0          .0         .0
 1101.-1200.    .0         .0          .0          .0          .0         .0
 1201.-1300.    .0         .0          .0          .0          .0         .0
 1301.-1400.    .0         .0          .0          .0          .0         .0
 1401.-1500.    .0         .0          .0          .0          .0         .0
 1501.-1600.    .0         .0          .0          .0          .0         .0
 1601.-1700.    .0         .0          .0          .0          .0         .0
 1701.-1800.    .0         .0          .0          .0          .0         .0
 1801.-1900.    .0         .0          .0          .0          .0         .0
 1901.-2000.    .0         .0          .0          .0          .0         .0
 2001.-2100.    .0         .0          .0          .0          .0         .0
 2101.-2200.    .0         .0          .0          .0          .0         .0
 2201.-2300.    .0         .0          .0          .0          .0         .0
 2301.-2400.    .0         .0          .0          .0          .0         .0
 2401.-2500.    .0         .0          .0          .0          .0         .0
 2501.-2600.    .0         .0          .0          .0          .0         .0
 2601.-2700.    .0         .0          .0          .0          .0         .0
 2701.-2800.    .0         .0          .0          .0          .0         .0
 2801.-2900.    .0         .0          .0          .0          .0         .0
 2901.-3000.    .0         .0          .0          .0          .0         .0

                .359E 11   .277E 11    .124E 11    .0          .0         .0
```

```
SCC = 30101299--HYDROFL ACIDOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     6
SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
             60 DEG     60 DEG       60 DEG        300DEG   300 DEG     300 DEG
   28       .359E 11   .277E 11    .124E 11    .0           .0          .0

            .359E 11   .277E 11    .124E 11    .0           .0          .0


CC =30101299--HYDROFL ACID OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     6
TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .344E 10    !H
 101.- 200.  .174E 11    !H
 201.- 300.  .684E 10    !H
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101301--NITRIC ACID  AMMONIA OXIDATION OL -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     61
   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                  60 DEG     60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
    0.- 100.   .383E 11    .359E 11    .292E 11    .0          .0          .0
  101.- 200.   .513E 12    .447E 12    .689E 11    .0          .0          .0
  201.- 300.   .400E 12    .305E 12    .315E 11    .0          .0          .0
  301.- 400.   .378E 13    .292E 13    .143E 13    .132E 12    .125E 12    .107E 12
  401.- 500.   .826E 12    .650E 12    .389E 12    .934E 11    .886E 11    .811E 11
  501.- 600.   .454E 12    .364E 12    .228E 12    .836E 11    .793E 11    .726E 11
  601.- 700.   .631E 12    .515E 12    .340E 12    .166E 12    .158E 12    .144E 12
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .664E 13    .523E 13    .252E 13    .475E 12    .451E 12    .405E 12
```

```
SCC = 30101301--NITRIC ACID AMMONIA OXIDATION OL -NO CONTROL EQUIPMENT -TOT RECS =     61

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   20       .339E 11   .267E 11   .160E 11   .382E 10   .363E 10   .332E 10
   28       .651E 13   .512E 13   .249E 13   .471E 12   .447E 12   .401E 12
   97       .251E 11   .235E 11   .126E 11   .0         .0         .0
   99       .706E 11   .662E 11   .0         .0         .0         .0

            .664E 13   .523E 13   .252E 13   .475E 12   .451E 12   .405E 12


CC = 30101301--NITRIC ACID  AMMONIA OXIDATION OL--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     61

TEMP RANGE   COUNT

                          ---------------------------------------------------------------------------------------------------------
   0.- 100.  .359E 11     !H
 101.- 200.  .447E 12     !HHHH
 201.- 300.  .305E 12     !HHH
 301.- 400.  .292E 13     !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .650E 12     !HHHHHH
 501.- 600.  .364E 12     !HHH
 601.- 700.  .515E 12     !HHHHH
 701.- 800.  .0           !
 801.- 900.  .0           !
 901.-1000.  .0           !
1001.-1100.  .0           !
1101.-1200.  .0           !
1201.-1300.  .0           !
1301.-1400.  .0           !
1401.-1500.  .0           !
1501.-1600.  .0           !
1601.-1700.  .0           !
1701.-1800.  .0           !
1801.-1900.  .0           !
1901.-2000.  .0           !
2001.-2100.  .0           !
2101.-2200.  .0           !
2201.-2300.  .0           !
2301.-2400.  .0           !
2401.-2500.  .0           !
2501.-2600.  .0           !
2601.-2700.  .0           !
2701.-2800.  .0           !
2801.-2900.  .0           !
2901.-3000.  .0           !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101301--NITRIC ACID  AMMONIA OXIDATION OL  -WITH CONTROL EQUIPMENT -SIC =     0 -TOT RECS =      5
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                 60 DEG      60 DEG    60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.    .0          .0         .0         .0          .0         .0
  101.- 200.    .0          .0         .0         .0          .0         .0
  201.- 300.    .133E 11    .994E 10   .499E 10   .0          .0         .0
  301.- 400.    .151E 13    .116E 13   .642E 12   .185E 11   .176E 11   .161E 11
  401.- 500.    .391E 11    .308E 11   .184E 11   .440E 10   .418E 10   .382E 10
  501.- 600.    .0          .0         .0         .0          .0         .0
  601.- 700.    .0          .0         .0         .0          .0         .0
  701.- 800.    .0          .0         .0         .0          .0         .0
  801.- 900.    .0          .0         .0         .0          .0         .0
  901.-1000.    .0          .0         .0         .0          .0         .0
 1001.-1100.    .0          .0         .0         .0          .0         .0
 1101.-1200.    .0          .0         .0         .0          .0         .0
 1201.-1300.    .0          .0         .0         .0          .0         .0
 1301.-1400.    .0          .0         .0         .0          .0         .0
 1401.-1500.    .0          .0         .0         .0          .0         .0
 1501.-1600.    .0          .0         .0         .0          .0         .0
 1601.-1700.    .0          .0         .0         .0          .0         .0
 1701.-1800.    .0          .0         .0         .0          .0         .0
 1801.-1900.    .0          .0         .0         .0          .0         .0
 1901.-2000.    .0          .0         .0         .0          .0         .0
 2001.-2100.    .0          .0         .0         .0          .0         .0
 2101.-2200.    .0          .0         .0         .0          .0         .0
 2201.-2300.    .0          .0         .0         .0          .0         .0
 2301.-2400.    .0          .0         .0         .0          .0         .0
 2401.-2500.    .0          .0         .0         .0          .0         .0
 2501.-2600.    .0          .0         .0         .0          .0         .0
 2601.-2700.    .0          .0         .0         .0          .0         .0
 2701.-2800.    .0          .0         .0         .0          .0         .0
 2801.-2900.    .0          .0         .0         .0          .0         .0
 2901.-3000.    .0          .0         .0         .0          .0         .0

                .156E 13    .120E 13   .665E 12   .229E 11   .218E 11   .199E 11
```

```
SCC = 30101301--NITRIC ACID AMMONIA OXIDATION OL -WITH CONTROL EQUIPMENT -TOT RECS =      5

SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28        .336E 12   .260E 12   .146E 12   .108E 11   .102E 11   .937E 10
   49        .118E 13   .908E 12   .501E 12   .775E 10   .736E 10   .673E 10
   99        .391E 11   .308E 11   .184E 11   .440E 10   .418E 10   .382E 10

             .156E 13   .120E 13   .665E 12   .229E 11   .218E 11   .199E 11


CC =30101301--NITRIC ACID  AMMONIA OXIDATION OL---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .0          !
 101.- 200.   .0          !
 201.- 300.   .994E 10    !H
 301.- 400.   .116E 13    !HHHHHHHHHHH
 401.- 500.   .308E 11    !H
 501.- 600.   .0          !
 601.- 700.   .0          !
 701.- 800.   .0          !
 801.- 900.   .0          !
 901.-1000.   .0          !
1001.-1100.   .0          !
1101.-1200.   .0          !
1201.-1300.   .0          !
1301.-1400.   .0          !
1401.-1500.   .0          !
1501.-1600.   .0          !
1601.-1700.   .0          !
1701.-1800.   .0          !
1801.-1900.   .0          !
1901.-2000.   .0          !
2001.-2100.   .0          !
2101.-2200.   .0          !
2201.-2300.   .0          !
2301.-2400.   .0          !
2401.-2500.   .0          !
2501.-2600.   .0          !
2601.-2700.   .0          !
2701.-2800.   .0          !
2801.-2900.   .0          !
2901.-3000.   .0          !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101301--NITRIC ACID  AMMONIA OXIDATION OL -TOTAL SCC -SIC =    0 -TOT RECS =     66
   TEMP        MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
               60 DEG      60 DEG       60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.   .383E 11    .359E 11    .292E 11    .0          .0          .0
  101.- 200.   .513E 12    .447E 12    .689E 11    .0          .0          .0
  201.- 300.   .413E 12    .315E 12    .365E 11    .0          .0          .0
  301.- 400.   .528E 13    .408E 13    .207E 13    .151E 12    .143E 12    .123E 12
  401.- 500.   .865E 12    .681E 12    .408E 12    .978E 11    .928E 11    .849E 11
  501.- 600.   .454E 12    .364E 12    .228E 12    .836E 11    .793E 11    .726E 11
  601.- 700.   .631E 12    .515E 12    .340E 12    .166E 12    .158E 12    .144E 12
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .820E 13    .643E 13    .318E 13    .498E 12    .473E 12    .424E 12
```

```
SCC = 30101301--NITRIC ACID AMMONIA OXIDATION OL -TOTAL SCC -TOT RECS =     66

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   20        .339E 11    .267E 11     .160E 11    .382E 10    .363E 10     .332E 10
   28        .684E 13    .538E 13     .263E 13    .482E 12    .458E 12     .411E 12
   49        .118E 13    .908E 12     .501E 12    .775E 10    .736E 10     .673E 10
   97        .251E 11    .235E 11     .126E 11    .0          .0           .0
   99        .110E 12    .970E 11     .184E 11    .440E 10    .418E 10     .382E 10

             .820E 13    .643E 13     .318E 13    .498E 12    .473E 12     .424E 12


CC 30101301--NITRIC ACID  AMMONIA OXIDATION OL--TOTAL SCC  -SIC =    0 -TOT RECS =     66

EMP RANGE    COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .359E 11   !H
 101.- 200.  .447E 12   !HHHH
 201.- 300.  .315E 12   !HHH
 301.- 400.  .408E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .681E 12   !HHHHHH
 501.- 600.  .364E 12   !HHH
 601.- 700.  .515E 12   !HHHHH
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101302--NITRIC ACID  AMMONIA OXIDATION NE -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     33
    TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .0          .0          .0          .0          .0          .0
  101.- 200.   .122E 12    .921E 11    .452E 11    .0          .0          .0
  201.- 300.   .0          .0          .0          .0          .0          .0
  301.- 400.   .151E 12    .117E 12    .667E 11    .667E 10    .633E 10    .579E 10
  401.- 500.   .213E 13    .167E 13    .475E 12    .237E 12    .225E 12    .956E 11
  501.- 600.   .393E 12    .314E 12    .196E 12    .679E 11    .645E 11    .590E 11
  601.- 700.   .425E 12    .347E 12    .229E 12    .112E 12    .106E 12    .972E 11
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .322E 13    .254E 13    .101E 13    .424E 12    .402E 12    .258E 12
```

```
SCC = 30101302--NITRIC ACID AMMONIA OXIDATION NE -NO CONTROL EQUIPMENT -TOT RECS =     33

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .322E 13   .254E 13   .101E 13   .424E 12   .402E 12   .258E 12


            .322E 13   .254E 13   .101E 13   .424E 12   .402E 12   .258E 12


CC = 30101302--NITRIC ACID  AMMONIA OXIDATION NE--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     33

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .921E 11   !H
 201.- 300.  .0         !
 301.- 400.  .117E 12   !H
 401.- 500.  .167E 13   !HHHHHHHHHHHHHHHH
 501.- 600.  .314E 12   !HHH
 601.- 700.  .347E 12   !HHH
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101302--NITRIC ACID  AMMONIA OXIDATION NE  -WITH CONTROL EQUIPMENT -SIC =     0 -TOT RECS =       3
    TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                  60 DEG      60 DEG     60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.    .0          .0          .0          .0          .0          .0
  101.- 200.    .0          .0          .0          .0          .0          .0
  201.- 300.    .0          .0          .0          .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .306E 12    .245E 12    .155E 12    .578E 11    .549E 11    .502E 11
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .306E 12    .245E 12    .155E 12    .578E 11    .549E 11    .502E 11
```

```
SCC = 30101302--NITRIC ACID AMMONIA OXIDATION NE -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC            MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
               60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28         .306E 12   .245E 12    .155E 12    .578E 11    .549E 11     .502E 11


              .306E 12   .245E 12    .155E 12    .578E 11    .549E 11     .502E 11


CC =30101302--NITRIC ACID  AMMONIA OXIDATION NE---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     3

TEMP RANGE    COUNT

                          --------------------------------------------------------------------------------------------------
    0.- 100.   .0         !
  101.- 200.   .0         !
  201.- 300.   .0         !
  301.- 400.   .0         !
  401.- 500.   .0         !
  501.- 600.   .245E 12   !HH
  601.- 700.   .0         !
  701.- 800.   .0         !
  801.- 900.   .0         !
  901.-1000.   .0         !
 1001.-1100.   .0         !
 1101.-1200.   .0         !
 1201.-1300.   .0         !
 1301.-1400.   .0         !
 1401.-1500.   .0         !
 1501.-1600.   .0         !
 1601.-1700.   .0         !
 1701.-1800.   .0         !
 1801.-1900.   .0         !
 1901.-2000.   .0         !
 2001.-2100.   .0         !
 2101.-2200.   .0         !
 2201.-2300.   .0         !
 2301.-2400.   .0         !
 2401.-2500.   .0         !
 2501.-2600.   .0         !
 2601.-2700.   .0         !
 2701.-2800.   .0         !
 2801.-2900.   .0         !
 2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101302--NITRIC ACID  AMMONIA OXIDATION NE -TOTAL SCC -SIC =    0 -TOT RECS =     36

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .0          .0          .0         .0         .0         .0
  101.- 200.   .122E 12   .921E 11    .452E 11   .0         .0         .0
  201.- 300.   .0          .0          .0         .0         .0         .0
  301.- 400.   .151E 12   .117E 12    .667E 11   .667E 10   .633E 10   .579E 10
  401.- 500.   .213E 13   .167E 13    .475E 12   .237E 12   .225E 12   .956E 11
  501.- 600.   .699E 12   .559E 12    .350E 12   .126E 12   .119E 12   .109E 12
  601.- 700.   .425E 12   .347E 12    .229E 12   .112E 12   .106E 12   .972E 11
  701.- 800.   .0          .0          .0         .0         .0         .0
  801.- 900.   .0          .0          .0         .0         .0         .0
  901.-1000.   .0          .0          .0         .0         .0         .0
 1001.-1100.   .0          .0          .0         .0         .0         .0
 1101.-1200.   .0          .0          .0         .0         .0         .0
 1201.-1300.   .0          .0          .0         .0         .0         .0
 1301.-1400.   .0          .0          .0         .0         .0         .0
 1401.-1500.   .0          .0          .0         .0         .0         .0
 1501.-1600.   .0          .0          .0         .0         .0         .0
 1601.-1700.   .0          .0          .0         .0         .0         .0
 1701.-1800.   .0          .0          .0         .0         .0         .0
 1801.-1900.   .0          .0          .0         .0         .0         .0
 1901.-2000.   .0          .0          .0         .0         .0         .0
 2001.-2100.   .0          .0          .0         .0         .0         .0
 2101.-2200.   .0          .0          .0         .0         .0         .0
 2201.-2300.   .0          .0          .0         .0         .0         .0
 2301.-2400.   .0          .0          .0         .0         .0         .0
 2401.-2500.   .0          .0          .0         .0         .0         .0
 2501.-2600.   .0          .0          .0         .0         .0         .0
 2601.-2700.   .0          .0          .0         .0         .0         .0
 2701.-2800.   .0          .0          .0         .0         .0         .0
 2801.-2900.   .0          .0          .0         .0         .0         .0
 2901.-3000.   .0          .0          .0         .0         .0         .0

               .352E 13   .279E 13    .117E 13   .482E 12   .457E 12   .308E 12
```

```
SCC = 30101302--NITRIC ACID AMMONIA OXIDATION NE -TOTAL SCC -TOT RECS =     36
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   28       .352E 13   .279E 13    .117E 13   .482E 12   .457E 12    .308E 12

            .352E 13   .279E 13    .117E 13   .482E 12   .457E 12    .308E 12

CC 30101302--NITRIC ACID  AMMONIA OXIDATION NE--TOTAL SCC  -SIC =    0 -TOT RECS =     36
EMP RANGE   COUNT

                      -------------------------------------------------------------------------------------------------------
   0.- 100.  .0       !
 101.- 200.  .921E 11 !H
 201.- 300.  .0       !
 301.- 400.  .117E 12 !H
 401.- 500.  .167E 13 !HHHHHHHHHHHHHHHH
 501.- 600.  .559E 12 !HHHHH
 601.- 700.  .347E 12 !HHH
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101303--NITRIC ACID  NITRIC ACID CONCENTR -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      6

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .281E 08   .264E 08    .215E 08    .0          .0          .0
  101.- 200.   .185E 11   .139E 11    .680E 10    .0          .0          .0
  201.- 300.   .342E 11   .261E 11    .140E 11    .0          .0          .0
  301.- 400.   .547E 11   .423E 11    .239E 11    .201E 10    .191E 10    .175E 10
  401.- 500.   .0         .0          .0          .0          .0          .0
  501.- 600.   .0         .0          .0          .0          .0          .0
  601.- 700.   .0         .0          .0          .0          .0          .0
  701.- 800.   .0         .0          .0          .0          .0          .0
  801.- 900.   .0         .0          .0          .0          .0          .0
  901.-1000.   .954E 10   .801E 10    .570E 10    .376E 10    .358E 10    .326E 10
 1001.-1100.   .0         .0          .0          .0          .0          .0
 1101.-1200.   .0         .0          .0          .0          .0          .0
 1201.-1300.   .0         .0          .0          .0          .0          .0
 1301.-1400.   .0         .0          .0          .0          .0          .0
 1401.-1500.   .0         .0          .0          .0          .0          .0
 1501.-1600.   .0         .0          .0          .0          .0          .0
 1601.-1700.   .0         .0          .0          .0          .0          .0
 1701.-1800.   .0         .0          .0          .0          .0          .0
 1801.-1900.   .0         .0          .0          .0          .0          .0
 1901.-2000.   .0         .0          .0          .0          .0          .0
 2001.-2100.   .0         .0          .0          .0          .0          .0
 2101.-2200.   .0         .0          .0          .0          .0          .0
 2201.-2300.   .0         .0          .0          .0          .0          .0
 2301.-2400.   .0         .0          .0          .0          .0          .0
 2401.-2500.   .0         .0          .0          .0          .0          .0
 2501.-2600.   .0         .0          .0          .0          .0          .0
 2601.-2700.   .0         .0          .0          .0          .0          .0
 2701.-2800.   .0         .0          .0          .0          .0          .0
 2801.-2900.   .0         .0          .0          .0          .0          .0
 2901.-3000.   .0         .0          .0          .0          .0          .0

               .117E 12   .903E 11    .505E 11    .577E 10    .549E 10    .501E 10
```

```
SCC = 30101303--NITRIC ACID NITRIC ACID CONCENTR -NO CONTROL EQUIPMENT -TOT RECS =      6
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300 DEG    300 DEG    300 DEG
   28       .117E 12   .903E 11   .505E 11   .577E 10   .549E 10   .501E 10


            .117E 12   .903E 11   .505E 11   .577E 10   .549E 10   .501E 10


CC = 30101303--NITRIC ACID  NITRIC ACID CONCENTR--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      6
TEMP RANGE   COUNT
                    -----------------------------------------------------------------------------------------------------
   0.- 100.  .264E 08  !
 101.- 200.  .139E 11  !H
 201.- 300.  .261E 11  !H
 301.- 400.  .423E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .801E 10  !H
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101303--NITRIC ACID  NITRIC ACID CONCENTR  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0
   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG   60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101303--NITRIC ACID NITRIC ACID CONCENTR -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30101304--NITRIC ACID  NITRIC ACID CONCENTR -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101304--NITRIC ACID NITRIC ACID CONCENTR -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30101304--NITRIC ACID  NITRIC ACID CONCENTR  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1
   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
     0.- 100.   .0         .0          .0          .0         .0          .0
   101.- 200.   .0         .0          .0          .0         .0          .0
   201.- 300.   .146E 12   .110E 12    .570E 11    .0         .0          .0
   301.- 400.   .0         .0          .0          .0         .0          .0
   401.- 500.   .0         .0          .0          .0         .0          .0
   501.- 600.   .0         .0          .0          .0         .0          .0
   601.- 700.   .0         .0          .0          .0         .0          .0
   701.- 800.   .0         .0          .0          .0         .0          .0
   801.- 900.   .0         .0          .0          .0         .0          .0
   901.-1000.   .0         .0          .0          .0         .0          .0
  1001.-1100.   .0         .0          .0          .0         .0          .0
  1101.-1200.   .0         .0          .0          .0         .0          .0
  1201.-1300.   .0         .0          .0          .0         .0          .0
  1301.-1400.   .0         .0          .0          .0         .0          .0
  1401.-1500.   .0         .0          .0          .0         .0          .0
  1501.-1600.   .0         .0          .0          .0         .0          .0
  1601.-1700.   .0         .0          .0          .0         .0          .0
  1701.-1800.   .0         .0          .0          .0         .0          .0
  1801.-1900.   .0         .0          .0          .0         .0          .0
  1901.-2000.   .0         .0          .0          .0         .0          .0
  2001.-2100.   .0         .0          .0          .0         .0          .0
  2101.-2200.   .0         .0          .0          .0         .0          .0
  2201.-2300.   .0         .0          .0          .0         .0          .0
  2301.-2400.   .0         .0          .0          .0         .0          .0
  2401.-2500.   .0         .0          .0          .0         .0          .0
  2501.-2600.   .0         .0          .0          .0         .0          .0
  2601.-2700.   .0         .0          .0          .0         .0          .0
  2701.-2800.   .0         .0          .0          .0         .0          .0
  2801.-2900.   .0         .0          .0          .0         .0          .0
  2901.-3000.   .0         .0          .0          .0         .0          .0

                .146E 12   .110E 12    .570E 11    .0         .0          .0
```

```
SCC = 30101304--NITRIC ACID NITRIC ACID CONCENTR -WITH CONTROL EQUIPMENT -TOT RECS =     1

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM     EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG    300 DEG     300 DEG
  28        .146E 12  .110E 12   .570E 11   .0          .0          .0


            .146E 12  .110E 12   .570E 11   .0          .0          .0


CC =30101304--NITRIC ACID  NITRIC ACID CONCENTR---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE   COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .0          !
 101.- 200.  .0          !
 201.- 300.  .110E 12    !H
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101305--NITRIC ACID  UNCONTROLLED        -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      7
   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED   MINIMUM
                 60 DEG      60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.    .0          .0          .0          .0          .0          .0
  101.- 200.    .346E 08    .258E 08    .128E 08    .0          .0          .0
  201.- 300.    .665E 11    .503E 11    .0          .0          .0          .0
  301.- 400.    .331E 12    .259E 12    .150E 12    .246E 11    .234E 11    .214E 11
  401.- 500.    .605E 11    .480E 11    .294E 11    .872E 10    .828E 10    .757E 10
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .458E 12    .357E 12    .180E 12    .333E 11    .316E 11    .290E 11
```

```
SCC = 30101305--NITRIC ACID UNCONTROLLED         -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .458E 12   .357E 12   .180E 12   .333E 11   .316E 11   .290E 11


            .458E 12   .357E 12   .180E 12   .333E 11   .316E 11   .290E 11


CC = 30101305--NITRIC ACID  UNCONTROLLED        --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .258E 08 !
 201.- 300.   .503E 11 !H
 301.- 400.   .259E 12 !HH
 401.- 500.   .480E 11 !H
 501.- 600.   .0       !
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101305--NITRIC ACID  UNCONTROLLED          -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101305--NITRIC ACID UNCONTROLLED        -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30101306--NITRIC ACID  WITH CATALYTIC COMBU -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      6
   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.  .0         .0          .0          .0         .0          .0
  101.- 200.  .0         .0          .0          .0         .0          .0
  201.- 300.  .404E 12   .308E 12    .164E 12    .0         .0          .0
  301.- 400.  .782E 11   .605E 11    .342E 11    .287E 10   .273E 10    .250E 10
  401.- 500.  .0         .0          .0          .0         .0          .0
  501.- 600.  .0         .0          .0          .0         .0          .0
  601.- 700.  .648E 12   .529E 12    .195E 12    .175E 12   .167E 12    .828E 11
  701.- 800.  .0         .0          .0          .0         .0          .0
  801.- 900.  .400E 12   .334E 12    .235E 12    .148E 12   .141E 12    .128E 12
  901.-1000.  .0         .0          .0          .0         .0          .0
 1001.-1100.  .0         .0          .0          .0         .0          .0
 1101.-1200.  .0         .0          .0          .0         .0          .0
 1201.-1300.  .0         .0          .0          .0         .0          .0
 1301.-1400.  .0         .0          .0          .0         .0          .0
 1401.-1500.  .0         .0          .0          .0         .0          .0
 1501.-1600.  .0         .0          .0          .0         .0          .0
 1601.-1700.  .0         .0          .0          .0         .0          .0
 1701.-1800.  .0         .0          .0          .0         .0          .0
 1801.-1900.  .0         .0          .0          .0         .0          .0
 1901.-2000.  .0         .0          .0          .0         .0          .0
 2001.-2100.  .0         .0          .0          .0         .0          .0
 2101.-2200.  .0         .0          .0          .0         .0          .0
 2201.-2300.  .0         .0          .0          .0         .0          .0
 2301.-2400.  .0         .0          .0          .0         .0          .0
 2401.-2500.  .0         .0          .0          .0         .0          .0
 2501.-2600.  .0         .0          .0          .0         .0          .0
 2601.-2700.  .0         .0          .0          .0         .0          .0
 2701.-2800.  .0         .0          .0          .0         .0          .0
 2801.-2900.  .0         .0          .0          .0         .0          .0
 2901.-3000.  .0         .0          .0          .0         .0          .0

              .153E 13   .123E 13    .629E 12    .326E 12   .310E 12    .214E 12
```

```
SCC = 30101306--NITRIC ACID WITH CATALYTIC COMBU -NO CONTROL EQUIPMENT -TOT RECS =      6
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   28        .153E 13   .123E 13    .629E 12   .326E 12   .310E 12    .214E 12

             .153E 13   .123E 13    .629E 12   .326E 12   .310E 12    .214E 12


CC = 30101306--NITRIC ACID  WITH CATALYTIC COMBU--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      6
TEMP RANGE    COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .0       !
 201.- 300.   .308E 12 !HHH
 301.- 400.   .605E 11 !H
 401.- 500.   .0       !
 501.- 600.   .0       !
 601.- 700.   .529E 12 !HHHHH
 701.- 800.   .0       !
 801.- 900.   .334E 12 !HHH
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101306--NITRIC ACID  WITH CATALYTIC COMBU  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101306--NITRIC ACID WITH CATALYTIC COMBU -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC         MAXIMUM   EXPECTED   MINIMUM   MAXIMUM   EXPECTED   MINIMUM
            60 DEG    60 DEG      60 DEG      300DEG  300 DEG    300 DEG
```

```
SCC= 30101308--NITRIC ACID  WITH ABSORBERS       -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      5
   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG      60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .150E 11    .141E 11    .115E 11    .0          .0          .0
  101.- 200.    .136E 11    .127E 11    .823E 10    .0          .0          .0
  201.- 300.    .229E 12    .173E 12    .908E 11    .0          .0          .0
  301.- 400.    .103E 12    .801E 11    .456E 11    .495E 10    .470E 10    .430E 10
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .361E 12    .280E 12    .156E 12    .495E 10    .470E 10    .430E 10
```

```
SCC = 30101308--NITRIC ACID WITH ABSORBERS       -NO CONTROL EQUIPMENT -TOT RECS =      5

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG      60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .361E 12   .280E 12   .156E 12   .495E 10   .470E 10   .430E 10


            .361E 12   .280E 12   .156E 12   .495E 10   .470E 10   .430E 10


CC = 30101308--NITRIC ACID  WITH ABSORBERS      --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE   COUNT

                            ----------------------------------------------------------------------------------------------------
   0.- 100.  .141E 11  !H
 101.- 200.  .127E 11  !H
 201.- 300.  .173E 12  !H
 301.- 400.  .801E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101308--NITRIC ACID  WITH ABSORBERS        -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101308--NITRIC ACID WITH ABSORBERS       -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30101399--NITRIC ACID  OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     10

   TEMP         MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                 60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG
   0.- 100.    .0         .0          .0         .0         .0         .0
 101.- 200.    .296E 09   .221E 09   .110E 09    .0         .0         .0
 201.- 300.    .408E 12   .311E 12   .169E 12    .0         .0         .0
 301.- 400.    .332E 12   .258E 12   .802E 11   .178E 11   .169E 11   .585E 10
 401.- 500.    .616E 12   .486E 12   .292E 12   .734E 11   .697E 11   .638E 11
 501.- 600.    .115E 12   .916E 11   .566E 11   .184E 11   .175E 11   .160E 11
 601.- 700.    .0         .0          .0         .0         .0         .0
 701.- 800.    .0         .0          .0         .0         .0         .0
 801.- 900.    .0         .0          .0         .0         .0         .0
 901.-1000.    .0         .0          .0         .0         .0         .0
1001.-1100.    .0         .0          .0         .0         .0         .0
1101.-1200.    .0         .0          .0         .0         .0         .0
1201.-1300.    .0         .0          .0         .0         .0         .0
1301.-1400.    .0         .0          .0         .0         .0         .0
1401.-1500.    .0         .0          .0         .0         .0         .0
1501.-1600.    .0         .0          .0         .0         .0         .0
1601.-1700.    .0         .0          .0         .0         .0         .0
1701.-1800.    .0         .0          .0         .0         .0         .0
1801.-1900.    .0         .0          .0         .0         .0         .0
1901.-2000.    .0         .0          .0         .0         .0         .0
2001.-2100.    .0         .0          .0         .0         .0         .0
2101.-2200.    .0         .0          .0         .0         .0         .0
2201.-2300.    .0         .0          .0         .0         .0         .0
2301.-2400.    .0         .0          .0         .0         .0         .0
2401.-2500.    .0         .0          .0         .0         .0         .0
2501.-2600.    .0         .0          .0         .0         .0         .0
2601.-2700.    .0         .0          .0         .0         .0         .0
2701.-2800.    .0         .0          .0         .0         .0         .0
2801.-2900.    .0         .0          .0         .0         .0         .0
2901.-3000.    .0         .0          .0         .0         .0         .0

               .147E 13   .115E 13   .598E 12   .110E 12   .104E 12   .856E 11
```

```
SCC = 30101399--NITRIC ACID OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      10

SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED     MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
   28        .147E 13   .115E 13    .598E 12    .110E 12    .104E 12    .856E 11


             .147E 13   .115E 13    .598E 12    .110E 12    .104E 12    .856E 11


CC = 30101399--NITRIC ACID  OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     10

TEMP RANGE   COUNT

                        ---------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .221E 09   !
 201.- 300.  .311E 12   !HHH
 301.- 400.  .258E 12   !HH
 401.- 500.  .486E 12   !HHHH
 501.- 600.  .916E 11   !H
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101399--NITRIC ACID  OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      2

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.     .0         .0          .0         .0         .0          .0
  101.- 200.     .427E 09   .401E 09    .197E 09   .0         .0          .0
  201.- 300.     .0         .0          .0         .0         .0          .0
  301.- 400.     .0         .0          .0         .0         .0          .0
  401.- 500.     .414E 11   .326E 11    .195E 11   .467E 10   .443E 10    .406E 10
  501.- 600.     .0         .0          .0         .0         .0          .0
  601.- 700.     .0         .0          .0         .0         .0          .0
  701.- 800.     .0         .0          .0         .0         .0          .0
  801.- 900.     .0         .0          .0         .0         .0          .0
  901.-1000.     .0         .0          .0         .0         .0          .0
 1001.-1100.     .0         .0          .0         .0         .0          .0
 1101.-1200.     .0         .0          .0         .0         .0          .0
 1201.-1300.     .0         .0          .0         .0         .0          .0
 1301.-1400.     .0         .0          .0         .0         .0          .0
 1401.-1500.     .0         .0          .0         .0         .0          .0
 1501.-1600.     .0         .0          .0         .0         .0          .0
 1601.-1700.     .0         .0          .0         .0         .0          .0
 1701.-1800.     .0         .0          .0         .0         .0          .0
 1801.-1900.     .0         .0          .0         .0         .0          .0
 1901.-2000.     .0         .0          .0         .0         .0          .0
 2001.-2100.     .0         .0          .0         .0         .0          .0
 2101.-2200.     .0         .0          .0         .0         .0          .0
 2201.-2300.     .0         .0          .0         .0         .0          .0
 2301.-2400.     .0         .0          .0         .0         .0          .0
 2401.-2500.     .0         .0          .0         .0         .0          .0
 2501.-2600.     .0         .0          .0         .0         .0          .0
 2601.-2700.     .0         .0          .0         .0         .0          .0
 2701.-2800.     .0         .0          .0         .0         .0          .0
 2801.-2900.     .0         .0          .0         .0         .0          .0
 2901.-3000.     .0         .0          .0         .0         .0          .0

                 .419E 11   .330E 11    .197E 11   .467E 10   .443E 10    .406E 10
```

```
SCC = 30101399--NITRIC ACID OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     2

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG     60 DEG       60 DEG        300DEG   300 DEG      300 DEG
   28       .414E 11   .326E 11    .195E 11    .467E 10    .443E 10    .406E 10
   33       .427E 09   .401E 09    .197E 09    .0          .0          .0

            .419E 11   .330E 11    .197E 11    .467E 10    .443E 10    .406E 10


CC =30101399--NITRIC ACID  OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     2

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .401E 09  !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .326E 11  !H
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101399--NITRIC ACID  OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =      12
   TEMP         MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                60 DEG      60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.    .0          .0          .0          .0          .0          .0
  101.- 200.    .724E 09    .622E 09    .307E 09    .0          .0          .0
  201.- 300.    .408E 12    .311E 12    .169E 12    .0          .0          .0
  301.- 400.    .332E 12    .258E 12    .802E 11    .0          .0          .0
  401.- 500.    .657E 12    .518E 12    .311E 12    .178E 11    .169E 11    .585E 10
  501.- 600.    .115E 12    .916E 11    .566E 11    .781E 11    .742E 11    .679E 11
  601.- 700.    .0          .0          .0          .184E 11    .175E 11    .160E 11
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .151E 13    .118E 13    .617E 12    .114E 12    .109E 12    .897E 11
```

```
SCC = 30101399--NITRIC ACID OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     12

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   28       .151E 13   .118E 13   .617E 12   .114E 12   .109E 12   .897E 11
   33       .427E 09   .401E 09   .197E 09   .0         .0         .0


            .151E 13   .118E 13   .617E 12   .114E 12   .109E 12   .897E 11


CC 30101399--NITRIC ACID  OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     12

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .622E 09  !
 201.- 300.   .311E 12  !HHH
 301.- 400.   .258E 12  !HH
 401.- 500.   .518E 12  !HHHHH
 501.- 600.   .916E 11  !H
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101401--PAINT MANUF  GENERAL          -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     93
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.   .889E 12   .834E 12   .201E 12   .0         .0         .0
  101.- 200.   .469E 11   .425E 11   .301E 10   .0         .0         .0
  201.- 300.   .0         .0         .0         .0         .0         .0
  301.- 400.   .108E 12   .837E 11   .480E 11   .597E 10   .567E 10   .518E 10
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .135E 10   .109E 10   .710E 09   .321E 09   .304E 09   .279E 09
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .296E 11   .258E 11   .199E 11   .170E 11   .161E 11   .144E 11
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .107E 13   .987E 12   .273E 12   .232E 11   .221E 11   .199E 11
```

```
SCC = 30101401--PAINT MANUF GENERAL               -NO CONTROL EQUIPMENT -TOT RECS =     93

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG     300 DEG    300 DEG
   28        .101E 13   .930E 12   .243E 12   .232E 11   .221E 11   .199E 11
   34        .181E 11   .155E 11   .351E 10   .0         .0         .0
   39        .110E 11   .103E 11   .0         .0         .0         .0
   49        .336E 11   .315E 11   .256E 11   .0         .0         .0

             .107E 13   .987E 12   .273E 12   .232E 11   .221E 11   .199E 11

CC = 30101401--PAINT MANUF  GENERAL             --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     93

TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .834E 12  !HHHHHHHH
 101.- 200.   .425E 11  !H
 201.- 300.   .0        !
 301.- 400.   .837E 11  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .109E 10  !H
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .258E 11  !H
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101401--PAINT MANUF  GENERAL            -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     55
   TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.    .186E 12   .174E 12   .609E 11    .0          .0          .0
  101.- 200.    .312E 11   .232E 11   .114E 11    .0          .0          .0
  201.- 300.    .872E 11   .658E 11   .340E 11    .0          .0          .0
  301.- 400.    .0         .0         .0          .0          .0          .0
  401.- 500.    .274E 11   .216E 11   .0          .309E 10    .294E 10    .0
  501.- 600.    .0         .0         .0          .0          .0          .0
  601.- 700.    .0         .0         .0          .0          .0          .0
  701.- 800.    .0         .0         .0          .0          .0          .0
  801.- 900.    .0         .0         .0          .0          .0          .0
  901.-1000.    .0         .0         .0          .0          .0          .0
 1001.-1100.    .0         .0         .0          .0          .0          .0
 1101.-1200.    .0         .0         .0          .0          .0          .0
 1201.-1300.    .0         .0         .0          .0          .0          .0
 1301.-1400.    .0         .0         .0          .0          .0          .0
 1401.-1500.    .0         .0         .0          .0          .0          .0
 1501.-1600.    .0         .0         .0          .0          .0          .0
 1601.-1700.    .0         .0         .0          .0          .0          .0
 1701.-1800.    .0         .0         .0          .0          .0          .0
 1801.-1900.    .0         .0         .0          .0          .0          .0
 1901.-2000.    .0         .0         .0          .0          .0          .0
 2001.-2100.    .0         .0         .0          .0          .0          .0
 2101.-2200.    .0         .0         .0          .0          .0          .0
 2201.-2300.    .0         .0         .0          .0          .0          .0
 2301.-2400.    .0         .0         .0          .0          .0          .0
 2401.-2500.    .0         .0         .0          .0          .0          .0
 2501.-2600.    .0         .0         .0          .0          .0          .0
 2601.-2700.    .0         .0         .0          .0          .0          .0
 2701.-2800.    .0         .0         .0          .0          .0          .0
 2801.-2900.    .0         .0         .0          .0          .0          .0
 2901.-3000.    .0         .0         .0          .0          .0          .0

                .332E 12   .285E 12   .106E 12    .309E 10    .294E 10    .0
```

```
SCC = 30101401--PAINT MANUF GENERAL             -WITH CONTROL EQUIPMENT -TOT RECS =    55

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300DEG    300 DEG     300 DEG
   28       .327E 12   .281E 12   .103E 12   .309E 10   .294E 10   .0
   33       .218E 09   .205E 09   .167E 09   .0         .0         .0
   99       .426E 10   .399E 10   .325E 10   .0         .0         .0

            .332E 12   .285E 12   .106E 12   .309E 10   .294E 10   .0


CC =30101401--PAINT MANUF  GENERAL            ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     55

TEMP RANGE   COUNT

                            ---------------------------------------------------------------------------------------------
   0.- 100.  .174E 12   !H
 101.- 200.  .232E 11   !H
 201.- 300.  .658E 11   !H
 301.- 400.  .0         !
 401.- 500.  .216E 11   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101401--PAINT MANUF  GENERAL              -TOTAL SCC -SIC =    0 -TOT RECS =    148

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG      60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
   0.- 100.     .107E 13    .101E 13    .262E 12    .0         .0          .0
 101.- 200.     .782E 11    .657E 11    .144E 11    .0         .0          .0
 201.- 300.     .872E 11    .658E 11    .340E 11    .0         .0          .0
 301.- 400.     .108E 12    .837E 11    .480E 11    .597E 10   .567E 10    .518E 10
 401.- 500.     .274E 11    .216E 11    .0          .309E 10   .294E 10    .0
 501.- 600.     .0          .0          .0          .0         .0          .0
 601.- 700.     .135E 10    .109E 10    .710E 09    .321E 09   .304E 09    .279E 09
 701.- 800.     .0          .0          .0          .0         .0          .0
 801.- 900.     .0          .0          .0          .0         .0          .0
 901.-1000.     .0          .0          .0          .0         .0          .0
1001.-1100.     .0          .0          .0          .0         .0          .0
1101.-1200.     .0          .0          .0          .0         .0          .0
1201.-1300.     .0          .0          .0          .0         .0          .0
1301.-1400.     .0          .0          .0          .0         .0          .0
1401.-1500.     .0          .0          .0          .0         .0          .0
1501.-1600.     .296E 11    .258E 11    .199E 11    .170E 11   .161E 11    .144E 11
1601.-1700.     .0          .0          .0          .0         .0          .0
1701.-1800.     .0          .0          .0          .0         .0          .0
1801.-1900.     .0          .0          .0          .0         .0          .0
1901.-2000.     .0          .0          .0          .0         .0          .0
2001.-2100.     .0          .0          .0          .0         .0          .0
2101.-2200.     .0          .0          .0          .0         .0          .0
2201.-2300.     .0          .0          .0          .0         .0          .0
2301.-2400.     .0          .0          .0          .0         .0          .0
2401.-2500.     .0          .0          .0          .0         .0          .0
2501.-2600.     .0          .0          .0          .0         .0          .0
2601.-2700.     .0          .0          .0          .0         .0          .0
2701.-2800.     .0          .0          .0          .0         .0          .0
2801.-2900.     .0          .0          .0          .0         .0          .0
2901.-3000.     .0          .0          .0          .0         .0          .0

                .141E 13    .127E 13    .379E 12    .263E 11   .250E 11    .199E 11
```

```
SCC = 30101401--PAINT MANUF GENERAL              -TOTAL SCC -TOT RECS =    148

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   28        .134E 13   .121E 13    .346E 12   .263E 11   .250E 11    .199E 11
   33        .218E 09   .205E 09    .167E 09   .0         .0          .0
   34        .181E 11   .155E 11    .351E 10   .0         .0          .0
   39        .110E 11   .103E 11    .0         .0         .0          .0
   49        .336E 11   .315E 11    .256E 11   .0         .0          .0
   99        .426E 10   .399E 10    .325E 10   .0         .0          .0

             .141E 13   .127E 13    .379E 12   .263E 11   .250E 11    .199E 11

CC 30101401--PAINT MANUF  GENERAL           --TOTAL SCC  -SIC =    0 -TOT RECS =    148

EMP RANGE   COUNT

                        --------------------------------------------------------------------------------------------------
   0.- 100.   .101E 13  !HHHHHHHHHH
 101.- 200.   .657E 11  !H
 201.- 300.   .658E 11  !H
 301.- 400.   .837E 11  !H
 401.- 500.   .216E 11  !H
 501.- 600.   .0        !
 601.- 700.   .109E 10  !H
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .258E 11  !H
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101402--PAINT MANUF  PIGMENT KILN        -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      5

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101402--PAINT MANUF PIGMENT KILN        -NO CONTROL EQUIPMENT -TOT RECS =      5

SIC         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30101402--PAINT MANUF  PIGMENT KILN         -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      6

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG      60 DEG    60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .0          .0          .0          .0          .0          .0
  101.- 200.   .791E 12    .593E 12    .195E 12    .0          .0          .0
  201.- 300.   .0          .0          .0          .0          .0          .0
  301.- 400.   .0          .0          .0          .0          .0          .0
  401.- 500.   .0          .0          .0          .0          .0          .0
  501.- 600.   .0          .0          .0          .0          .0          .0
  601.- 700.   .0          .0          .0          .0          .0          .0
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .791E 12    .593E 12    .195E 12    .0          .0          .0
```

```
SCC = 30101402--PAINT MANUF PIGMENT KILN         -WITH CONTROL EQUIPMENT -TOT RECS =     6
SIC             MAXIMUM    EXPECTED    MINIMUM    MAXIMUM     EXPECTED     MINIMUM
                60 DEG     60 DEG       60 DEG      300DEC    300 DEG      300 DEG
   28          .791E 12   .593E 12    .195E 12   .0          .0           .0

               .791E 12   .593E 12    .195E 12   .0          .0           .0

CC =30101402--PAINT MANUF  PIGMENT KILN        ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     6
TEMP RANGE    COUNT
                         -----------------------------------------------------------------------------------------------------
   0.- 100.   .0         !
 101.- 200.   .593E 12   !HHHHH
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101499--PAINT MANUF  OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     90
   TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .266E 12   .249E 12    .276E 11    .0         .0          .0
  101.- 200.   .114E 12   .853E 11    .422E 11    .0         .0          .0
  201.- 300.   .188E 11   .142E 11    .739E 10    .0         .0          .0
  301.- 400.   .270E 11   .210E 11    .122E 11    .183E 10   .173E 10    .159E 10
  401.- 500.   .0         .0          .0          .0         .0          .0
  501.- 600.   .305E 11   .245E 11    .345E 10    .596E 10   .566E 10    .121E 10
  601.- 700.   .0         .0          .0          .0         .0          .0
  701.- 800.   .0         .0          .0          .0         .0          .0
  801.- 900.   .0         .0          .0          .0         .0          .0
  901.-1000.   .0         .0          .0          .0         .0          .0
 1001.-1100.   .0         .0          .0          .0         .0          .0
 1101.-1200.   .0         .0          .0          .0         .0          .0
 1201.-1300.   .0         .0          .0          .0         .0          .0
 1301.-1400.   .0         .0          .0          .0         .0          .0
 1401.-1500.   .0         .0          .0          .0         .0          .0
 1501.-1600.   .0         .0          .0          .0         .0          .0
 1601.-1700.   .0         .0          .0          .0         .0          .0
 1701.-1800.   .0         .0          .0          .0         .0          .0
 1801.-1900.   .0         .0          .0          .0         .0          .0
 1901.-2000.   .0         .0          .0          .0         .0          .0
 2001.-2100.   .0         .0          .0          .0         .0          .0
 2101.-2200.   .0         .0          .0          .0         .0          .0
 2201.-2300.   .0         .0          .0          .0         .0          .0
 2301.-2400.   .0         .0          .0          .0         .0          .0
 2401.-2500.   .0         .0          .0          .0         .0          .0
 2501.-2600.   .0         .0          .0          .0         .0          .0
 2601.-2700.   .0         .0          .0          .0         .0          .0
 2701.-2800.   .0         .0          .0          .0         .0          .0
 2801.-2900.   .0         .0          .0          .0         .0          .0
 2901.-3000.   .0         .0          .0          .0         .0          .0

               .456E 12   .394E 12    .929E 11    .779E 10   .739E 10    .280E 10
```

```
SCC = 30101499--PAINT MANUF OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      90

SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28         .397E 12   .340E 12   .844E 11   .769E 10   .730E 10   .272E 10
   34         .149E 11   .140E 11   .0         .0         .0         .0
   36         .120E 11   .101E 11   .672E 10   .953E 08   .905E 08   .828E 08
   38         .157E 10   .118E 10   .579E 09   .0         .0         .0
   82         .155E 10   .145E 10   .118E 10   .0         .0         .0
   99         .298E 11   .279E 11   .0         .0         .0         .0

              .456E 12   .394E 12   .929E 11   .779E 10   .739E 10   .280E 10

CC = 30101499--PAINT MANUF  OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     90

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
  0.- 100.   .249E 12  !HH
101.- 200.   .853E 11  !H
201.- 300.   .142E 11  !H
301.- 400.   .210E 11  !H
401.- 500.   .0        !
501.- 600.   .245E 11  !H
601.- 700.   .0        !
701.- 800.   .0        !
801.- 900.   .0        !
901.-1000.   .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101499--PAINT MANUF  OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     68
   TEMP          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.   .228E 12   .214E 12   .124E 12    .0          .0          .0
  101.- 200.   .509E 12   .384E 12   .177E 12    .0          .0          .0
  201.- 300.   .150E 12   .114E 12   .592E 11    .0          .0          .0
  301.- 400.   .0         .0         .0          .0          .0          .0
  401.- 500.   .0         .0         .0          .0          .0          .0
  501.- 600.   .0         .0         .0          .0          .0          .0
  601.- 700.   .0         .0         .0          .0          .0          .0
  701.- 800.   .0         .0         .0          .0          .0          .0
  801.- 900.   .0         .0         .0          .0          .0          .0
  901.-1000.   .0         .0         .0          .0          .0          .0
 1001.-1100.   .0         .0         .0          .0          .0          .0
 1101.-1200.   .0         .0         .0          .0          .0          .0
 1201.-1300.   .0         .0         .0          .0          .0          .0
 1301.-1400.   .0         .0         .0          .0          .0          .0
 1401.-1500.   .0         .0         .0          .0          .0          .0
 1501.-1600.   .0         .0         .0          .0          .0          .0
 1601.-1700.   .0         .0         .0          .0          .0          .0
 1701.-1800.   .0         .0         .0          .0          .0          .0
 1801.-1900.   .0         .0         .0          .0          .0          .0
 1901.-2000.   .0         .0         .0          .0          .0          .0
 2001.-2100.   .0         .0         .0          .0          .0          .0
 2101.-2200.   .0         .0         .0          .0          .0          .0
 2201.-2300.   .0         .0         .0          .0          .0          .0
 2301.-2400.   .0         .0         .0          .0          .0          .0
 2401.-2500.   .0         .0         .0          .0          .0          .0
 2501.-2600.   .0         .0         .0          .0          .0          .0
 2601.-2700.   .0         .0         .0          .0          .0          .0
 2701.-2800.   .0         .0         .0          .0          .0          .0
 2801.-2900.   .0         .0         .0          .0          .0          .0
 2901.-3000.   .0         .0         .0          .0          .0          .0

               .887E 12   .711E 12   .360E 12    .0          .0          .0
```

```
SCC = 30101499--PAINT MANUF OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =    68

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28       .877E 12    .702E 12    .358E 12    .0          .0           .0
   99       .987E 10    .925E 10    .157E 10    .0          .0           .0


            .887E 12    .711E 12    .360E 12    .0          .0           .0


CC =30101499--PAINT MANUF  OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    68

TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .214E 12   !HH
 101.- 200.   .384E 12   !HHH
 201.- 300.   .114E 12   !H
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101499--PAINT MANUF  OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =    158

   TEMP          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
     0.- 100.    .494E 12   .463E 12    .152E 12    .0         .0          .0
   101.- 200.    .623E 12   .469E 12    .219E 12    .0         .0          .0
   201.- 300.    .169E 12   .128E 12    .666E 11    .0         .0          .0
   301.- 400.    .270E 11   .210E 11    .122E 11    .183E 10   .173E 10    .159E 10
   401.- 500.    .0         .0          .0          .0         .0          .0
   501.- 600.    .305E 11   .245E 11    .345E 10    .596E 10   .566E 10    .121E 10
   601.- 700.    .0         .0          .0          .0         .0          .0
   701.- 800.    .0         .0          .0          .0         .0          .0
   801.- 900.    .0         .0          .0          .0         .0          .0
   901.-1000.    .0         .0          .0          .0         .0          .0
  1001.-1100.    .0         .0          .0          .0         .0          .0
  1101.-1200.    .0         .0          .0          .0         .0          .0
  1201.-1300.    .0         .0          .0          .0         .0          .0
  1301.-1400.    .0         .0          .0          .0         .0          .0
  1401.-1500.    .0         .0          .0          .0         .0          .0
  1501.-1600.    .0         .0          .0          .0         .0          .0
  1601.-1700.    .0         .0          .0          .0         .0          .0
  1701.-1800.    .0         .0          .0          .0         .0          .0
  1801.-1900.    .0         .0          .0          .0         .0          .0
  1901.-2000.    .0         .0          .0          .0         .0          .0
  2001.-2100.    .0         .0          .0          .0         .0          .0
  2101.-2200.    .0         .0          .0          .0         .0          .0
  2201.-2300.    .0         .0          .0          .0         .0          .0
  2301.-2400.    .0         .0          .0          .0         .0          .0
  2401.-2500.    .0         .0          .0          .0         .0          .0
  2501.-2600.    .0         .0          .0          .0         .0          .0
  2601.-2700.    .0         .0          .0          .0         .0          .0
  2701.-2800.    .0         .0          .0          .0         .0          .0
  2801.-2900.    .0         .0          .0          .0         .0          .0
  2901.-3000.    .0         .0          .0          .0         .0          .0

                 .134E 13   .111E 13    .453E 12    .779E 10   .739E 10    .280E 10
```

```
SCC = 30101499--PAINT MANUF OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =    158

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG     300 DEG     300 DEG
   28       .127E 13   .104E 13    .443E 12    .769E 10    .730E 10    .272E 10
   34       .149E 11   .140E 11    .0          .0          .0          .0
   36       .120E 11   .101E 11    .672E 10    .953E 08    .905E 08    .828E 08
   38       .157E 10   .118E 10    .579E 09    .0          .0          .0
   82       .155E 10   .145E 10    .118E 10    .0          .0          .0
   99       .396E 11   .372E 11    .157E 10    .0          .0          .0

            .134E 13   .111E 13    .453E 12    .779E 10    .739E 10    .280E 10

CC 30101499--PAINT MANUF  OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =    158

EMP RANGE   COUNT

                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .463E 12   !HHHH
 101.- 200.  .469E 12   !HHHH
 201.- 300.  .128E 12   !H
 301.- 400.  .210E 11   !H
 401.- 500.  .0         !
 501.- 600.  .245E 11   !H
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0---------10---------20---------30---------40---------50---------60---------70---------80---------90--------100
```

```
SCC= 30101501--VARNISH MANU BODYING OIL GENERAL  -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      4
   TEMP          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                  60 DEG      60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
    0.- 100.     .747E 10    .701E 10     .0          .0          .0          .0
  101.- 200.     .0          .0           .0          .0          .0          .0
  201.- 300.     .0          .0           .0          .0          .0          .0
  301.- 400.     .0          .0           .0          .0          .0          .0
  401.- 500.     .0          .0           .0          .0          .0          .0
  501.- 600.     .191E 11    .155E 11     .100E 11    .445E 10    .422E 10    .386E 10
  601.- 700.     .0          .0           .0          .0          .0          .0
  701.- 800.     .0          .0           .0          .0          .0          .0
  801.- 900.     .0          .0           .0          .0          .0          .0
  901.-1000.     .0          .0           .0          .0          .0          .0
 1001.-1100.     .0          .0           .0          .0          .0          .0
 1101.-1200.     .0          .0           .0          .0          .0          .0
 1201.-1300.     .0          .0           .0          .0          .0          .0
 1301.-1400.     .0          .0           .0          .0          .0          .0
 1401.-1500.     .0          .0           .0          .0          .0          .0
 1501.-1600.     .0          .0           .0          .0          .0          .0
 1601.-1700.     .0          .0           .0          .0          .0          .0
 1701.-1800.     .0          .0           .0          .0          .0          .0
 1801.-1900.     .0          .0           .0          .0          .0          .0
 1901.-2000.     .0          .0           .0          .0          .0          .0
 2001.-2100.     .0          .0           .0          .0          .0          .0
 2101.-2200.     .0          .0           .0          .0          .0          .0
 2201.-2300.     .0          .0           .0          .0          .0          .0
 2301.-2400.     .0          .0           .0          .0          .0          .0
 2401.-2500.     .0          .0           .0          .0          .0          .0
 2501.-2600.     .0          .0           .0          .0          .0          .0
 2601.-2700.     .0          .0           .0          .0          .0          .0
 2701.-2800.     .0          .0           .0          .0          .0          .0
 2801.-2900.     .0          .0           .0          .0          .0          .0
 2901.-3000.     .0          .0           .0          .0          .0          .0

                 .266E 11    .225E 11     .100E 11    .445E 10    .422E 10    .386E 10
```

```
SCC = 30101501--VARNISH MANUBODYING OIL GENERAL  -NO CONTROL EQUIPMENT -TOT RECS =      4

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .266E 11   .225E 11    .100E 11   .445E 10   .422E 10   .386E 10


            .266E 11   .225E 11    .100E 11   .445E 10   .422E 10   .386E 10


CC = 30101501--VARNISH MANU BODYING OIL GENERAL --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     4

TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .701E 10  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .155E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101501--VARNISH MANU BODYING OIL GENERAL   -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0
   TEMP        MAXIMUM   EXPECTED   MINIMUM   MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG   60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101501--VARNISH MANUBODYING OIL GENERAL  -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC         MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
            60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30101502--VARNISH MANU OLEO RESINOUS GENERA -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      8
    TEMP         MAXIMUM     EXPECTED     MINIMUM      MAXIMUM     EXPECTED     MINIMUM
                  60 DEG       60 DEG      60 DEG      300 DEG      300 DEG      300 DEG
     0.- 100.   .166E 11    .156E 11    .648E 09    .0           .0           .0
   101.- 200.   .777E 10    .584E 10    .0          .0           .0           .0
   201.- 300.   .888E 10    .676E 10    .0          .0           .0           .0
   301.- 400.   .0          .0          .0          .0           .0           .0
   401.- 500.   .0          .0          .0          .0           .0           .0
   501.- 600.   .0          .0          .0          .0           .0           .0
   601.- 700.   .0          .0          .0          .0           .0           .0
   701.- 800.   .0          .0          .0          .0           .0           .0
   801.- 900.   .0          .0          .0          .0           .0           .0
   901.-1000.   .0          .0          .0          .0           .0           .0
  1001.-1100.   .0          .0          .0          .0           .0           .0
  1101.-1200.   .0          .0          .0          .0           .0           .0
  1201.-1300.   .0          .0          .0          .0           .0           .0
  1301.-1400.   .0          .0          .0          .0           .0           .0
  1401.-1500.   .0          .0          .0          .0           .0           .0
  1501.-1600.   .0          .0          .0          .0           .0           .0
  1601.-1700.   .0          .0          .0          .0           .0           .0
  1701.-1800.   .0          .0          .0          .0           .0           .0
  1801.-1900.   .0          .0          .0          .0           .0           .0
  1901.-2000.   .0          .0          .0          .0           .0           .0
  2001.-2100.   .0          .0          .0          .0           .0           .0
  2101.-2200.   .0          .0          .0          .0           .0           .0
  2201.-2300.   .0          .0          .0          .0           .0           .0
  2301.-2400.   .0          .0          .0          .0           .0           .0
  2401.-2500.   .0          .0          .0          .0           .0           .0
  2501.-2600.   .0          .0          .0          .0           .0           .0
  2601.-2700.   .0          .0          .0          .0           .0           .0
  2701.-2800.   .0          .0          .0          .0           .0           .0
  2801.-2900.   .0          .0          .0          .0           .0           .0
  2901.-3000.   .0          .0          .0          .0           .0           .0

                .333E 11    .282E 11    .648E 09    .0           .0           .0
```

```
SCC = 30101502--VARNISH MANUOLEO RESINOUS GENERA -NO CONTROL EQUIPMENT -TOT RECS =      8
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG   300 DEG
   28       .333E 11   .282E 11    .648E 09   .0         .0         .0

            .333E 11   .282E 11    .648E 09   .0         .0         .0

CC = 30101502--VARNISH MANU OLEO RESINOUS GENERA--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      8
TEMP RANGE   COUNT
                        -----------------------------------------------------------------------------------------------
    0.- 100.  .156E 11  !H
  101.- 200.  .584E 10  !H
  201.- 300.  .676E 10  !H
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100
```

```
SCC= 30101502--VARNISH MANU OLEO RESINOUS GENERA  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1
    TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
     0.- 100.   .0          .0          .0          .0          .0          .0
   101.- 200.   .0          .0          .0          .0          .0          .0
   201.- 300.   .181E 10    .139E 10    .763E 09    .0          .0          .0
   301.- 400.   .0          .0          .0          .0          .0          .0
   401.- 500.   .0          .0          .0          .0          .0          .0
   501.- 600.   .0          .0          .0          .0          .0          .0
   601.- 700.   .0          .0          .0          .0          .0          .0
   701.- 800.   .0          .0          .0          .0          .0          .0
   801.- 900.   .0          .0          .0          .0          .0          .0
   901.-1000.   .0          .0          .0          .0          .0          .0
  1001.-1100.   .0          .0          .0          .0          .0          .0
  1101.-1200.   .0          .0          .0          .0          .0          .0
  1201.-1300.   .0          .0          .0          .0          .0          .0
  1301.-1400.   .0          .0          .0          .0          .0          .0
  1401.-1500.   .0          .0          .0          .0          .0          .0
  1501.-1600.   .0          .0          .0          .0          .0          .0
  1601.-1700.   .0          .0          .0          .0          .0          .0
  1701.-1800.   .0          .0          .0          .0          .0          .0
  1801.-1900.   .0          .0          .0          .0          .0          .0
  1901.-2000.   .0          .0          .0          .0          .0          .0
  2001.-2100.   .0          .0          .0          .0          .0          .0
  2101.-2200.   .0          .0          .0          .0          .0          .0
  2201.-2300.   .0          .0          .0          .0          .0          .0
  2301.-2400.   .0          .0          .0          .0          .0          .0
  2401.-2500.   .0          .0          .0          .0          .0          .0
  2501.-2600.   .0          .0          .0          .0          .0          .0
  2601.-2700.   .0          .0          .0          .0          .0          .0
  2701.-2800.   .0          .0          .0          .0          .0          .0
  2801.-2900.   .0          .0          .0          .0          .0          .0
  2901.-3000.   .0          .0          .0          .0          .0          .0

                .181E 10    .139E 10    .763E 09    .0          .0          .0
```

```
SCC = 30101502--VARNISH MANUOLEO RESINOUS GENERA -WITH CONTROL EQUIPMENT -TOT RECS =     1

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG     60 DEG       60 DEG      300DEG     300 DEG      300 DEG
   28       .181E 10   .139E 10    .763E 09    .0          .0           .0

            .181E 10   .139E 10    .763E 09    .0          .0           .0


CC =30101502--VARNISH MANU OLEO RESINOUS GENERA---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE   COUNT
                         -----------------------------------------------------------------------------------------------------
   0.- 100.  .0          !
 101.- 200.  .0          !
 201.- 300.  .139E 10    !H
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101502--VARNISH MANU OLEO RESINOUS GENERA -TOTAL SCC -SIC =    0 -TOT RECS =      9
   TEMP       MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
    0.- 100.  .166E 11    .156E 11    .648E 09    .0          .0           .0
  101.- 200.  .777E 10    .584E 10    .0          .0          .0           .0
  201.- 300.  .107E 11    .815E 10    .763E 09    .0          .0           .0
  301.- 400.  .0          .0          .0          .0          .0           .0
  401.- 500.  .0          .0          .0          .0          .0           .0
  501.- 600.  .0          .0          .0          .0          .0           .0
  601.- 700.  .0          .0          .0          .0          .0           .0
  701.- 800.  .0          .0          .0          .0          .0           .0
  801.- 900.  .0          .0          .0          .0          .0           .0
  901.-1000.  .0          .0          .0          .0          .0           .0
 1001.-1100.  .0          .0          .0          .0          .0           .0
 1101.-1200.  .0          .0          .0          .0          .0           .0
 1201.-1300.  .0          .0          .0          .0          .0           .0
 1301.-1400.  .0          .0          .0          .0          .0           .0
 1401.-1500.  .0          .0          .0          .0          .0           .0
 1501.-1600.  .0          .0          .0          .0          .0           .0
 1601.-1700.  .0          .0          .0          .0          .0           .0
 1701.-1800.  .0          .0          .0          .0          .0           .0
 1801.-1900.  .0          .0          .0          .0          .0           .0
 1901.-2000.  .0          .0          .0          .0          .0           .0
 2001.-2100.  .0          .0          .0          .0          .0           .0
 2101.-2200.  .0          .0          .0          .0          .0           .0
 2201.-2300.  .0          .0          .0          .0          .0           .0
 2301.-2400.  .0          .0          .0          .0          .0           .0
 2401.-2500.  .0          .0          .0          .0          .0           .0
 2501.-2600.  .0          .0          .0          .0          .0           .0
 2601.-2700.  .0          .0          .0          .0          .0           .0
 2701.-2800.  .0          .0          .0          .0          .0           .0
 2801.-2900.  .0          .0          .0          .0          .0           .0
 2901.-3000.  .0          .0          .0          .0          .0           .0

              .351E 11    .296E 11    .141E 10    .0          .0           .0
```

```
SCC = 30101502--VARNISH MANUOLEO RESINOUS GENERA -TOTAL SCC -TOT RECS =       9

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG      60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28        .351E 11    .296E 11    .141E 10   .0         .0         .0


             .351E 11    .296E 11    .141E 10   .0         .0         .0


CC 30101502--VARNISH MANU OLEO RESINOUS GENERA--TOTAL SCC  -SIC =    0 -TOT RECS =      9

EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .156E 11  !H
 101.- 200.   .584E 10  !H
 201.- 300.   .815E 10  !H
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101503--VARNISH MANU ALKYD GENERAL      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =    23
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.   .220E 11   .206E 11   .0         .0         .0         .0
  101.- 200.   .127E 11   .103E 11   .338E 10   .0         .0         .0
  201.- 300.   .106E 11   .814E 10   .0         .0         .0         .0
  301.- 400.   .560E 10   .433E 10   .0         .0         .0         .0
  401.- 500.   .0         .0         .0         .206E 09   .195E 09   .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .776E 10   .644E 10   .446E 10   .267E 10   .254E 10   .232E 10
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .587E 11   .499E 11   .784E 10   .287E 10   .273E 10   .232E 10
```

```
SCC = 30101503--VARNISH MANUALKYD GENERAL        -NO CONTROL EQUIPMENT -TOT RECS =     23
SIC
            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG     300 DEG     300 DEG    300 DEG
   28      .506E 11   .430E 11    .446E 10   .287E 10    .273E 10   .232E 10
   34      .816E 10   .689E 10    .338E 10   .0          .0         .0

           .587E 11   .499E 11    .784E 10   .287E 10    .273E 10   .232E 10

CC = 30101503--VARNISH MANU ALKYD GENERAL       --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     23
TEMP RANGE   COUNT

                     ---------------------------------------------------------------------------------------------------
   0.- 100.  .206E 11  !H
 101.- 200.  .103E 11  !H
 201.- 300.  .814E 10  !H
 301.- 400.  .433E 10  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .644E 10  !H
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                     0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101503--VARNISH MANU ALKYD GENERAL        -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5

   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED   MINIMUM
                 60 DEG      60 DEG     60 DEG      300 DEG    300 DEG    300 DEG
    0.- 100.    .0          .0          .0          .0          .0          .0
  101.- 200.    .0          .0          .0          .0          .0          .0
  201.- 300.    .704E 10    .540E 10    .296E 10    .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .776E 10    .644E 10    .446E 10    .267E 10    .254E 10    .232E 10
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .148E 11    .118E 11    .742E 10    .267E 10    .254E 10    .232E 10
```

```
SCC = 30101503--VARNISH MANUALKYD GENERAL        -WITH CONTROL EQUIPMENT -TOT RECS =      5
SIC            MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG    60 DEG      60 DEG     300DEG    300 DEG     300 DEG
   28         .148E 11   .118E 11   .742E 10   .267E 10   .254E 10   .232E 10

              .148E 11   .118E 11   .742E 10   .267E 10   .254E 10   .232E 10

CC =30101503--VARNISH MANU ALKYD GENERAL       ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5
TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .0        !
 201.- 300.   .540E 10  !H
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .644E 10  !H
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101503--VARNISH MANU ALKYD GENERAL       -TOTAL SCC -SIC =    0 -TOT RECS =     28
   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.   .220E 11   .206E 11    .0          .0         .0          .0
  101.- 200.   .127E 11   .103E 11    .338E 10    .0         .0          .0
  201.- 300.   .177E 11   .135E 11    .296E 10    .0         .0          .0
  301.- 400.   .560E 10   .433E 10    .0          .206E 09   .195E 09    .0
  401.- 500.   .0         .0          .0          .0         .0          .0
  501.- 600.   .0         .0          .0          .0         .0          .0
  601.- 700.   .0         .0          .0          .0         .0          .0
  701.- 800.   .0         .0          .0          .0         .0          .0
  801.- 900.   .155E 11   .129E 11    .892E 10    .534E 10   .508E 10    .464E 10
  901.-1000.   .0         .0          .0          .0         .0          .0
 1001.-1100.   .0         .0          .0          .0         .0          .0
 1101.-1200.   .0         .0          .0          .0         .0          .0
 1201.-1300.   .0         .0          .0          .0         .0          .0
 1301.-1400.   .0         .0          .0          .0         .0          .0
 1401.-1500.   .0         .0          .0          .0         .0          .0
 1501.-1600.   .0         .0          .0          .0         .0          .0
 1601.-1700.   .0         .0          .0          .0         .0          .0
 1701.-1800.   .0         .0          .0          .0         .0          .0
 1801.-1900.   .0         .0          .0          .0         .0          .0
 1901.-2000.   .0         .0          .0          .0         .0          .0
 2001.-2100.   .0         .0          .0          .0         .0          .0
 2101.-2200.   .0         .0          .0          .0         .0          .0
 2201.-2300.   .0         .0          .0          .0         .0          .0
 2301.-2400.   .0         .0          .0          .0         .0          .0
 2401.-2500.   .0         .0          .0          .0         .0          .0
 2501.-2600.   .0         .0          .0          .0         .0          .0
 2601.-2700.   .0         .0          .0          .0         .0          .0
 2701.-2800.   .0         .0          .0          .0         .0          .0
 2801.-2900.   .0         .0          .0          .0         .0          .0
 2901.-3000.   .0         .0          .0          .0         .0          .0

               .735E 11   .617E 11    .153E 11    .554E 10   .527E 10    .464E 10
```

```
SCC = 30101503--VARNISH MANUALKYD GENERAL        -TOTAL SCC -TOT RECS =     28

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   28        .654E 11    .548E 11     .119E 11    .554E 10    .527E 10     .464E 10
   34        .816E 10    .689E 10     .338E 10    .0          .0           .0

             .735E 11    .617E 11     .153E 11    .554E 10    .527E 10     .464E 10


CC 30101503--VARNISH MANU ALKYD GENERAL       --TOTAL SCC  -SIC =    0 -TOT RECS =     28

EMP RANGE    COUNT
                        ----------------------------------------------------------------------------------------------------
    0.- 100.   .206E 11  !H
  101.- 200.   .103E 11  !H
  201.- 300.   .135E 11  !H
  301.- 400.   .433E 10  !H
  401.- 500.   .0        !
  501.- 600.   .0        !
  601.- 700.   .0        !
  701.- 800.   .0        !
  801.- 900.   .129E 11  !H
  901.-1000.   .0        !
 1001.-1100.   .0        !
 1101.-1200.   .0        !
 1201.-1300.   .0        !
 1301.-1400.   .0        !
 1401.-1500.   .0        !
 1501.-1600.   .0        !
 1601.-1700.   .0        !
 1701.-1800.   .0        !
 1801.-1900.   .0        !
 1901.-2000.   .0        !
 2001.-2100.   .0        !
 2101.-2200.   .0        !
 2201.-2300.   .0        !
 2301.-2400.   .0        !
 2401.-2500.   .0        !
 2501.-2600.   .0        !
 2601.-2700.   .0        !
 2701.-2800.   .0        !
 2801.-2900.   .0        !
 2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101505--VARNISH MANU ACRYLIC GENERAL      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      5

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101505--VARNISH MANUACRYLIC GENERAL      -NO CONTROL EQUIPMENT -TOT RECS =      5

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
```

```
SCC= 30101505--VARNISH MANU ACRYLIC GENERAL       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      2

   TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.   .0         .0          .0          .0         .0          .0
  101.- 200.   .176E 10   .147E 10    .356E 09    .0         .0          .0
  201.- 300.   .0         .0          .0          .0         .0          .0
  301.- 400.   .0         .0          .0          .0         .0          .0
  401.- 500.   .0         .0          .0          .0         .0          .0
  501.- 600.   .0         .0          .0          .0         .0          .0
  601.- 700.   .0         .0          .0          .0         .0          .0
  701.- 800.   .0         .0          .0          .0         .0          .0
  801.- 900.   .0         .0          .0          .0         .0          .0
  901.-1000.   .0         .0          .0          .0         .0          .0
 1001.-1100.   .0         .0          .0          .0         .0          .0
 1101.-1200.   .0         .0          .0          .0         .0          .0
 1201.-1300.   .0         .0          .0          .0         .0          .0
 1301.-1400.   .0         .0          .0          .0         .0          .0
 1401.-1500.   .0         .0          .0          .0         .0          .0
 1501.-1600.   .0         .0          .0          .0         .0          .0
 1601.-1700.   .0         .0          .0          .0         .0          .0
 1701.-1800.   .0         .0          .0          .0         .0          .0
 1801.-1900.   .0         .0          .0          .0         .0          .0
 1901.-2000.   .0         .0          .0          .0         .0          .0
 2001.-2100.   .0         .0          .0          .0         .0          .0
 2101.-2200.   .0         .0          .0          .0         .0          .0
 2201.-2300.   .0         .0          .0          .0         .0          .0
 2301.-2400.   .0         .0          .0          .0         .0          .0
 2401.-2500.   .0         .0          .0          .0         .0          .0
 2501.-2600.   .0         .0          .0          .0         .0          .0
 2601.-2700.   .0         .0          .0          .0         .0          .0
 2701.-2800.   .0         .0          .0          .0         .0          .0
 2801.-2900.   .0         .0          .0          .0         .0          .0
 2901.-3000.   .0         .0          .0          .0         .0          .0

               .176E 10   .147E 10    .356E 09    .0         .0          .0
```

```
SCC = 30101505--VARNISH MANUACRYLIC GENERAL      -WITH CONTROL EQUIPMENT -TOT RECS =      2
SIC            MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
               60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28         .176E 10   .147E 10    .356E 09    .0          .0           .0


              .176E 10   .147E 10    .356E 09    .0          .0           .0


CC =30101505--VARNISH MANU ACRYLIC GENERAL     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2
TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .147E 10  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101599--VARNISH MANU OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      8
    TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .238E 10    .223E 10    .509E 09    .0          .0          .0
  101.- 200.    .0          .0          .0          .0          .0          .0
  201.- 300.    .0          .0          .0          .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .191E 10    .150E 10    .883E 09    .178E 09    .169E 09    .155E 09
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .429E 10    .373E 10    .139E 10    .178E 09    .169E 09    .155E 09
```

```
SCC = 30101599--VARNISH MANUOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =       8

SIC           MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   26        .271E 09    .254E 09    .0          .0          .0          .0
   28        .401E 10    .347E 10    .139E 10    .178E 09    .169E 09    .155E 09


             .429E 10    .373E 10    .139E 10    .178E 09    .169E 09    .155E 09


CC = 30101599--VARNISH MANU OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      8

TEMP RANGE   COUNT

                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .223E 10  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .150E 10  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101599--VARNISH MANU OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     17

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG      60 DEG    60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.   .562E 09   .527E 09   .430E 09    .0          .0          .0
  101.- 200.   .639E 10   .538E 10   .151E 10    .0          .0          .0
  201.- 300.   .105E 10   .784E 09   .394E 09    .0          .0          .0
  301.- 400.   .0         .0         .0          .0          .0          .0
  401.- 500.   .0         .0         .0          .0          .0          .0
  501.- 600.   .0         .0         .0          .0          .0          .0
  601.- 700.   .0         .0         .0          .0          .0          .0
  701.- 800.   .0         .0         .0          .0          .0          .0
  801.- 900.   .0         .0         .0          .0          .0          .0
  901.-1000.   .0         .0         .0          .0          .0          .0
 1001.-1100.   .0         .0         .0          .0          .0          .0
 1101.-1200.   .0         .0         .0          .0          .0          .0
 1201.-1300.   .0         .0         .0          .0          .0          .0
 1301.-1400.   .0         .0         .0          .0          .0          .0
 1401.-1500.   .0         .0         .0          .0          .0          .0
 1501.-1600.   .0         .0         .0          .0          .0          .0
 1601.-1700.   .0         .0         .0          .0          .0          .0
 1701.-1800.   .0         .0         .0          .0          .0          .0
 1801.-1900.   .0         .0         .0          .0          .0          .0
 1901.-2000.   .0         .0         .0          .0          .0          .0
 2001.-2100.   .0         .0         .0          .0          .0          .0
 2101.-2200.   .0         .0         .0          .0          .0          .0
 2201.-2300.   .0         .0         .0          .0          .0          .0
 2301.-2400.   .0         .0         .0          .0          .0          .0
 2401.-2500.   .0         .0         .0          .0          .0          .0
 2501.-2600.   .0         .0         .0          .0          .0          .0
 2601.-2700.   .0         .0         .0          .0          .0          .0
 2701.-2800.   .0         .0         .0          .0          .0          .0
 2801.-2900.   .0         .0         .0          .0          .0          .0
 2901.-3000.   .0         .0         .0          .0          .0          .0

               .800E 10   .670E 10   .233E 10    .0          .0          .0
```

```
SCC = 30101599--VARNISH MANUOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =    17

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28       .800E 10   .670E 10   .233E 10   .0         .0          .0


            .800E 10   .670E 10   .233E 10   .0         .0          .0


CC =30101599--VARNISH MANU OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     17

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .527E 09   !
 101.- 200.  .538E 10   !H
 201.- 300.  .784E 09   !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101599--VARNISH MANU OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =     25
   TEMP          MAXIMUM     EXPECTED     MINIMUM      MAXIMUM     EXPECTED     MINIMUM
                 60 DEG      60 DEG       60 DEG       300 DEG     300 DEG      300 DEG
    0.- 100.    .294E 10    .276E 10     .939E 09     .0          .0           .0
  101.- 200.    .639E 10    .538E 10     .151E 10     .0          .0           .0
  201.- 300.    .105E 10    .784E 09     .394E 09     .0          .0           .0
  301.- 400.    .0          .0           .0           .0          .0           .0
  401.- 500.    .191E 10    .150E 10     .883E 09     .178E 09    .169E 09     .155E 09
  501.- 600.    .0          .0           .0           .0          .0           .0
  601.- 700.    .0          .0           .0           .0          .0           .0
  701.- 800.    .0          .0           .0           .0          .0           .0
  801.- 900.    .0          .0           .0           .0          .0           .0
  901.-1000.    .0          .0           .0           .0          .0           .0
 1001.-1100.    .0          .0           .0           .0          .0           .0
 1101.-1200.    .0          .0           .0           .0          .0           .0
 1201.-1300.    .0          .0           .0           .0          .0           .0
 1301.-1400.    .0          .0           .0           .0          .0           .0
 1401.-1500.    .0          .0           .0           .0          .0           .0
 1501.-1600.    .0          .0           .0           .0          .0           .0
 1601.-1700.    .0          .0           .0           .0          .0           .0
 1701.-1800.    .0          .0           .0           .0          .0           .0
 1801.-1900.    .0          .0           .0           .0          .0           .0
 1901.-2000.    .0          .0           .0           .0          .0           .0
 2001.-2100.    .0          .0           .0           .0          .0           .0
 2101.-2200.    .0          .0           .0           .0          .0           .0
 2201.-2300.    .0          .0           .0           .0          .0           .0
 2301.-2400.    .0          .0           .0           .0          .0           .0
 2401.-2500.    .0          .0           .0           .0          .0           .0
 2501.-2600.    .0          .0           .0           .0          .0           .0
 2601.-2700.    .0          .0           .0           .0          .0           .0
 2701.-2800.    .0          .0           .0           .0          .0           .0
 2801.-2900.    .0          .0           .0           .0          .0           .0
 2901.-3000.    .0          .0           .0           .0          .0           .0

                .123E 11    .104E 11     .373E 10     .178E 09    .169E 09     .155E 09
```

```
SCC = 30101599--VARNISH MANUOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     25
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
  26         .271E 09   .254E 09   .0          .0         .0          .0
  28         .120E 11   .102E 11   .373E 10   .178E 09   .169E 09   .155E 09

             .123E 11   .104E 11   .373E 10   .178E 09   .169E 09   .155E 09


CC 30101599--VARNISH MANU OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     25
EMP RANGE   COUNT
                    ----------------------------------------------------------------------------------------------------
   0.- 100.  .276E 10  !H
 101.- 200.  .538E 10  !H
 201.- 300.  .784E 09  !
 301.- 400.  .0        !
 401.- 500.  .150E 10  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101601--PHOS-ACID WE REACTOR UNCONTROLLED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG    300 DEG   300 DEG
   0.- 100.   .308E 11   .289E 11   .235E 11   .0         .0         .0
 101.- 200.   .0         .0         .0         .0         .0         .0
 201.- 300.   .0         .0         .0         .0         .0         .0
 301.- 400.   .0         .0         .0         .0         .0         .0
 401.- 500.   .0         .0         .0         .0         .0         .0
 501.- 600.   .0         .0         .0         .0         .0         .0
 601.- 700.   .0         .0         .0         .0         .0         .0
 701.- 800.   .0         .0         .0         .0         .0         .0
 801.- 900.   .0         .0         .0         .0         .0         .0
 901.-1000.   .0         .0         .0         .0         .0         .0
1001.-1100.   .0         .0         .0         .0         .0         .0
1101.-1200.   .0         .0         .0         .0         .0         .0
1201.-1300.   .0         .0         .0         .0         .0         .0
1301.-1400.   .0         .0         .0         .0         .0         .0
1401.-1500.   .0         .0         .0         .0         .0         .0
1501.-1600.   .0         .0         .0         .0         .0         .0
1601.-1700.   .0         .0         .0         .0         .0         .0
1701.-1800.   .0         .0         .0         .0         .0         .0
1801.-1900.   .0         .0         .0         .0         .0         .0
1901.-2000.   .0         .0         .0         .0         .0         .0
2001.-2100.   .0         .0         .0         .0         .0         .0
2101.-2200.   .0         .0         .0         .0         .0         .0
2201.-2300.   .0         .0         .0         .0         .0         .0
2301.-2400.   .0         .0         .0         .0         .0         .0
2401.-2500.   .0         .0         .0         .0         .0         .0
2501.-2600.   .0         .0         .0         .0         .0         .0
2601.-2700.   .0         .0         .0         .0         .0         .0
2701.-2800.   .0         .0         .0         .0         .0         .0
2801.-2900.   .0         .0         .0         .0         .0         .0
2901.-3000.   .0         .0         .0         .0         .0         .0

              .308E 11   .289E 11   .235E 11   .0         .0         .0
```

```
SCC = 30101601--PHOS-ACID WEREACTOR UNCONTROLLED -NO CONTROL EQUIPMENT -TOT RECS =       1

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG    300 DEG
   28       .308E 11    .289E 11    .235E 11    .0          .0          .0


            .308E 11    .289E 11    .235E 11    .0          .0          .0


CC = 30101601--PHOS-ACID WE REACTOR UNCONTROLLED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE   COUNT

                           ----------------------------------------------------------------------------------------------------
   0.- 100.  .289E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101601--PHOS-ACID WE REACTOR UNCONTROLLED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      4

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG    60 DEG     60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.  .508E 11  .476E 11   .388E 11   .0          .0         .0
  101.- 200.  .355E 11  .288E 11   .151E 11   .0          .0         .0
  201.- 300.  .0        .0         .0         .0          .0         .0
  301.- 400.  .0        .0         .0         .0          .0         .0
  401.- 500.  .0        .0         .0         .0          .0         .0
  501.- 600.  .0        .0         .0         .0          .0         .0
  601.- 700.  .0        .0         .0         .0          .0         .0
  701.- 800.  .0        .0         .0         .0          .0         .0
  801.- 900.  .0        .0         .0         .0          .0         .0
  901.-1000.  .0        .0         .0         .0          .0         .0
 1001.-1100.  .0        .0         .0         .0          .0         .0
 1101.-1200.  .0        .0         .0         .0          .0         .0
 1201.-1300.  .0        .0         .0         .0          .0         .0
 1301.-1400.  .0        .0         .0         .0          .0         .0
 1401.-1500.  .0        .0         .0         .0          .0         .0
 1501.-1600.  .0        .0         .0         .0          .0         .0
 1601.-1700.  .0        .0         .0         .0          .0         .0
 1701.-1800.  .0        .0         .0         .0          .0         .0
 1801.-1900.  .0        .0         .0         .0          .0         .0
 1901.-2000.  .0        .0         .0         .0          .0         .0
 2001.-2100.  .0        .0         .0         .0          .0         .0
 2101.-2200.  .0        .0         .0         .0          .0         .0
 2201.-2300.  .0        .0         .0         .0          .0         .0
 2301.-2400.  .0        .0         .0         .0          .0         .0
 2401.-2500.  .0        .0         .0         .0          .0         .0
 2501.-2600.  .0        .0         .0         .0          .0         .0
 2601.-2700.  .0        .0         .0         .0          .0         .0
 2701.-2800.  .0        .0         .0         .0          .0         .0
 2801.-2900.  .0        .0         .0         .0          .0         .0
 2901.-3000.  .0        .0         .0         .0          .0         .0

              .863E 11  .764E 11   .539E 11   .0          .0         .0
```

```
SCC = 30101601--PHOS-ACID WEREACTOR UNCONTROLLED -WITH CONTROL EQUIPMENT -TOT RECS =      4

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28       .863E 11   .764E 11    .539E 11    .0          .0           .0

            .863E 11   .764E 11    .539E 11    .0          .0           .0


CC =30101601--PHOS-ACID WE REACTOR UNCONTROLLED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      4

TEMP RANGE   COUNT

                          -----------------------------------------------------------------------------------------------------
   0.- 100.  .476E 11    !H
 101.- 200.  .288E 11    !H
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101601--PHOS-ACID WE REACTOR UNCONTROLLED -TOTAL SCC -SIC =    0 -TOT RECS =      5
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.   .816E 11   .765E 11    .623E 11   .0         .0          .0
 101.- 200.   .355E 11   .288E 11    .151E 11   .0         .0          .0
 201.- 300.   .0         .0          .0         .0         .0          .0
 301.- 400.   .0         .0          .0         .0         .0          .0
 401.- 500.   .0         .0          .0         .0         .0          .0
 501.- 600.   .0         .0          .0         .0         .0          .0
 601.- 700.   .0         .0          .0         .0         .0          .0
 701.- 800.   .0         .0          .0         .0         .0          .0
 801.- 900.   .0         .0          .0         .0         .0          .0
 901.-1000.   .0         .0          .0         .0         .0          .0
1001.-1100.   .0         .0          .0         .0         .0          .0
1101.-1200.   .0         .0          .0         .0         .0          .0
1201.-1300.   .0         .0          .0         .0         .0          .0
1301.-1400.   .0         .0          .0         .0         .0          .0
1401.-1500.   .0         .0          .0         .0         .0          .0
1501.-1600.   .0         .0          .0         .0         .0          .0
1601.-1700.   .0         .0          .0         .0         .0          .0
1701.-1800.   .0         .0          .0         .0         .0          .0
1801.-1900.   .0         .0          .0         .0         .0          .0
1901.-2000.   .0         .0          .0         .0         .0          .0
2001.-2100.   .0         .0          .0         .0         .0          .0
2101.-2200.   .0         .0          .0         .0         .0          .0
2201.-2300.   .0         .0          .0         .0         .0          .0
2301.-2400.   .0         .0          .0         .0         .0          .0
2401.-2500.   .0         .0          .0         .0         .0          .0
2501.-2600.   .0         .0          .0         .0         .0          .0
2601.-2700.   .0         .0          .0         .0         .0          .0
2701.-2800.   .0         .0          .0         .0         .0          .0
2801.-2900.   .0         .0          .0         .0         .0          .0
2901.-3000.   .0         .0          .0         .0         .0          .0

              .117E 12   .105E 12    .775E 11   .0         .0          .0
```

```
SCC = 30101601--PHOS-ACID WEREACTOR UNCONTROLLED -TOTAL SCC -TOT RECS =      5

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
   28       .117E 12    .105E 12    .775E 11    .0          .0          .0


            .117E 12    .105E 12    .775E 11    .0          .0          .0


CC 30101601--PHOS-ACID WE REACTOR UNCONTROLLED--TOTAL SCC  -SIC =    0 -TOT RECS =      5

EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .765E 11  !H
 101.- 200.  .288E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101602--PHOS-ACID WE GYPSUM POND          -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM  EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG  300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101602--PHOS-ACID WEGYPSUM POND          -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30101602--PHOS-ACID WE GYPSUM POND          -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3

   TEMP         MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                 60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.   .301E 11   .282E 11   .230E 11   .0          .0         .0
  101.- 200.   .125E 12   .102E 12   .561E 11   .0          .0         .0
  201.- 300.   .0          .0         .0         .0          .0         .0
  301.- 400.   .0          .0         .0         .0          .0         .0
  401.- 500.   .0          .0         .0         .0          .0         .0
  501.- 600.   .0          .0         .0         .0          .0         .0
  601.- 700.   .0          .0         .0         .0          .0         .0
  701.- 800.   .0          .0         .0         .0          .0         .0
  801.- 900.   .0          .0         .0         .0          .0         .0
  901.-1000.   .0          .0         .0         .0          .0         .0
 1001.-1100.   .0          .0         .0         .0          .0         .0
 1101.-1200.   .0          .0         .0         .0          .0         .0
 1201.-1300.   .0          .0         .0         .0          .0         .0
 1301.-1400.   .0          .0         .0         .0          .0         .0
 1401.-1500.   .0          .0         .0         .0          .0         .0
 1501.-1600.   .0          .0         .0         .0          .0         .0
 1601.-1700.   .0          .0         .0         .0          .0         .0
 1701.-1800.   .0          .0         .0         .0          .0         .0
 1801.-1900.   .0          .0         .0         .0          .0         .0
 1901.-2000.   .0          .0         .0         .0          .0         .0
 2001.-2100.   .0          .0         .0         .0          .0         .0
 2101.-2200.   .0          .0         .0         .0          .0         .0
 2201.-2300.   .0          .0         .0         .0          .0         .0
 2301.-2400.   .0          .0         .0         .0          .0         .0
 2401.-2500.   .0          .0         .0         .0          .0         .0
 2501.-2600.   .0          .0         .0         .0          .0         .0
 2601.-2700.   .0          .0         .0         .0          .0         .0
 2701.-2800.   .0          .0         .0         .0          .0         .0
 2801.-2900.   .0          .0         .0         .0          .0         .0
 2901.-3000.   .0          .0         .0         .0          .0         .0

               .155E 12   .130E 12   .791E 11   .0          .0         .0
```

```
SCC = 30101602--PHOS-ACID WEGYPSUM POND          -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28       .155E 12   .130E 12   .791E 11   .0         .0          .0


            .155E 12   .130E 12   .791E 11   .0         .0          .0


CC =30101602--PHOS-ACID WE GYPSUM POND         ---WITH CONTROL EQUIPMENT  -SIC=    0 -TCTAL RECS =      3

TEMP RANGE   COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .282E 11    !H
 101.- 200.  .102E 12    !H
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101603--PHOS-ACID WE CONDENSER UNCONTROLL -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1
    TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
     0.- 100.   .612E 11   .574E 11    .467E 11    .0          .0          .0
   101.- 200.   .0         .0          .0          .0          .0          .0
   201.- 300.   .0         .0          .0          .0          .0          .0
   301.- 400.   .0         .0          .0          .0          .0          .0
   401.- 500.   .0         .0          .0          .0          .0          .0
   501.- 600.   .0         .0          .0          .0          .0          .0
   601.- 700.   .0         .0          .0          .0          .0          .0
   701.- 800.   .0         .0          .0          .0          .0          .0
   801.- 900.   .0         .0          .0          .0          .0          .0
   901.-1000.   .0         .0          .0          .0          .0          .0
  1001.-1100.   .0         .0          .0          .0          .0          .0
  1101.-1200.   .0         .0          .0          .0          .0          .0
  1201.-1300.   .0         .0          .0          .0          .0          .0
  1301.-1400.   .0         .0          .0          .0          .0          .0
  1401.-1500.   .0         .0          .0          .0          .0          .0
  1501.-1600.   .0         .0          .0          .0          .0          .0
  1601.-1700.   .0         .0          .0          .0          .0          .0
  1701.-1800.   .0         .0          .0          .0          .0          .0
  1801.-1900.   .0         .0          .0          .0          .0          .0
  1901.-2000.   .0         .0          .0          .0          .0          .0
  2001.-2100.   .0         .0          .0          .0          .0          .0
  2101.-2200.   .0         .0          .0          .0          .0          .0
  2201.-2300.   .0         .0          .0          .0          .0          .0
  2301.-2400.   .0         .0          .0          .0          .0          .0
  2401.-2500.   .0         .0          .0          .0          .0          .0
  2501.-2600.   .0         .0          .0          .0          .0          .0
  2601.-2700.   .0         .0          .0          .0          .0          .0
  2701.-2800.   .0         .0          .0          .0          .0          .0
  2801.-2900.   .0         .0          .0          .0          .0          .0
  2901.-3000.   .0         .0          .0          .0          .0          .0

                .612E 11   .574E 11    .467E 11    .0          .0          .0
```

```
SCC = 30101603--PHOS-ACID WECONDENSER UNCONTROLL -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .612E 11   .574E 11   .467E 11   .0          .0          .0


            .612E 11   .574E 11   .467E 11   .0          .0          .0


CC = 30101603--PHOS-ACID WE CONDENSER UNCONTROLL--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .574E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101603--PHOS-ACID WE CONDENSER UNCONTROLL  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30101603--PHOS-ACID WECONDENSER UNCONTROLL -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30101699--PHOS-ACID WE OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     24

    TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                 60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
     0.- 100.   .564E 12   .529E 12   .350E 12   .0          .0         .0
   101.- 200.   .340E 11   .319E 11   .210E 11   .0          .0         .0
   201.- 300.   .0         .0         .0         .0          .0         .0
   301.- 400.   .0         .0         .0         .0          .0         .0
   401.- 500.   .0         .0         .0         .0          .0         .0
   501.- 600.   .0         .0         .0         .0          .0         .0
   601.- 700.   .0         .0         .0         .0          .0         .0
   701.- 800.   .0         .0         .0         .0          .0         .0
   801.- 900.   .0         .0         .0         .0          .0         .0
   901.-1000.   .0         .0         .0         .0          .0         .0
  1001.-1100.   .0         .0         .0         .0          .0         .0
  1101.-1200.   .0         .0         .0         .0          .0         .0
  1201.-1300.   .0         .0         .0         .0          .0         .0
  1301.-1400.   .0         .0         .0         .0          .0         .0
  1401.-1500.   .0         .0         .0         .0          .0         .0
  1501.-1600.   .0         .0         .0         .0          .0         .0
  1601.-1700.   .0         .0         .0         .0          .0         .0
  1701.-1800.   .0         .0         .0         .0          .0         .0
  1801.-1900.   .0         .0         .0         .0          .0         .0
  1901.-2000.   .0         .0         .0         .0          .0         .0
  2001.-2100.   .0         .0         .0         .0          .0         .0
  2101.-2200.   .0         .0         .0         .0          .0         .0
  2201.-2300.   .0         .0         .0         .0          .0         .0
  2301.-2400.   .0         .0         .0         .0          .0         .0
  2401.-2500.   .0         .0         .0         .0          .0         .0
  2501.-2600.   .0         .0         .0         .0          .0         .0
  2601.-2700.   .0         .0         .0         .0          .0         .0
  2701.-2800.   .0         .0         .0         .0          .0         .0
  2801.-2900.   .0         .0         .0         .0          .0         .0
  2901.-3000.   .0         .0         .0         .0          .0         .0

                .598E 12   .561E 12   .371E 12   .0          .0         .0
```

```
SCC = 30101699--PHOS-ACID WEOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =     24

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28        .571E 12   .535E 12   .365E 12   .0         .0         .0
   32        .779E 10   .731E 10   .596E 10   .0         .0         .0
   99        .192E 11   .180E 11   .0         .0         .0         .0

             .598E 12   .561E 12   .371E 12   .0         .0         .0


CC = 30101699--PHOS-ACID WE OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     24

TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .529E 12  !HHHHH
 101.- 200.   .319E 11  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101699--PHOS-ACID WE OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     38
   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM  EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG  300 DEG    300 DEG
    0.- 100.  .170E 12   .159E 12   .130E 12   .0        .0         .0
  101.- 200.  .141E 13   .114E 13   .570E 12   .0        .0         .0
  201.- 300.  .122E 12   .919E 11   .466E 11   .0        .0         .0
  301.- 400.  .0         .0         .0         .0        .0         .0
  401.- 500.  .0         .0         .0         .0        .0         .0
  501.- 600.  .0         .0         .0         .0        .0         .0
  601.- 700.  .0         .0         .0         .0        .0         .0
  701.- 800.  .0         .0         .0         .0        .0         .0
  801.- 900.  .0         .0         .0         .0        .0         .0
  901.-1000.  .0         .0         .0         .0        .0         .0
 1001.-1100.  .0         .0         .0         .0        .0         .0
 1101.-1200.  .0         .0         .0         .0        .0         .0
 1201.-1300.  .0         .0         .0         .0        .0         .0
 1301.-1400.  .0         .0         .0         .0        .0         .0
 1401.-1500.  .0         .0         .0         .0        .0         .0
 1501.-1600.  .0         .0         .0         .0        .0         .0
 1601.-1700.  .0         .0         .0         .0        .0         .0
 1701.-1800.  .0         .0         .0         .0        .0         .0
 1801.-1900.  .0         .0         .0         .0        .0         .0
 1901.-2000.  .0         .0         .0         .0        .0         .0
 2001.-2100.  .0         .0         .0         .0        .0         .0
 2101.-2200.  .0         .0         .0         .0        .0         .0
 2201.-2300.  .0         .0         .0         .0        .0         .0
 2301.-2400.  .0         .0         .0         .0        .0         .0
 2401.-2500.  .0         .0         .0         .0        .0         .0
 2501.-2600.  .0         .0         .0         .0        .0         .0
 2601.-2700.  .0         .0         .0         .0        .0         .0
 2701.-2800.  .0         .0         .0         .0        .0         .0
 2801.-2900.  .0         .0         .0         .0        .0         .0
 2901.-3000.  .0         .0         .0         .0        .0         .0

              .170E 13   .139E 13   .746E 12   .0        .0         .0
```

```
SCC = 30101699--PHOS-ACID WEOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =    38

SIC           MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28        .170E 13   .139E 13   .746E 12   .0         .0          .0


             .170E 13   .139E 13   .746E 12   .0         .0          .0


CC =30101699--PHOS-ACID WE OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     38

TEMP RANGE   COUNT

                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .159E 12  !H
 101.- 200.  .114E 13  !HHHHHHHHHHHH
 201.- 300.  .919E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101699--PHOS-ACID WE OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =     0 -TOT RECS =     62

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.  .734E 12   .688E 12    .480E 12   .0         .0          .0
  101.- 200.  .144E 13   .117E 13    .591E 12   .0         .0          .0
  201.- 300.  .122E 12   .919E 11    .466E 11   .0         .0          .0
  301.- 400.  .0         .0          .0         .0         .0          .0
  401.- 500.  .0         .0          .0         .0         .0          .0
  501.- 600.  .0         .0          .0         .0         .0          .0
  601.- 700.  .0         .0          .0         .0         .0          .0
  701.- 800.  .0         .0          .0         .0         .0          .0
  801.- 900.  .0         .0          .0         .0         .0          .0
  901.-1000.  .0         .0          .0         .0         .0          .0
 1001.-1100.  .0         .0          .0         .0         .0          .0
 1101.-1200.  .0         .0          .0         .0         .0          .0
 1201.-1300.  .0         .0          .0         .0         .0          .0
 1301.-1400.  .0         .0          .0         .0         .0          .0
 1401.-1500.  .0         .0          .0         .0         .0          .0
 1501.-1600.  .0         .0          .0         .0         .0          .0
 1601.-1700.  .0         .0          .0         .0         .0          .0
 1701.-1800.  .0         .0          .0         .0         .0          .0
 1801.-1900.  .0         .0          .0         .0         .0          .0
 1901.-2000.  .0         .0          .0         .0         .0          .0
 2001.-2100.  .0         .0          .0         .0         .0          .0
 2101.-2200.  .0         .0          .0         .0         .0          .0
 2201.-2300.  .0         .0          .0         .0         .0          .0
 2301.-2400.  .0         .0          .0         .0         .0          .0
 2401.-2500.  .0         .0          .0         .0         .0          .0
 2501.-2600.  .0         .0          .0         .0         .0          .0
 2601.-2700.  .0         .0          .0         .0         .0          .0
 2701.-2800.  .0         .0          .0         .0         .0          .0
 2801.-2900.  .0         .0          .0         .0         .0          .0
 2901.-3000.  .0         .0          .0         .0         .0          .0

              .230E 13   .195E 13    .112E 13   .0         .0          .0
```

```
SCC = 30101699--PHOS-ACID WEOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     62

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28       .227E 13   .193E 13   .111E 13   .0         .0         .0
   32       .779E 10   .731E 10   .596E 10   .0         .0         .0
   99       .192E 11   .180E 11   .0         .0         .0         .0


            .230E 13   .195E 13   .112E 13   .0         .0         .0


CC 30101699--PHOS-ACID WE OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     62

EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .688E 12  !HHHHHH
 101.- 200.  .117E 13  !HHHHHHHHHHH
 201.- 300.  .919E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101701--PHOS-ACID TH GENERAL              -NO CONTROL EQUIPMENT -SIC =     0  -TOT RECS =      4
  TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .0          .0          .0          .0          .0          .0
  101.- 200.    .427E 11    .320E 11    .792E 10    .0          .0          .0
  201.- 300.    .0          .0          .0          .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

               .427E 11    .320E 11    .792E 10    .0          .0          .0
```

```
SCC = 30101701--PHOS-ACID THGENERAL            -NO CONTROL EQUIPMENT -TOT RECS =      4

SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
   22        .216E 11   .161E 11    .792E 10    .0         .0          .0
   28        .211E 11   .159E 11    .0          .0         .0          .0


             .427E 11   .320E 11    .792E 10    .0         .0          .0


CC = 30101701--PHOS-ACID TH GENERAL            --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      4

TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
    0.- 100.   .0       !
  101.- 200.   .320E 11 !H
  201.- 300.   .0       !
  301.- 400.   .0       !
  401.- 500.   .0       !
  501.- 600.   .0       !
  601.- 700.   .0       !
  701.- 800.   .0       !
  801.- 900.   .0       !
  901.-1000.   .0       !
 1001.-1100.   .0       !
 1101.-1200.   .0       !
 1201.-1300.   .0       !
 1301.-1400.   .0       !
 1401.-1500.   .0       !
 1501.-1600.   .0       !
 1601.-1700.   .0       !
 1701.-1800.   .0       !
 1801.-1900.   .0       !
 1901.-2000.   .0       !
 2001.-2100.   .0       !
 2101.-2200.   .0       !
 2201.-2300.   .0       !
 2301.-2400.   .0       !
 2401.-2500.   .0       !
 2501.-2600.   .0       !
 2601.-2700.   .0       !
 2701.-2800.   .0       !
 2801.-2900.   .0       !
 2901.-3000.   .0       !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101701--PHOS-ACID TH GENERAL                -WITH CONTROL EQUIPMENT -SIC =     0 -TOT RECS =      13
   TEMP        MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
                60 DEG      60 DEG      60 DEG      300 DEG     300 DEG      300 DEG
   0.- 100.    .381E 11    .357E 11    .291E 11     .0           .0           .0
 101.- 200.    .657E 12    .559E 12    .247E 12     .0           .0           .0
 201.- 300.    .0          .0          .0           .0           .0           .0
 301.- 400.    .0          .0          .0           .0           .0           .0
 401.- 500.    .0          .0          .0           .0           .0           .0
 501.- 600.    .0          .0          .0           .0           .0           .0
 601.- 700.    .0          .0          .0           .0           .0           .0
 701.- 800.    .0          .0          .0           .0           .0           .0
 801.- 900.    .0          .0          .0           .0           .0           .0
 901.-1000.    .0          .0          .0           .0           .0           .0
1001.-1100.    .0          .0          .0           .0           .0           .0
1101.-1200.    .0          .0          .0           .0           .0           .0
1201.-1300.    .0          .0          .0           .0           .0           .0
1301.-1400.    .0          .0          .0           .0           .0           .0
1401.-1500.    .0          .0          .0           .0           .0           .0
1501.-1600.    .0          .0          .0           .0           .0           .0
1601.-1700.    .0          .0          .0           .0           .0           .0
1701.-1800.    .0          .0          .0           .0           .0           .0
1801.-1900.    .0          .0          .0           .0           .0           .0
1901.-2000.    .0          .0          .0           .0           .0           .0
2001.-2100.    .0          .0          .0           .0           .0           .0
2101.-2200.    .0          .0          .0           .0           .0           .0
2201.-2300.    .0          .0          .0           .0           .0           .0
2301.-2400.    .0          .0          .0           .0           .0           .0
2401.-2500.    .0          .0          .0           .0           .0           .0
2501.-2600.    .0          .0          .0           .0           .0           .0
2601.-2700.    .0          .0          .0           .0           .0           .0
2701.-2800.    .0          .0          .0           .0           .0           .0
2801.-2900.    .0          .0          .0           .0           .0           .0
2901.-3000.    .0          .0          .0           .0           .0           .0

               .695E 12    .595E 12    .276E 12     .0           .0           .0
```

```
SCC = 30101701--PHOS-ACID THGENERAL             -WITH CONTROL EQUIPMENT -TOT RECS =    13

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG     300DEG    300 DEG     300 DEG
   28       .695E 12  .595E 12   .276E 12   .0         .0          .0


            .695E 12  .595E 12   .276E 12   .0         .0          .0


CC =30101701--PHOS-ACID TH GENERAL             ---WITH CONTROL EQUIPMENT  -SIC=    0 -TCTAL RECS =     13

TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .357E 11    !H
 101.- 200.  .559E 12    !HHHHH
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101701--PHOS-ACID TH GENERAL          -TOTAL SCC -SIC =    0 -TOT RECS =     17
   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.   .381E 11   .357E 11    .291E 11    .0          .0          .0
  101.- 200.   .700E 12   .591E 12    .255E 12    .0          .0          .0
  201.- 300.   .0         .0          .0          .0          .0          .0
  301.- 400.   .0         .0          .0          .0          .0          .0
  401.- 500.   .0         .0          .0          .0          .0          .0
  501.- 600.   .0         .0          .0          .0          .0          .0
  601.- 700.   .0         .0          .0          .0          .0          .0
  701.- 800.   .0         .0          .0          .0          .0          .0
  801.- 900.   .0         .0          .0          .0          .0          .0
  901.-1000.   .0         .0          .0          .0          .0          .0
 1001.-1100.   .0         .0          .0          .0          .0          .0
 1101.-1200.   .0         .0          .0          .0          .0          .0
 1201.-1300.   .0         .0          .0          .0          .0          .0
 1301.-1400.   .0         .0          .0          .0          .0          .0
 1401.-1500.   .0         .0          .0          .0          .0          .0
 1501.-1600.   .0         .0          .0          .0          .0          .0
 1601.-1700.   .0         .0          .0          .0          .0          .0
 1701.-1800.   .0         .0          .0          .0          .0          .0
 1801.-1900.   .0         .0          .0          .0          .0          .0
 1901.-2000.   .0         .0          .0          .0          .0          .0
 2001.-2100.   .0         .0          .0          .0          .0          .0
 2101.-2200.   .0         .0          .0          .0          .0          .0
 2201.-2300.   .0         .0          .0          .0          .0          .0
 2301.-2400.   .0         .0          .0          .0          .0          .0
 2401.-2500.   .0         .0          .0          .0          .0          .0
 2501.-2600.   .0         .0          .0          .0          .0          .0
 2601.-2700.   .0         .0          .0          .0          .0          .0
 2701.-2800.   .0         .0          .0          .0          .0          .0
 2801.-2900.   .0         .0          .0          .0          .0          .0
 2901.-3000.   .0         .0          .0          .0          .0          .0

               .738E 12   .627E 12    .284E 12    .0          .0          .0
```

```
SCC = 30101701--PHOS-ACID THGENERAL              -TOTAL SCC -TOT RECS =      17

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   22        .216E 11   .161E 11    .792E 10   .0          .0          .0
   28        .716E 12   .611E 12    .276E 12   .0          .0          .0


             .738E 12   .627E 12    .284E 12   .0          .0          .0


CC 30101701--PHOS-ACID TH GENERAL            --TOTAL SCC  -SIC =     0 -TOT RECS =      17

EMP RANGE    COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .357E 11    !H
 101.- 200.  .591E 12    !HHHHHH
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101799--PHOS-ACID TH OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =       4

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG
   0.- 100.   .101E 12   .944E 11   .365E 09   .0          .0         .0
 101.- 200.   .226E 12   .169E 12   .837E 11   .0          .0         .0
 201.- 300.   .0         .0         .0         .0          .0         .0
 301.- 400.   .0         .0         .0         .0          .0         .0
 401.- 500.   .0         .0         .0         .0          .0         .0
 501.- 600.   .0         .0         .0         .0          .0         .0
 601.- 700.   .0         .0         .0         .0          .0         .0
 701.- 800.   .0         .0         .0         .0          .0         .0
 801.- 900.   .0         .0         .0         .0          .0         .0
 901.-1000.   .0         .0         .0         .0          .0         .0
1001.-1100.   .0         .0         .0         .0          .0         .0
1101.-1200.   .0         .0         .0         .0          .0         .0
1201.-1300.   .0         .0         .0         .0          .0         .0
1301.-1400.   .0         .0         .0         .0          .0         .0
1401.-1500.   .0         .0         .0         .0          .0         .0
1501.-1600.   .0         .0         .0         .0          .0         .0
1601.-1700.   .0         .0         .0         .0          .0         .0
1701.-1800.   .0         .0         .0         .0          .0         .0
1801.-1900.   .0         .0         .0         .0          .0         .0
1901.-2000.   .0         .0         .0         .0          .0         .0
2001.-2100.   .0         .0         .0         .0          .0         .0
2101.-2200.   .0         .0         .0         .0          .0         .0
2201.-2300.   .0         .0         .0         .0          .0         .0
2301.-2400.   .0         .0         .0         .0          .0         .0
2401.-2500.   .0         .0         .0         .0          .0         .0
2501.-2600.   .0         .0         .0         .0          .0         .0
2601.-2700.   .0         .0         .0         .0          .0         .0
2701.-2800.   .0         .0         .0         .0          .0         .0
2801.-2900.   .0         .0         .0         .0          .0         .0
2901.-3000.   .0         .0         .0         .0          .0         .0

              .327E 12   .263E 12   .840E 11   .0          .0         .0
```

```
SCC = 30101799--PHOS-ACID THOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      4

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .327E 12   .263E 12   .840E 11    .0         .0         .0


            .327E 12   .263E 12   .840E 11    .0         .0         .0


CC = 30101799--PHOS-ACID TH OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      4

TEMP RANGE   COUNT

                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .944E 11  !H
 101.- 200.  .169E 12  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101799--PHOS-ACID TH OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      8

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.   .122E 11   .114E 11   .0         .0         .0         .0
  101.- 200.   .452E 12   .340E 12   .723E 11   .0         .0         .0
  201.- 300.   .0         .0         .0         .0         .0         .0
  301.- 400.   .0         .0         .0         .0         .0         .0
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .464E 12   .351E 12   .723E 11   .0         .0         .0
```

```
SCC = 30101799--PHOS-ACID THOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     8
SIC           MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG    60 DEG      60 DEG       300DEG  300 DEG     300 DEG
   28        .464E 12   .351E 12   .723E 11   .0         .0          .0


             .464E 12   .351E 12   .723E 11   .0         .0          .0


CC =30101799--PHOS-ACID TH OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     8
TEMP RANGE   COUNT

                         ------------------------------------------------------------------------------------------------
    0.- 100.  .114E 11  !H
  101.- 200.  .340E 12  !HHH
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101799--PHOS-ACID TH OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =     12

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .113E 12   .106E 12   .365E 09   .0          .0         .0
  101.- 200.   .678E 12   .509E 12   .156E 12   .0          .0         .0
  201.- 300.   .0          .0          .0        .0          .0         .0
  301.- 400.   .0          .0          .0        .0          .0         .0
  401.- 500.   .0          .0          .0        .0          .0         .0
  501.- 600.   .0          .0          .0        .0          .0         .0
  601.- 700.   .0          .0          .0        .0          .0         .0
  701.- 800.   .0          .0          .0        .0          .0         .0
  801.- 900.   .0          .0          .0        .0          .0         .0
  901.-1000.   .0          .0          .0        .0          .0         .0
 1001.-1100.   .0          .0          .0        .0          .0         .0
 1101.-1200.   .0          .0          .0        .0          .0         .0
 1201.-1300.   .0          .0          .0        .0          .0         .0
 1301.-1400.   .0          .0          .0        .0          .0         .0
 1401.-1500.   .0          .0          .0        .0          .0         .0
 1501.-1600.   .0          .0          .0        .0          .0         .0
 1601.-1700.   .0          .0          .0        .0          .0         .0
 1701.-1800.   .0          .0          .0        .0          .0         .0
 1801.-1900.   .0          .0          .0        .0          .0         .0
 1901.-2000.   .0          .0          .0        .0          .0         .0
 2001.-2100.   .0          .0          .0        .0          .0         .0
 2101.-2200.   .0          .0          .0        .0          .0         .0
 2201.-2300.   .0          .0          .0        .0          .0         .0
 2301.-2400.   .0          .0          .0        .0          .0         .0
 2401.-2500.   .0          .0          .0        .0          .0         .0
 2501.-2600.   .0          .0          .0        .0          .0         .0
 2601.-2700.   .0          .0          .0        .0          .0         .0
 2701.-2800.   .0          .0          .0        .0          .0         .0
 2801.-2900.   .0          .0          .0        .0          .0         .0
 2901.-3000.   .0          .0          .0        .0          .0         .0

               .791E 12   .614E 12   .156E 12   .0          .0         .0
```

```
SCC = 30101799--PHOS-ACID THOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     12

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28        .791E 12   .614E 12    .156E 12   .0         .0          .0


             .791E 12   .614E 12    .156E 12   .0         .0          .0


CC 30101799--PHOS-ACID TH OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     12

EMP RANGE    COUNT

                            ----------------------------------------------------------------------------------------------------
    0.- 100.   .106E 12   !H
  101.- 200.   .509E 12   !HHHHH
  201.- 300.   .0         !
  301.- 400.   .0         !
  401.- 500.   .0         !
  501.- 600.   .0         !
  601.- 700.   .0         !
  701.- 800.   .0         !
  801.- 900.   .0         !
  901.-1000.   .0         !
 1001.-1100.   .0         !
 1101.-1200.   .0         !
 1201.-1300.   .0         !
 1301.-1400.   .0         !
 1401.-1500.   .0         !
 1501.-1600.   .0         !
 1601.-1700.   .0         !
 1701.-1800.   .0         !
 1801.-1900.   .0         !
 1901.-2000.   .0         !
 2001.-2100.   .0         !
 2101.-2200.   .0         !
 2201.-2300.   .0         !
 2301.-2400.   .0         !
 2401.-2500.   .0         !
 2501.-2600.   .0         !
 2601.-2700.   .0         !
 2701.-2800.   .0         !
 2801.-2900.   .0         !
 2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101801--PLASTICS     PVC-GENERAL          -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     98
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.  .653E 12   .613E 12   .104E 12   .0         .0         .0
  101.- 200.  .223E 13   .172E 13   .579E 12   .0         .0         .0
  201.- 300.  .392E 12   .297E 12   .959E 11   .0         .0         .0
  301.- 400.  .139E 12   .108E 12   .621E 11   .855E 10   .812E 10   .743E 10
  401.- 500.  .0         .0         .0         .0         .0         .0
  501.- 600.  .0         .0         .0         .0         .0         .0
  601.- 700.  .934E 10   .757E 10   .492E 10   .222E 10   .211E 10   .193E 10
  701.- 800.  .0         .0         .0         .0         .0         .0
  801.- 900.  .0         .0         .0         .0         .0         .0
  901.-1000.  .0         .0         .0         .0         .0         .0
 1001.-1100.  .0         .0         .0         .0         .0         .0
 1101.-1200.  .0         .0         .0         .0         .0         .0
 1201.-1300.  .0         .0         .0         .0         .0         .0
 1301.-1400.  .0         .0         .0         .0         .0         .0
 1401.-1500.  .0         .0         .0         .0         .0         .0
 1501.-1600.  .0         .0         .0         .0         .0         .0
 1601.-1700.  .0         .0         .0         .0         .0         .0
 1701.-1800.  .0         .0         .0         .0         .0         .0
 1801.-1900.  .0         .0         .0         .0         .0         .0
 1901.-2000.  .0         .0         .0         .0         .0         .0
 2001.-2100.  .0         .0         .0         .0         .0         .0
 2101.-2200.  .0         .0         .0         .0         .0         .0
 2201.-2300.  .0         .0         .0         .0         .0         .0
 2301.-2400.  .0         .0         .0         .0         .0         .0
 2401.-2500.  .0         .0         .0         .0         .0         .0
 2501.-2600.  .0         .0         .0         .0         .0         .0
 2601.-2700.  .0         .0         .0         .0         .0         .0
 2701.-2800.  .0         .0         .0         .0         .0         .0
 2801.-2900.  .0         .0         .0         .0         .0         .0
 2901.-3000.  .0         .0         .0         .0         .0         .0

              .343E 13   .274E 13   .846E 12   .108E 11   .102E 11   .936E 10
```

```
SCC = 30101801--PLASTICS    PVC-GENERAL         -NO CONTROL EQUIPMENT -TOT RECS =     98

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   25       .319E 11   .239E 11   .118E 11   .0         .0          .0
   28       .266E 13   .211E 13   .584E 12   .232E 10   .220E 10    .202E 10
   30       .522E 12   .423E 12   .190E 12   .0         .0          .0
   36       .315E 11   .296E 11   .0         .0         .0          .0
   49       .934E 10   .757E 10   .492E 10   .222E 10   .211E 10    .193E 10
   99       .170E 12   .146E 12   .559E 11   .623E 10   .591E 10    .541E 10

            .343E 13   .274E 13   .846E 12   .108E 11   .102E 11    .936E 10

CC = 30101801--PLASTICS     PVC-GENERAL        --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     98

TEMP RANGE   COUNT

                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .613E 12 !HHHHHH
 101.- 200.  .172E 13 !HHHHHHHHHHHHHHHHH
 201.- 300.  .297E 12 !HH
 301.- 400.  .108E 12 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .757E 10 !H
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101801--PLASTICS     PVC-GENERAL          -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =    133
    TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.   .831E 12   .780E 12   .348E 12   .0         .0          .0
  101.- 200.   .199E 13   .159E 13   .798E 12   .0         .0          .0
  201.- 300.   .170E 11   .128E 11   .641E 10   .0         .0          .0
  301.- 400.   .0         .0         .0         .0         .0          .0
  401.- 500.   .0         .0         .0         .0         .0          .0
  501.- 600.   .0         .0         .0         .0         .0          .0
  601.- 700.   .0         .0         .0         .0         .0          .0
  701.- 800.   .0         .0         .0         .0         .0          .0
  801.- 900.   .0         .0         .0         .0         .0          .0
  901.-1000.   .0         .0         .0         .0         .0          .0
 1001.-1100.   .0         .0         .0         .0         .0          .0
 1101.-1200.   .0         .0         .0         .0         .0          .0
 1201.-1300.   .0         .0         .0         .0         .0          .0
 1301.-1400.   .0         .0         .0         .0         .0          .0
 1401.-1500.   .0         .0         .0         .0         .0          .0
 1501.-1600.   .0         .0         .0         .0         .0          .0
 1601.-1700.   .0         .0         .0         .0         .0          .0
 1701.-1800.   .0         .0         .0         .0         .0          .0
 1801.-1900.   .0         .0         .0         .0         .0          .0
 1901.-2000.   .0         .0         .0         .0         .0          .0
 2001.-2100.   .0         .0         .0         .0         .0          .0
 2101.-2200.   .0         .0         .0         .0         .0          .0
 2201.-2300.   .0         .0         .0         .0         .0          .0
 2301.-2400.   .0         .0         .0         .0         .0          .0
 2401.-2500.   .0         .0         .0         .0         .0          .0
 2501.-2600.   .0         .0         .0         .0         .0          .0
 2601.-2700.   .0         .0         .0         .0         .0          .0
 2701.-2800.   .0         .0         .0         .0         .0          .0
 2801.-2900.   .0         .0         .0         .0         .0          .0
 2901.-3000.   .0         .0         .0         .0         .0          .0

               .283E 13   .238E 13   .115E 13   .0         .0          .0
```

```
SCC = 30101801--PLASTICS    PVC-GENERAL          -WITH CONTROL EQUIPMENT -TOT RECS =   133

SIC           MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
               60 DEG      60 DEG      60 DEG      300DEG     300 DEG     300 DEG
   28         .257E 13    .215E 13    .107E 13    .0          .0          .0
   30         .955E 11    .895E 11    .340E 11    .0          .0          .0
   33         .966E 10    .906E 10    .738E 10    .0          .0          .0
   49         .170E 11    .128E 11    .641E 10    .0          .0          .0
   99         .144E 12    .117E 12    .347E 11    .0          .0          .0

              .283E 13    .238E 13    .115E 13    .0          .0          .0

CC =30101801--PLASTICS     PVC-GENERAL          ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    133

TEMP RANGE   COUNT

                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .780E 12 !HHHHHHHH
 101.- 200.  .159E 13 !HHHHHHHHHHHHHHHH
 201.- 300.  .128E 11 !H
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101801--PLASTICS     PVC-GENERAL        -TOTAL SCC -SIC =    0 -TOT RECS =    231
   TEMP          MAXIMUM     EXPECTED     MINIMUM      MAXIMUM      EXPECTED     MINIMUM
                 60 DEG      60 DEG       60 DEG       300 DEG      300 DEG      300 DEG
    0.- 100.     .148E 13    .139E 13     .451E 12     .0           .0           .0
  101.- 200.     .422E 13    .330E 13     .138E 13     .0           .0           .0
  201.- 300.     .409E 12    .309E 12     .102E 12     .0           .0           .0
  301.- 400.     .139E 12    .108E 12     .621E 11     .855E 10     .812E 10     .743E 10
  401.- 500.     .0          .0           .0           .0           .0           .0
  501.- 600.     .0          .0           .0           .0           .0           .0
  601.- 700.     .934E 10    .757E 10     .492E 10     .222E 10     .211E 10     .193E 10
  701.- 800.     .0          .0           .0           .0           .0           .0
  801.- 900.     .0          .0           .0           .0           .0           .0
  901.-1000.     .0          .0           .0           .0           .0           .0
 1001.-1100.     .0          .0           .0           .0           .0           .0
 1101.-1200.     .0          .0           .0           .0           .0           .0
 1201.-1300.     .0          .0           .0           .0           .0           .0
 1301.-1400.     .0          .0           .0           .0           .0           .0
 1401.-1500.     .0          .0           .0           .0           .0           .0
 1501.-1600.     .0          .0           .0           .0           .0           .0
 1601.-1700.     .0          .0           .0           .0           .0           .0
 1701.-1800.     .0          .0           .0           .0           .0           .0
 1801.-1900.     .0          .0           .0           .0           .0           .0
 1901.-2000.     .0          .0           .0           .0           .0           .0
 2001.-2100.     .0          .0           .0           .0           .0           .0
 2101.-2200.     .0          .0           .0           .0           .0           .0
 2201.-2300.     .0          .0           .0           .0           .0           .0
 2301.-2400.     .0          .0           .0           .0           .0           .0
 2401.-2500.     .0          .0           .0           .0           .0           .0
 2501.-2600.     .0          .0           .0           .0           .0           .0
 2601.-2700.     .0          .0           .0           .0           .0           .0
 2701.-2800.     .0          .0           .0           .0           .0           .0
 2801.-2900.     .0          .0           .0           .0           .0           .0
 2901.-3000.     .0          .0           .0           .0           .0           .0

                 .626E 13    .512E 13     .200E 13     .108E 11     .102E 11     .936E 10
```

```
SCC = 30101801--PLASTICS    PVC-GENERAL         -TOTAL SCC -TOT RECS =    231

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   25        .319E 11   .239E 11    .118E 11   .0         .0          .0
   28        .523E 13   .426E 13    .165E 13   .232E 10   .220E 10    .202E 10
   30        .617E 12   .512E 12    .224E 12   .0         .0          .0
   33        .966E 10   .906E 10    .738E 10   .0         .0          .0
   36        .315E 11   .296E 11    .0         .0         .0          .0
   49        .264E 11   .203E 11    .113E 11   .222E 10   .211E 10    .193E 10
   99        .314E 12   .264E 12    .907E 11   .623E 10   .591E 10    .541E 10

             .626E 13   .512E 13    .200E 13   .108E 11   .102E 11    .936E 10


CC 30101801--PLASTICS     PVC-GENERAL         --TOTAL SCC  -SIC =    0 -TOT RECS =    231

EMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .139E 13   !HHHHHHHHHHHHH
 101.- 200.  .330E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .309E 12   !HHH
 301.- 400.  .108E 12   !H
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .757E 10   !H
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101802--PLASTICS     POLYPROPYLENE-GENERA -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =    107

   TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.   .589E 12   .552E 12    .296E 11    .0          .0          .0
 101.- 200.   .600E 12   .474E 12    .605E 11    .0          .0          .0
 201.- 300.   .271E 12   .206E 12    .174E 10    .0          .0          .0
 301.- 400.   .318E 12   .248E 12    .731E 10    .221E 11    .209E 11    .790E 09
 401.- 500.   .852E 11   .671E 11    .281E 10    .960E 10    .912E 10    .584E 09
 501.- 600.   .542E 12   .439E 12    .238E 12    .126E 12    .120E 12    .917E 11
 601.- 700.   .0         .0          .0          .0          .0          .0
 701.- 800.   .242E 11   .200E 11    .138E 11    .801E 10    .762E 10    .696E 10
 801.- 900.   .676E 11   .567E 11    .400E 11    .258E 11    .245E 11    .224E 11
 901.-1000.   .0         .0          .0          .0          .0          .0
1001.-1100.   .0         .0          .0          .0          .0          .0
1101.-1200.   .0         .0          .0          .0          .0          .0
1201.-1300.   .0         .0          .0          .0          .0          .0
1301.-1400.   .0         .0          .0          .0          .0          .0
1401.-1500.   .0         .0          .0          .0          .0          .0
1501.-1600.   .0         .0          .0          .0          .0          .0
1601.-1700.   .0         .0          .0          .0          .0          .0
1701.-1800.   .0         .0          .0          .0          .0          .0
1801.-1900.   .0         .0          .0          .0          .0          .0
1901.-2000.   .146E 09   .129E 09    .103E 09    .951E 08    .902E 08    .736E 08
2001.-2100.   .0         .0          .0          .0          .0          .0
2101.-2200.   .0         .0          .0          .0          .0          .0
2201.-2300.   .0         .0          .0          .0          .0          .0
2301.-2400.   .0         .0          .0          .0          .0          .0
2401.-2500.   .0         .0          .0          .0          .0          .0
2501.-2600.   .0         .0          .0          .0          .0          .0
2601.-2700.   .0         .0          .0          .0          .0          .0
2701.-2800.   .0         .0          .0          .0          .0          .0
2801.-2900.   .0         .0          .0          .0          .0          .0
2901.-3000.   .0         .0          .0          .0          .0          .0

              .250E 13   .206E 13    .393E 12    .192E 12    .182E 12    .122E 12
```

```
SCC = 30101802--PLASTICS    POLYPROPYLENE-GENERA -NO CONTROL EQUIPMENT -TOT RECS =    107

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG      60 DEG       60 DEG     300 DEG      300 DEG     300 DEG
   20        .462E 10    .434E 10    .353E 10    .0          .0          .0
   26        .111E 12    .920E 11    .289E 09    .0          .0          .0
   28        .180E 13    .149E 13    .101E 12    .669E 11    .635E 11    .139E 11
   30        .985E 11    .856E 11    .553E 11    .258E 11    .245E 11    .224E 11
   99        .478E 12    .394E 12    .233E 12    .992E 11    .942E 11    .862E 11


             .250E 13    .206E 13    .393E 12    .192E 12    .182E 12    .122E 12


CC = 30101802--PLASTICS     POLYPROPYLENE-GENERA--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    107

TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .552E 12    !HHHHH
 101.- 200.   .474E 12    !HHHH
 201.- 300.   .206E 12    !HH
 301.- 400.   .248E 12    !HH
 401.- 500.   .671E 11    !H
 501.- 600.   .439E 12    !HHHH
 601.- 700.   .0          !
 701.- 800.   .200E 11    !H
 801.- 900.   .567E 11    !H
 901.-1000.   .0          !
1001.-1100.   .0          !
1101.-1200.   .0          !
1201.-1300.   .0          !
1301.-1400.   .0          !
1401.-1500.   .0          !
1501.-1600.   .0          !
1601.-1700.   .0          !
1701.-1800.   .0          !
1801.-1900.   .0          !
1901.-2000.   .129E 09    !
2001.-2100.   .0          !
2101.-2200.   .0          !
2201.-2300.   .0          !
2301.-2400.   .0          !
2401.-2500.   .0          !
2501.-2600.   .0          !
2601.-2700.   .0          !
2701.-2800.   .0          !
2801.-2900.   .0          !
2901.-3000.   .0          !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101802--PLASTICS     POLYPROPYLENE-GENERA  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =    116

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
   0.- 100.  .124E 12   .117E 12   .536E 11   .0         .0         .0
 101.- 200.  .220E 12   .168E 12   .727E 11   .0         .0         .0
 201.- 300.  .190E 12   .143E 12   .686E 11   .0         .0         .0
 301.- 400.  .162E 11   .126E 11   .0         .120E 10   .114E 10   .0
 401.- 500.  .0         .0         .0         .0         .0         .0
 501.- 600.  .366E 10   .296E 10   .192E 10   .852E 09   .809E 09   .740E 09
 601.- 700.  .0         .0         .0         .0         .0         .0
 701.- 800.  .0         .0         .0         .0         .0         .0
 801.- 900.  .0         .0         .0         .0         .0         .0
 901.-1000.  .507E 11   .427E 11   .0         .209E 11   .199E 11   .0
1001.-1100.  .0         .0         .0         .0         .0         .0
1101.-1200.  .0         .0         .0         .0         .0         .0
1201.-1300.  .0         .0         .0         .0         .0         .0
1301.-1400.  .0         .0         .0         .0         .0         .0
1401.-1500.  .0         .0         .0         .0         .0         .0
1501.-1600.  .0         .0         .0         .0         .0         .0
1601.-1700.  .0         .0         .0         .0         .0         .0
1701.-1800.  .0         .0         .0         .0         .0         .0
1801.-1900.  .0         .0         .0         .0         .0         .0
1901.-2000.  .0         .0         .0         .0         .0         .0
2001.-2100.  .0         .0         .0         .0         .0         .0
2101.-2200.  .0         .0         .0         .0         .0         .0
2201.-2300.  .0         .0         .0         .0         .0         .0
2301.-2400.  .0         .0         .0         .0         .0         .0
2401.-2500.  .0         .0         .0         .0         .0         .0
2501.-2600.  .0         .0         .0         .0         .0         .0
2601.-2700.  .0         .0         .0         .0         .0         .0
2701.-2800.  .0         .0         .0         .0         .0         .0
2801.-2900.  .0         .0         .0         .0         .0         .0
2901.-3000.  .0         .0         .0         .0         .0         .0

             .604E 12   .486E 12   .197E 12   .229E 11   .218E 11   .740E 09
```

```
SCC = 30101802--PLASTICS     POLYPROPYLENE-GENERA -WITH CONTROL EQUIPMENT -TOT RECS =   116

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300DEG     300 DEG     300 DEG
   28        .543E 12   .433E 12    .159E 12    .229E 11    .218E 11    .740E 09
   29        .162E 10   .152E 10    .123E 10    .0          .0          .0
   30        .210E 11   .161E 11    .885E 10    .0          .0          .0
   35        .980E 09   .919E 09    .749E 09    .0          .0          .0
   39        .925E 10   .868E 10    .707E 10    .0          .0          .0
   99        .282E 11   .265E 11    .194E 11    .0          .0          .0

             .604E 12   .486E 12    .197E 12    .229E 11    .218E 11    .740E 09

CC =30101802--PLASTICS     POLYPROPYLENE-GENERA---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    116

TEMP RANGE   COUNT
                         ------------------------------------------------------------------------------------------------
   0.- 100.  .117E 12  !H
 101.- 200.  .168E 12  !H
 201.- 300.  .143E 12  !H
 301.- 400.  .126E 11  !H
 401.- 500.  .0        !
 501.- 600.  .296E 10  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .427E 11  !H
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101802--PLASTICS      POLYPROPYLENE-GENERA -TOTAL SCC -SIC =     0 -TOT RECS =     223

   TEMP         MAXIMUM     EXPECTED     MINIMUM      MAXIMUM     EXPECTED     MINIMUM
               60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
    0.- 100.    .713E 12    .669E 12    .832E 11    .0          .0          .0
  101.- 200.    .820E 12    .642E 12    .133E 12    .0          .0          .0
  201.- 300.    .460E 12    .349E 12    .703E 11    .0          .0          .0
  301.- 400.    .334E 12    .260E 12    .731E 10    .233E 11    .221E 11    .790E 09
  401.- 500.    .852E 11    .671E 11    .281E 10    .960E 10    .912E 10    .584E 09
  501.- 600.    .545E 12    .442E 12    .240E 12    .127E 12    .121E 12    .924E 11
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .242E 11    .200E 11    .138E 11    .801E 10    .762E 10    .696E 10
  801.- 900.    .676E 11    .567E 11    .400E 11    .258E 11    .245E 11    .224E 11
  901.-1000.    .507E 11    .427E 11    .0          .209E 11    .199E 11    .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .146E 09    .129E 09    .103E 09    .951E 08    .902E 08    .736E 08
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .310E 13    .255E 13    .590E 12    .215E 12    .204E 12    .123E 12
```

```
SCC = 30101802--PLASTICS    POLYPROPYLENE-GENERA -TOTAL SCC -TOT RECS =    223

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG     300 DEG     300 DEG
   20       .462E 10   .434E 10    .353E 10   .0          .0          .0
   26       .111E 12   .920E 11    .289E 09   .0          .0          .0
   28       .235E 13   .192E 13    .260E 12   .898E 11    .853E 11    .146E 11
   29       .162E 10   .152E 10    .123E 10   .0          .0          .0
   30       .120E 12   .102E 12    .642E 11   .258E 11    .245E 11    .224E 11
   35       .980E 09   .919E 09    .749E 09   .0          .0          .0
   39       .925E 10   .868E 10    .707E 10   .0          .0          .0
   99       .506E 12   .421E 12    .253E 12   .992E 11    .942E 11    .862E 11


            .310E 13   .255E 13    .590E 12   .215E 12    .204E 12    .123E 12


CC 30101802--PLASTICS     POLYPROPYLENE-GENERA--TOTAL SCC  -SIC =    0 -TOT RECS =    223

EMP RANGE   COUNT

                      -----------------------------------------------------------------------------------------------------
   0.- 100.  .669E 12  !HHHHHH
 101.- 200.  .642E 12  !HHHHHH
 201.- 300.  .349E 12  !HHH
 301.- 400.  .260E 12  !HH
 401.- 500.  .671E 11  !H
 501.- 600.  .442E 12  !HHHH
 601.- 700.  .0        !
 701.- 800.  .200E 11  !H
 801.- 900.  .567E 11  !H
 901.-1000.  .427E 11  !H
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .129E 09  !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101805--PLASTICS     BAKELITE-GENERAL     -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =       2

   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM   EXPECTED    MINIMUM
                 60 DEG      60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   0.- 100.    .219E 11    .206E 11    .767E 10    .0         .0          .0
 101.- 200.    .0          .0          .0          .0         .0          .0
 201.- 300.    .0          .0          .0          .0         .0          .0
 301.- 400.    .0          .0          .0          .0         .0          .0
 401.- 500.    .0          .0          .0          .0         .0          .0
 501.- 600.    .0          .0          .0          .0         .0          .0
 601.- 700.    .0          .0          .0          .0         .0          .0
 701.- 800.    .0          .0          .0          .0         .0          .0
 801.- 900.    .0          .0          .0          .0         .0          .0
 901.-1000.    .0          .0          .0          .0         .0          .0
1001.-1100.    .0          .0          .0          .0         .0          .0
1101.-1200.    .0          .0          .0          .0         .0          .0
1201.-1300.    .0          .0          .0          .0         .0          .0
1301.-1400.    .0          .0          .0          .0         .0          .0
1401.-1500.    .0          .0          .0          .0         .0          .0
1501.-1600.    .0          .0          .0          .0         .0          .0
1601.-1700.    .0          .0          .0          .0         .0          .0
1701.-1800.    .0          .0          .0          .0         .0          .0
1801.-1900.    .0          .0          .0          .0         .0          .0
1901.-2000.    .0          .0          .0          .0         .0          .0
2001.-2100.    .0          .0          .0          .0         .0          .0
2101.-2200.    .0          .0          .0          .0         .0          .0
2201.-2300.    .0          .0          .0          .0         .0          .0
2301.-2400.    .0          .0          .0          .0         .0          .0
2401.-2500.    .0          .0          .0          .0         .0          .0
2501.-2600.    .0          .0          .0          .0         .0          .0
2601.-2700.    .0          .0          .0          .0         .0          .0
2701.-2800.    .0          .0          .0          .0         .0          .0
2801.-2900.    .0          .0          .0          .0         .0          .0
2901.-3000.    .0          .0          .0          .0         .0          .0

               .219E 11    .206E 11    .767E 10    .0         .0          .0
```

```
SCC = 30101805--PLASTICS    BAKELITE-GENERAL     -NO CONTROL EQUIPMENT -TOT RECS =      2

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   32        .119E 11   .111E 11   .0         .0         .0         .0
   36        .100E 11   .942E 10   .767E 10   .0         .0         .0


             .219E 11   .206E 11   .767E 10   .0         .0         .0


CC = 30101805--PLASTICS     BAKELITE-GENERAL    --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2

TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .206E 11    !H
 101.- 200.  .0          !
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101805--PLASTICS     BAKELITE-GENERAL      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.   .0          .0          .0          .0          .0          .0
  101.- 200.   .234E 12    .188E 12    .922E 11    .0          .0          .0
  201.- 300.   .0          .0          .0          .0          .0          .0
  301.- 400.   .150E 12    .116E 12    .0          .275E 10    .261E 10    .0
  401.- 500.   .0          .0          .0          .0          .0          .0
  501.- 600.   .0          .0          .0          .0          .0          .0
  601.- 700.   .0          .0          .0          .0          .0          .0
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .385E 12    .304E 12    .922E 11    .275E 10    .261E 10    .0
```

```
SCC = 30101805--PLASTICS    BAKELITE-GENERAL     -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28        .385E 12   .304E 12    .922E 11    .275E 10    .261E 10    .0


             .385E 12   .304E 12    .922E 11    .275E 10    .261E 10    .0


CC =30101805--PLASTICS     BAKELITE-GENERAL    ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3

TEMP RANGE   COUNT

                          -----------------------------------------------------------------------------------------------------
   0.- 100.  .0           !
 101.- 200.  .188E 12     !H
 201.- 300.  .0           !
 301.- 400.  .116E 12     !H
 401.- 500.  .0           !
 501.- 600.  .0           !
 601.- 700.  .0           !
 701.- 800.  .0           !
 801.- 900.  .0           !
 901.-1000.  .0           !
1001.-1100.  .0           !
1101.-1200.  .0           !
1201.-1300.  .0           !
1301.-1400.  .0           !
1401.-1500.  .0           !
1501.-1600.  .0           !
1601.-1700.  .0           !
1701.-1800.  .0           !
1801.-1900.  .0           !
1901.-2000.  .0           !
2001.-2100.  .0           !
2101.-2200.  .0           !
2201.-2300.  .0           !
2301.-2400.  .0           !
2401.-2500.  .0           !
2501.-2600.  .0           !
2601.-2700.  .0           !
2701.-2800.  .0           !
2801.-2900.  .0           !
2901.-3000.  .0           !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101805--PLASTICS     BAKELITE-GENERAL     -TOTAL SCC -SIC =    0 -TOT RECS =      5

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.   .219E 11   .206E 11   .767E 10    .0          .0          .0
  101.- 200.   .234E 12   .188E 12   .922E 11    .0          .0          .0
  201.- 300.   .0         .0         .0          .0          .0          .0
  301.- 400.   .150E 12   .116E 12   .0          .275E 10    .261E 10    .0
  401.- 500.   .0         .0         .0          .0          .0          .0
  501.- 600.   .0         .0         .0          .0          .0          .0
  601.- 700.   .0         .0         .0          .0          .0          .0
  701.- 800.   .0         .0         .0          .0          .0          .0
  801.- 900.   .0         .0         .0          .0          .0          .0
  901.-1000.   .0         .0         .0          .0          .0          .0
 1001.-1100.   .0         .0         .0          .0          .0          .0
 1101.-1200.   .0         .0         .0          .0          .0          .0
 1201.-1300.   .0         .0         .0          .0          .0          .0
 1301.-1400.   .0         .0         .0          .0          .0          .0
 1401.-1500.   .0         .0         .0          .0          .0          .0
 1501.-1600.   .0         .0         .0          .0          .0          .0
 1601.-1700.   .0         .0         .0          .0          .0          .0
 1701.-1800.   .0         .0         .0          .0          .0          .0
 1801.-1900.   .0         .0         .0          .0          .0          .0
 1901.-2000.   .0         .0         .0          .0          .0          .0
 2001.-2100.   .0         .0         .0          .0          .0          .0
 2101.-2200.   .0         .0         .0          .0          .0          .0
 2201.-2300.   .0         .0         .0          .0          .0          .0
 2301.-2400.   .0         .0         .0          .0          .0          .0
 2401.-2500.   .0         .0         .0          .0          .0          .0
 2501.-2600.   .0         .0         .0          .0          .0          .0
 2601.-2700.   .0         .0         .0          .0          .0          .0
 2701.-2800.   .0         .0         .0          .0          .0          .0
 2801.-2900.   .0         .0         .0          .0          .0          .0
 2901.-3000.   .0         .0         .0          .0          .0          .0

               .406E 12   .324E 12   .999E 11    .275E 10    .261E 10    .0
```

```
SCC = 30101805--PLASTICS    BAKELITE-GENERAL     -TOTAL SCC -TOT RECS =      5

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28        .385E 12   .304E 12   .922E 11   .275E 10   .261E 10   .0
   32        .119E 11   .111E 11   .0         .0         .0         .0
   36        .100E 11   .942E 10   .767E 10   .0         .0         .0

             .406E 12   .324E 12   .999E 11   .275E 10   .261E 10   .0


CC 30101805--PLASTICS    BAKELITE-GENERAL    --TOTAL SCC  -SIC =    0 -TOT RECS =      5

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .206E 11  !H
 101.- 200.  .188E 12  !H
 201.- 300.  .0        !
 301.- 400.  .116E 12  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90------100
```

```
SCC= 30101899--PLASTICS     OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =    185

   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .514E 13   .482E 13    .148E 13    .0          .0          .0
  101.- 200.    .191E 13   .156E 13    .730E 12    .0          .0          .0
  201.- 300.    .930E 12   .706E 12    .259E 12    .0          .0          .0
  301.- 400.    .296E 12   .229E 12    .0          .140E 11    .133E 11    .0
  401.- 500.    .203E 12   .161E 12    .169E 11    .300E 11    .285E 11    .394E 10
  501.- 600.    .0         .0          .0          .0          .0          .0
  601.- 700.    .0         .0          .0          .0          .0          .0
  701.- 800.    .0         .0          .0          .0          .0          .0
  801.- 900.    .0         .0          .0          .0          .0          .0
  901.-1000.    .0         .0          .0          .0          .0          .0
 1001.-1100.    .532E 11   .450E 11    .327E 11    .231E 11    .219E 11    .200E 11
 1101.-1200.    .0         .0          .0          .0          .0          .0
 1201.-1300.    .0         .0          .0          .0          .0          .0
 1301.-1400.    .0         .0          .0          .0          .0          .0
 1401.-1500.    .0         .0          .0          .0          .0          .0
 1501.-1600.    .0         .0          .0          .0          .0          .0
 1601.-1700.    .0         .0          .0          .0          .0          .0
 1701.-1800.    .0         .0          .0          .0          .0          .0
 1801.-1900.    .0         .0          .0          .0          .0          .0
 1901.-2000.    .398E 12   .352E 12    .281E 12    .259E 12    .245E 12    .200E 12
 2001.-2100.    .0         .0          .0          .0          .0          .0
 2101.-2200.    .0         .0          .0          .0          .0          .0
 2201.-2300.    .0         .0          .0          .0          .0          .0
 2301.-2400.    .0         .0          .0          .0          .0          .0
 2401.-2500.    .0         .0          .0          .0          .0          .0
 2501.-2600.    .0         .0          .0          .0          .0          .0
 2601.-2700.    .0         .0          .0          .0          .0          .0
 2701.-2800.    .0         .0          .0          .0          .0          .0
 2801.-2900.    .0         .0          .0          .0          .0          .0
 2901.-3000.    .0         .0          .0          .0          .0          .0

                .893E 13   .788E 13    .280E 13    .326E 12    .309E 12    .224E 12
```

```
SCC = 30101899--PLASTICS    OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =    185
SIC          MAXIMUM     EXPECTED     MINIMUM      MAXIMUM     EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG       300 DEG      300 DEG     300 DEG
    2       .546E 11    .512E 11    .0           .0           .0           .0
   19       .111E 10    .105E 10    .852E 09     .0           .0           .0
   22       .153E 12    .116E 12    .591E 11     .0           .0           .0
   25       .546E 11    .512E 11    .0           .0           .0           .0
   26       .130E 12    .120E 12    .321E 10     .0           .0           .0
   28       .355E 13    .305E 13    .510E 12     .644E 11     .612E 11    .239E 11
   29       .307E 11    .279E 11    .182E 10     .0           .0           .0
   30       .406E 13    .370E 13    .187E 13     .0           .0           .0
   33       .546E 11    .512E 11    .0           .0           .0           .0
   36       .105E 11    .984E 10    .719E 10     .0           .0           .0
   37       .181E 12    .139E 12    .152E 11     .260E 10     .247E 10     .0
   99       .644E 12    .558E 12    .332E 12     .259E 12     .245E 12    .200E 12

            .893E 13    .788E 13    .280E 13     .326E 12     .309E 12    .224E 12

CC = 30101899--PLASTICS    OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    185
TEMP RANGE    COUNT

                         -------------------------------------------------------------------------------------
    0.- 100.  .482E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  101.- 200.  .156E 13  !HHHHHHHHHHHHHHHH
  201.- 300.  .706E 12  !HHHHHHH
  301.- 400.  .229E 12  !HH
  401.- 500.  .161E 12  !H
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .450E 11  !H
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .352E 12  !HHH
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
```

```
SCC= 30101899--PLASTICS     OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =    134
   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.     .530E 12   .497E 12   .311E 12   .0          .0          .0
 101.- 200.     .192E 12   .151E 12   .459E 11   .0          .0          .0
 201.- 300.     .225E 11   .172E 11   .945E 10   .0          .0          .0
 301.- 400.     .0         .0         .0         .0          .0          .0
 401.- 500.     .0         .0         .0         .0          .0          .0
 501.- 600.     .0         .0         .0         .0          .0          .0
 601.- 700.     .0         .0         .0         .0          .0          .0
 701.- 800.     .0         .0         .0         .0          .0          .0
 801.- 900.     .0         .0         .0         .0          .0          .0
 901.-1000.     .0         .0         .0         .0          .0          .0
1001.-1100.     .0         .0         .0         .0          .0          .0
1101.-1200.     .0         .0         .0         .0          .0          .0
1201.-1300.     .0         .0         .0         .0          .0          .0
1301.-1400.     .0         .0         .0         .0          .0          .0
1401.-1500.     .319E 10   .278E 10   .214E 10   .179E 10    .171E 10    .155E 10
1501.-1600.     .0         .0         .0         .0          .0          .0
1601.-1700.     .0         .0         .0         .0          .0          .0
1701.-1800.     .0         .0         .0         .0          .0          .0
1801.-1900.     .0         .0         .0         .0          .0          .0
1901.-2000.     .0         .0         .0         .0          .0          .0
2001.-2100.     .0         .0         .0         .0          .0          .0
2101.-2200.     .0         .0         .0         .0          .0          .0
2201.-2300.     .0         .0         .0         .0          .0          .0
2301.-2400.     .0         .0         .0         .0          .0          .0
2401.-2500.     .0         .0         .0         .0          .0          .0
2501.-2600.     .0         .0         .0         .0          .0          .0
2601.-2700.     .0         .0         .0         .0          .0          .0
2701.-2800.     .0         .0         .0         .0          .0          .0
2801.-2900.     .0         .0         .0         .0          .0          .0
2901.-3000.     .0         .0         .0         .0          .0          .0

                .747E 12   .667E 12   .369E 12   .179E 10    .171E 10    .155E 10
```

```
SCC = 30101899--PLASTICS    OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =   134

SIC            MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
               60 DEG     60 DEG       60 DEG       300DEG    300 DEG     300 DEG
   24         .551E 10   .517E 10    .0          .0          .0          .0
   26         .551E 10   .517E 10    .421E 10    .0          .0          .0
   28         .392E 12   .337E 12    .140E 12    .0          .0          .0
   29         .655E 07   .615E 07    .501E 07    .0          .0          .0
   30         .310E 12   .289E 12    .203E 12    .0          .0          .0
   32         .140E 11   .131E 11    .107E 11    .0          .0          .0
   33         .466E 10   .437E 10    .0          .0          .0          .0
   36         .210E 09   .197E 09    .160E 09    .0          .0          .0
   73         .323E 10   .303E 10    .247E 10    .0          .0          .0
   99         .114E 11   .104E 11    .838E 10    .179E 10    .171E 10    .155E 10

              .747E 12   .667E 12    .369E 12    .179E 10    .171E 10    .155E 10


CC =30101899--PLASTICS     OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    134

TEMP RANGE    COUNT
                        ---------------------------------------------------------------------------------------------------

   0.- 100.   .497E 12  !HHHH
 101.- 200.   .151E 12  !H
 201.- 300.   .172E 11  !H
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .278E 10  !H
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
```

```
SCC= 30101899--PLASTICS     OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =    319

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.   .567E 13   .532E 13    .180E 13   .0         .0          .0
 101.- 200.   .210E 13   .171E 13    .776E 12   .0         .0          .0
 201.- 300.   .952E 12   .724E 12    .268E 12   .0         .0          .0
 301.- 400.   .296E 12   .229E 12    .0         .140E 11   .133E 11    .0
 401.- 500.   .203E 12   .161E 12    .169E 11   .300E 11   .285E 11    .394E 10
 501.- 600.   .0         .0          .0         .0         .0          .0
 601.- 700.   .0         .0          .0         .0         .0          .0
 701.- 800.   .0         .0          .0         .0         .0          .0
 801.- 900.   .0         .0          .0         .0         .0          .0
 901.-1000.   .0         .0          .0         .0         .0          .0
1001.-1100.   .532E 11   .450E 11    .327E 11   .231E 11   .219E 11    .200E 11
1101.-1200.   .0         .0          .0         .0         .0          .0
1201.-1300.   .0         .0          .0         .0         .0          .0
1301.-1400.   .0         .0          .0         .0         .0          .0
1401.-1500.   .319E 10   .278E 10    .214E 10   .179E 10   .171E 10    .155E 10
1501.-1600.   .0         .0          .0         .0         .0          .0
1601.-1700.   .0         .0          .0         .0         .0          .0
1701.-1800.   .0         .0          .0         .0         .0          .0
1801.-1900.   .0         .0          .0         .0         .0          .0
1901.-2000.   .398E 12   .352E 12    .281E 12   .259E 12   .245E 12    .200E 12
2001.-2100.   .0         .0          .0         .0         .0          .0
2101.-2200.   .0         .0          .0         .0         .0          .0
2201.-2300.   .0         .0          .0         .0         .0          .0
2301.-2400.   .0         .0          .0         .0         .0          .0
2401.-2500.   .0         .0          .0         .0         .0          .0
2501.-2600.   .0         .0          .0         .0         .0          .0
2601.-2700.   .0         .0          .0         .0         .0          .0
2701.-2800.   .0         .0          .0         .0         .0          .0
2801.-2900.   .0         .0          .0         .0         .0          .0
2901.-3000.   .0         .0          .0         .0         .0          .0

              .967E 13   .855E 13    .317E 13   .328E 12   .311E 12    .226E 12
```

```
SCC = 30101899--PLASTICS    OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =    319
SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   2         .546E 11    .512E 11     .0          .0          .0           .0
  19         .111E 10    .105E 10     .852E 09    .0          .0           .0
  22         .153E 12    .116E 12     .591E 11    .0          .0           .0
  24         .551E 10    .517E 10     .0          .0          .0           .0
  25         .546E 11    .512E 11     .0          .0          .0           .0
  26         .136E 12    .126E 12     .743E 10    .0          .0           .0
  28         .394E 13    .339E 13     .649E 12    .644E 11    .612E 11     .239E 11
  29         .307E 11    .279E 11     .183E 10    .0          .0           .0
  30         .437E 13    .399E 13     .208E 13    .0          .0           .0
  32         .140E 11    .131E 11     .107E 11    .0          .0           .0
  33         .592E 11    .556E 11     .0          .0          .0           .0
  36         .107E 11    .100E 11     .735E 10    .0          .0           .0
  37         .181E 12    .139E 12     .152E 11    .260E 10    .247E 10     .0
  73         .323E 10    .303E 10     .247E 10    .0          .0           .0
  99         .656E 12    .569E 12     .340E 12    .261E 12    .247E 12     .202E 12

             .967E 13    .855E 13     .317E 13    .328E 12    .311E 12     .226E 12


CC 30101899--PLASTICS     OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =    319
EMP RANGE    COUNT

                         -----------------------------------------------------------------------------------------------------
    0.- 100.  .532E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  101.- 200.  .171E 13   !HHHHHHHHHHHHHHHHH
  201.- 300.  .724E 12   !HHHHHHH
  301.- 400.  .229E 12   !HH
  401.- 500.  .161E 12   !H
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .450E 11   !H
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .278E 10   !H
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .352E 12   !HHH
 2001.-2100.  .0         !
 2101.-2200.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101903--PHTHALIC ANH UNCONTROLLED-GENERAL -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      4

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   0.- 100.   .0          .0          .0          .0          .0          .0
 101.- 200.   .163E 12    .122E 12    .0          .0          .0          .0
 201.- 300.   .930E 11    .712E 11    .0          .0          .0          .0
 301.- 400.   .0          .0          .0          .0          .0          .0
 401.- 500.   .0          .0          .0          .0          .0          .0
 501.- 600.   .0          .0          .0          .0          .0          .0
 601.- 700.   .0          .0          .0          .0          .0          .0
 701.- 800.   .0          .0          .0          .0          .0          .0
 801.- 900.   .0          .0          .0          .0          .0          .0
 901.-1000.   .0          .0          .0          .0          .0          .0
1001.-1100.   .167E 12    .141E 12    .102E 12    .712E 11    .678E 11    .618E 11
1101.-1200.   .0          .0          .0          .0          .0          .0
1201.-1300.   .0          .0          .0          .0          .0          .0
1301.-1400.   .0          .0          .0          .0          .0          .0
1401.-1500.   .0          .0          .0          .0          .0          .0
1501.-1600.   .0          .0          .0          .0          .0          .0
1601.-1700.   .0          .0          .0          .0          .0          .0
1701.-1800.   .0          .0          .0          .0          .0          .0
1801.-1900.   .0          .0          .0          .0          .0          .0
1901.-2000.   .0          .0          .0          .0          .0          .0
2001.-2100.   .0          .0          .0          .0          .0          .0
2101.-2200.   .0          .0          .0          .0          .0          .0
2201.-2300.   .0          .0          .0          .0          .0          .0
2301.-2400.   .0          .0          .0          .0          .0          .0
2401.-2500.   .0          .0          .0          .0          .0          .0
2501.-2600.   .0          .0          .0          .0          .0          .0
2601.-2700.   .0          .0          .0          .0          .0          .0
2701.-2800.   .0          .0          .0          .0          .0          .0
2801.-2900.   .0          .0          .0          .0          .0          .0
2901.-3000.   .0          .0          .0          .0          .0          .0

              .423E 12    .335E 12    .102E 12    .712E 11    .678E 11    .618E 11
```

```
SCC = 30101903--PHTHALIC ANHUNCONTROLLED-GENERAL -NO CONTROL EQUIPMENT -TOT RECS =      4

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG     300 DEG    300 DEG
   28       .256E 12   .193E 12   .0          .0          .0          .0
   29       .167E 12   .141E 12   .102E 12    .712E 11    .678E 11    .618E 11


            .423E 12   .335E 12   .102E 12    .712E 11    .678E 11    .618E 11


CC = 30101903--PHTHALIC ANH UNCONTROLLED-GENERAL--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      4

TEMP RANGE   COUNT

                            ------------------------------------------------------------------------------------------------------
   0.- 100.  .0             !
 101.- 200.  .122E 12       !H
 201.- 300.  .712E 11       !H
 301.- 400.  .0             !
 401.- 500.  .0             !
 501.- 600.  .0             !
 601.- 700.  .0             !
 701.- 800.  .0             !
 801.- 900.  .0             !
 901.-1000.  .0             !
1001.-1100.  .141E 12       !H
1101.-1200.  .0             !
1201.-1300.  .0             !
1301.-1400.  .0             !
1401.-1500.  .0             !
1501.-1600.  .0             !
1601.-1700.  .0             !
1701.-1800.  .0             !
1801.-1900.  .0             !
1901.-2000.  .0             !
2001.-2100.  .0             !
2101.-2200.  .0             !
2201.-2300.  .0             !
2301.-2400.  .0             !
2401.-2500.  .0             !
2501.-2600.  .0             !
2601.-2700.  .0             !
2701.-2800.  .0             !
2801.-2900.  .0             !
2901.-3000.  .0             !
                            0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101903--PHTHALIC ANH UNCONTROLLED-GENERAL  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      7

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.  .306E 11   .287E 11   .234E 11   .0         .0         .0
  101.- 200.  .824E 11   .620E 11   .0         .0         .0         .0
  201.- 300.  .0         .0         .0         .0         .0         .0
  301.- 400.  .0         .0         .0         .0         .0         .0
  401.- 500.  .559E 11   .440E 11   .263E 11   .630E 10   .598E 10   .547E 10
  501.- 600.  .0         .0         .0         .0         .0         .0
  601.- 700.  .0         .0         .0         .0         .0         .0
  701.- 800.  .0         .0         .0         .0         .0         .0
  801.- 900.  .0         .0         .0         .0         .0         .0
  901.-1000.  .0         .0         .0         .0         .0         .0
 1001.-1100.  .0         .0         .0         .0         .0         .0
 1101.-1200.  .0         .0         .0         .0         .0         .0
 1201.-1300.  .0         .0         .0         .0         .0         .0
 1301.-1400.  .0         .0         .0         .0         .0         .0
 1401.-1500.  .0         .0         .0         .0         .0         .0
 1501.-1600.  .0         .0         .0         .0         .0         .0
 1601.-1700.  .0         .0         .0         .0         .0         .0
 1701.-1800.  .0         .0         .0         .0         .0         .0
 1801.-1900.  .0         .0         .0         .0         .0         .0
 1901.-2000.  .0         .0         .0         .0         .0         .0
 2001.-2100.  .0         .0         .0         .0         .0         .0
 2101.-2200.  .0         .0         .0         .0         .0         .0
 2201.-2300.  .0         .0         .0         .0         .0         .0
 2301.-2400.  .0         .0         .0         .0         .0         .0
 2401.-2500.  .0         .0         .0         .0         .0         .0
 2501.-2600.  .0         .0         .0         .0         .0         .0
 2601.-2700.  .0         .0         .0         .0         .0         .0
 2701.-2800.  .0         .0         .0         .0         .0         .0
 2801.-2900.  .0         .0         .0         .0         .0         .0
 2901.-3000.  .0         .0         .0         .0         .0         .0

              .169E 12   .135E 12   .497E 11   .630E 10   .598E 10   .547E 10
```

```
SCC = 30101903--PHTHALIC ANHUNCONTROLLED-GENERAL -WITH CONTROL EQUIPMENT -TOT RECS =     7

SIC            MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
               60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28         .169E 12   .135E 12    .497E 11    .630E 10    .598E 10    .547E 10


              .169E 12   .135E 12    .497E 11    .630E 10    .598E 10    .547E 10


CC =30101903--PHTHALIC ANH UNCONTROLLED-GENERAL---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .287E 11  !H
 101.- 200.  .620E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .440E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30101903--PHTHALIC ANH UNCONTROLLED-GENERAL -TOTAL SCC -SIC =    0 -TOT RECS =     11
   TEMP          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.    .306E 11    .287E 11    .234E 11    .0          .0          .0
  101.- 200.    .245E 12    .184E 12    .0          .0          .0          .0
  201.- 300.    .930E 11    .712E 11    .0          .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .559E 11    .440E 11    .263E 11    .630E 10    .598E 10    .547E 10
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .167E 12    .141E 12    .102E 12    .712E 11    .678E 11    .618E 11
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .592E 12    .469E 12    .152E 12    .775E 11    .738E 11    .673E 11
```

```
SCC = 30101903--PHTHALIC ANHUNCONTROLLED-GENERAL -TOTAL SCC -TOT RECS =     11

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
   28        .425E 12   .328E 12   .497E 11   .630E 10   .598E 10   .547E 10
   29        .167E 12   .141E 12   .102E 12   .712E 11   .678E 11   .618E 11

             .592E 12   .469E 12   .152E 12   .775E 11   .738E 11   .673E 11


CC 30101903--PHTHALIC ANH UNCONTROLLED-GENERAL--TOTAL SCC  -SIC =    0 -TOT RECS =     11

EMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .287E 11  !H
 101.- 200.  .184E 12  !H
 201.- 300.  .712E 11  !H
 301.- 400.  .0        !
 401.- 500.  .440E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .141E 12  !H
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102001--PRINTING INK COOKING-GENERAL      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     11

   TEMP       MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG
   0.- 100.  .220E 11   .207E 11   .108E 11   .0         .0         .0
 101.- 200.  .280E 11   .210E 11   .104E 11   .0         .0         .0
 201.- 300.  .0         .0         .0         .0         .0         .0
 301.- 400.  .0         .0         .0         .0         .0         .0
 401.- 500.  .0         .0         .0         .0         .0         .0
 501.- 600.  .0         .0         .0         .0         .0         .0
 601.- 700.  .0         .0         .0         .0         .0         .0
 701.- 800.  .0         .0         .0         .0         .0         .0
 801.- 900.  .0         .0         .0         .0         .0         .0
 901.-1000.  .0         .0         .0         .0         .0         .0
1001.-1100.  .0         .0         .0         .0         .0         .0
1101.-1200.  .0         .0         .0         .0         .0         .0
1201.-1300.  .0         .0         .0         .0         .0         .0
1301.-1400.  .0         .0         .0         .0         .0         .0
1401.-1500.  .0         .0         .0         .0         .0         .0
1501.-1600.  .0         .0         .0         .0         .0         .0
1601.-1700.  .0         .0         .0         .0         .0         .0
1701.-1800.  .0         .0         .0         .0         .0         .0
1801.-1900.  .0         .0         .0         .0         .0         .0
1901.-2000.  .0         .0         .0         .0         .0         .0
2001.-2100.  .0         .0         .0         .0         .0         .0
2101.-2200.  .0         .0         .0         .0         .0         .0
2201.-2300.  .0         .0         .0         .0         .0         .0
2301.-2400.  .0         .0         .0         .0         .0         .0
2401.-2500.  .0         .0         .0         .0         .0         .0
2501.-2600.  .0         .0         .0         .0         .0         .0
2601.-2700.  .0         .0         .0         .0         .0         .0
2701.-2800.  .0         .0         .0         .0         .0         .0
2801.-2900.  .0         .0         .0         .0         .0         .0
2901.-3000.  .0         .0         .0         .0         .0         .0

             .501E 11   .417E 11   .212E 11   .0         .0         .0
```

```
SCC = 30102001--PRINTING INKCOOKING-GENERAL      -NO CONTROL EQUIPMENT -TOT RECS =     11

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   26       .116E 11   .875E 10   .430E 10   .0         .0         .0
   28       .220E 11   .207E 11   .108E 11   .0         .0         .0
   30       .164E 11   .122E 11   .607E 10   .0         .0         .0


            .501E 11   .417E 11   .212E 11   .0         .0         .0


CC = 30102001--PRINTING INK COOKING-GENERAL     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     11

TEMP RANGE   COUNT

                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .207E 11  !H
 101.- 200.  .210E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102001--PRINTING INK COOKING-GENERAL       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102001--PRINTING INKCOOKING-GENERAL      -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30102002--PRINTING INK COOKING-OILS        -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102002--PRINTING INKCOOKING-OILS        -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30102002--PRINTING INK COOKING-OILS          -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0
   TEMP         MAXIMUM   EXPECTED    MINIMUM     MAXIMUM   EXPECTED   MINIMUM
                 60 DEG     60 DEG    60 DEG      300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102002--PRINTING INKCOOKING-OILS        -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG       60 DEG      300DEG   300 DEG     300 DEG
TEMP OUTSIDE CURVES       0.0
TEMP OUTSIDE CURVES       0.0
TEMP OUTSIDE CURVES       0.0
```

```
SCC= 30102003--PRINTING INK COOKING-OLEO RESIN   -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      2

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102003--PRINTING INKCOOKING-OLEO RESIN   -NO CONTROL EQUIPMENT -TOT RECS =      2

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30102003--PRINTING INK COOKING-OLEO RESIN    -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      1

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102003--PRINTING INKCOOKING-OLEO RESIN   -WITH CONTROL EQUIPMENT -TOT RECS =     1
SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30102004--PRINTING INK COOKING-ALKYDS       -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102004--PRINTING INKCOOKING-ALKYDS       -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30102004--PRINTING INK COOKING-ALKYDS        -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102004--PRINTING INKCOOKING-ALKYDS       -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG       60 DEG     300DEG   300 DEG     300 DEG
TEMP OUTSIDE CURVES      50.0
TEMP OUTSIDE CURVES      50.0
TEMP OUTSIDE CURVES      50.0
TEMP OUTSIDE CURVES      50.0
TEMP OUTSIDE CURVES      50.0
TEMP OUTSIDE CURVES      50.0
```

```
SCC= 30102005--PRINTING INK PIGMENT MIXING GENER -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =    19

  TEMP          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                 60 DEG    60 DEG     60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.   .306E 11  .287E 11   .123E 11   .0         .0         .0
  101.- 200.   .0        .0         .0         .0         .0         .0
  201.- 300.   .0        .0         .0         .0         .0         .0
  301.- 400.   .170E 11  .131E 11   .723E 10   .161E 09   .153E 09   .140E 09
  401.- 500.   .0        .0         .0         .0         .0         .0
  501.- 600.   .0        .0         .0         .0         .0         .0
  601.- 700.   .0        .0         .0         .0         .0         .0
  701.- 800.   .0        .0         .0         .0         .0         .0
  801.- 900.   .0        .0         .0         .0         .0         .0
  901.-1000.   .0        .0         .0         .0         .0         .0
 1001.-1100.   .0        .0         .0         .0         .0         .0
 1101.-1200.   .0        .0         .0         .0         .0         .0
 1201.-1300.   .0        .0         .0         .0         .0         .0
 1301.-1400.   .0        .0         .0         .0         .0         .0
 1401.-1500.   .0        .0         .0         .0         .0         .0
 1501.-1600.   .0        .0         .0         .0         .0         .0
 1601.-1700.   .0        .0         .0         .0         .0         .0
 1701.-1800.   .0        .0         .0         .0         .0         .0
 1801.-1900.   .0        .0         .0         .0         .0         .0
 1901.-2000.   .0        .0         .0         .0         .0         .0
 2001.-2100.   .0        .0         .0         .0         .0         .0
 2101.-2200.   .0        .0         .0         .0         .0         .0
 2201.-2300.   .0        .0         .0         .0         .0         .0
 2301.-2400.   .0        .0         .0         .0         .0         .0
 2401.-2500.   .0        .0         .0         .0         .0         .0
 2501.-2600.   .0        .0         .0         .0         .0         .0
 2601.-2700.   .0        .0         .0         .0         .0         .0
 2701.-2800.   .0        .0         .0         .0         .0         .0
 2801.-2900.   .0        .0         .0         .0         .0         .0
 2901.-3000.   .0        .0         .0         .0         .0         .0

               .476E 11  .417E 11   .195E 11   .161E 09   .153E 09   .140E 09
```

```
SCC = 30102005--PRINTING INKPIGMENT MIXING GENER -NO CONTROL EQUIPMENT -TOT RECS =      19

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   26       .131E 10    .123E 10     .100E 10    .0          .0           .0
   27       .170E 11    .131E 11     .723E 10    .161E 09    .153E 09     .140E 09
   28       .273E 11    .256E 11     .113E 11    .0          .0           .0
   30       .197E 10    .185E 10     .0          .0          .0           .0

            .476E 11    .417E 11     .195E 11    .161E 09    .153E 09     .140E 09


CC = 30102005--PRINTING INK PIGMENT MIXING GENER--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     19

TEMP RANGE    COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .287E 11  !H
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .131E 11  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102005--PRINTING INK PIGMENT MIXING GENER  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      6

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG    60 DEG     60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.   .260E 11  .244E 11   .310E 10   .0         .0         .0
  101.- 200.   .235E 10  .176E 10   .870E 09   .0         .0         .0
  201.- 300.   .0        .0         .0         .0         .0         .0
  301.- 400.   .0        .0         .0         .0         .0         .0
  401.- 500.   .0        .0         .0         .0         .0         .0
  501.- 600.   .0        .0         .0         .0         .0         .0
  601.- 700.   .0        .0         .0         .0         .0         .0
  701.- 800.   .0        .0         .0         .0         .0         .0
  801.- 900.   .0        .0         .0         .0         .0         .0
  901.-1000.   .0        .0         .0         .0         .0         .0
 1001.-1100.   .0        .0         .0         .0         .0         .0
 1101.-1200.   .0        .0         .0         .0         .0         .0
 1201.-1300.   .0        .0         .0         .0         .0         .0
 1301.-1400.   .0        .0         .0         .0         .0         .0
 1401.-1500.   .0        .0         .0         .0         .0         .0
 1501.-1600.   .0        .0         .0         .0         .0         .0
 1601.-1700.   .0        .0         .0         .0         .0         .0
 1701.-1800.   .0        .0         .0         .0         .0         .0
 1801.-1900.   .0        .0         .0         .0         .0         .0
 1901.-2000.   .0        .0         .0         .0         .0         .0
 2001.-2100.   .0        .0         .0         .0         .0         .0
 2101.-2200.   .0        .0         .0         .0         .0         .0
 2201.-2300.   .0        .0         .0         .0         .0         .0
 2301.-2400.   .0        .0         .0         .0         .0         .0
 2401.-2500.   .0        .0         .0         .0         .0         .0
 2501.-2600.   .0        .0         .0         .0         .0         .0
 2601.-2700.   .0        .0         .0         .0         .0         .0
 2701.-2800.   .0        .0         .0         .0         .0         .0
 2801.-2900.   .0        .0         .0         .0         .0         .0
 2901.-3000.   .0        .0         .0         .0         .0         .0

               .284E 11  .262E 11   .397E 10   .0         .0         .0
```

```
SCC = 30102005--PRINTING INKPIGMENT MIXING GENER -WITH CONTROL EQUIPMENT -TOT RECS =     6

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG     300DEG    300 DEG     300 DEG
   28       .260E 11  .244E 11   .310E 10   .0         .0          .0
   35       .235E 10  .176E 10   .870E 09   .0         .0          .0


            .284E 11  .262E 11   .397E 10   .0         .0          .0


CC =30102005--PRINTING INK PIGMENT MIXING GENER---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      6

TEMP RANGE   COUNT

                     -----------------------------------------------------------------------------------------------------
   0.- 100.  .244E 11  !H
 101.- 200.  .176E 10  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102005--PRINTING INK PIGMENT MIXING GENER -TOTAL SCC -SIC =    0 -TOT RECS =     25

   TEMP        MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG      60 DEG       60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.   .566E 11    .531E 11    .154E 11    .0          .0          .0
  101.- 200.   .235E 10    .176E 10    .870E 09    .0          .0          .0
  201.- 300.   .0          .0          .0          .0          .0          .0
  301.- 400.   .170E 11    .131E 11    .723E 10    .161E 09    .153E 09    .140E 09
  401.- 500.   .0          .0          .0          .0          .0          .0
  501.- 600.   .0          .0          .0          .0          .0          .0
  601.- 700.   .0          .0          .0          .0          .0          .0
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .760E 11    .679E 11    .235E 11    .161E 09    .153E 09    .140E 09
```

```
SCC = 30102005--PRINTING INKPIGMENT MIXING GENER -TOTAL SCC -TOT RECS =     25
SIC           MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
               60 DEG      60 DEG       60 DEG     300 DEG     300 DEG      300 DEG
   26         .131E 10    .123E 10    .100E 10    .0          .0           .0
   27         .170E 11    .131E 11    .723E 10    .161E 09    .153E 09     .140E 09
   28         .533E 11    .500E 11    .144E 11    .0          .0           .0
   30         .197E 10    .185E 10    .0          .0          .0           .0
   35         .235E 10    .176E 10    .870E 09    .0          .0           .0

              .760E 11    .679E 11    .235E 11    .161E 09    .153E 09     .140E 09

CC 30102005--PRINTING INK PIGMENT MIXING GENER--TOTAL SCC  -SIC =    0 -TOT RECS =     25
EMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .531E 11  !H
 101.- 200.  .176E 10  !H
 201.- 300.  .0        !
 301.- 400.  .131E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102099--PRINTING INK OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     29
   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG      60 DEG     300 DEG     300 DEG     300 DEG
    0.- 100.    .145E 12    .136E 12    .284E 11    .0          .0          .0
  101.- 200.    .529E 11    .428E 11    .253E 11    .0          .0          .0
  201.- 300.    .158E 11    .120E 11    .647E 10    .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .214E 12    .191E 12    .601E 11    .0          .0          .0
```

```
SCC = 30102099--PRINTING INKOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =     29

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   26       .436E 11   .382E 11   .273E 11   .0         .0         .0
   27       .482E 11   .451E 11   .179E 11   .0         .0         .0
   28       .109E 12   .949E 11   .139E 11   .0         .0         .0
   30       .139E 10   .130E 10   .106E 10   .0         .0         .0
   33       .439E 10   .411E 10   .0         .0         .0         .0
   99       .793E 10   .743E 10   .0         .0         .0         .0

            .214E 12   .191E 12   .601E 11   .0         .0         .0

CC = 30102099--PRINTING INK OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     29

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .136E 12  !H
 101.- 200.  .428E 11  !H
 201.- 300.  .120E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102099--PRINTING INK OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      8
   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                  60 DEG      60 DEG    60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.     .188E 11   .176E 11   .733E 10   .0         .0          .0
  101.- 200.     .123E 11   .926E 10   .455E 10   .0         .0          .0
  201.- 300.     .0         .0         .0         .0         .0          .0
  301.- 400.     .0         .0         .0         .0         .0          .0
  401.- 500.     .0         .0         .0         .0         .0          .0
  501.- 600.     .0         .0         .0         .0         .0          .0
  601.- 700.     .0         .0         .0         .0         .0          .0
  701.- 800.     .0         .0         .0         .0         .0          .0
  801.- 900.     .0         .0         .0         .0         .0          .0
  901.-1000.     .0         .0         .0         .0         .0          .0
 1001.-1100.     .0         .0         .0         .0         .0          .0
 1101.-1200.     .0         .0         .0         .0         .0          .0
 1201.-1300.     .0         .0         .0         .0         .0          .0
 1301.-1400.     .0         .0         .0         .0         .0          .0
 1401.-1500.     .0         .0         .0         .0         .0          .0
 1501.-1600.     .0         .0         .0         .0         .0          .0
 1601.-1700.     .0         .0         .0         .0         .0          .0
 1701.-1800.     .0         .0         .0         .0         .0          .0
 1801.-1900.     .0         .0         .0         .0         .0          .0
 1901.-2000.     .0         .0         .0         .0         .0          .0
 2001.-2100.     .0         .0         .0         .0         .0          .0
 2101.-2200.     .0         .0         .0         .0         .0          .0
 2201.-2300.     .0         .0         .0         .0         .0          .0
 2301.-2400.     .0         .0         .0         .0         .0          .0
 2401.-2500.     .0         .0         .0         .0         .0          .0
 2501.-2600.     .0         .0         .0         .0         .0          .0
 2601.-2700.     .0         .0         .0         .0         .0          .0
 2701.-2800.     .0         .0         .0         .0         .0          .0
 2801.-2900.     .0         .0         .0         .0         .0          .0
 2901.-3000.     .0         .0         .0         .0         .0          .0

                 .311E 11   .269E 11   .119E 11   .0         .0          .0
```

```
SCC = 30102099--PRINTING INKOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     8

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
             60 DEG     60 DEG       60 DEG       300DEG    300 DEG     300 DEG
   25       .262E 10   .246E 10    .200E 10    .0          .0          .0
   27       .123E 11   .926E 10    .455E 10    .0          .0          .0
   28       .696E 10   .653E 10    .532E 10    .0          .0          .0
   99       .918E 10   .862E 10    .0          .0          .0          .0

            .311E 11   .269E 11    .119E 11    .0          .0          .0


CC =30102099--PRINTING INK OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     8

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .176E 11   !H
 101.- 200.  .926E 10   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102099--PRINTING INK OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =     37
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .164E 12   .154E 12    .357E 11   .0         .0          .0
  101.- 200.   .652E 11   .520E 11    .298E 11   .0         .0          .0
  201.- 300.   .158E 11   .120E 11    .647E 10   .0         .0          .0
  301.- 400.   .0         .0          .0         .0         .0          .0
  401.- 500.   .0         .0          .0         .0         .0          .0
  501.- 600.   .0         .0          .0         .0         .0          .0
  601.- 700.   .0         .0          .0         .0         .0          .0
  701.- 800.   .0         .0          .0         .0         .0          .0
  801.- 900.   .0         .0          .0         .0         .0          .0
  901.-1000.   .0         .0          .0         .0         .0          .0
 1001.-1100.   .0         .0          .0         .0         .0          .0
 1101.-1200.   .0         .0          .0         .0         .0          .0
 1201.-1300.   .0         .0          .0         .0         .0          .0
 1301.-1400.   .0         .0          .0         .0         .0          .0
 1401.-1500.   .0         .0          .0         .0         .0          .0
 1501.-1600.   .0         .0          .0         .0         .0          .0
 1601.-1700.   .0         .0          .0         .0         .0          .0
 1701.-1800.   .0         .0          .0         .0         .0          .0
 1801.-1900.   .0         .0          .0         .0         .0          .0
 1901.-2000.   .0         .0          .0         .0         .0          .0
 2001.-2100.   .0         .0          .0         .0         .0          .0
 2101.-2200.   .0         .0          .0         .0         .0          .0
 2201.-2300.   .0         .0          .0         .0         .0          .0
 2301.-2400.   .0         .0          .0         .0         .0          .0
 2401.-2500.   .0         .0          .0         .0         .0          .0
 2501.-2600.   .0         .0          .0         .0         .0          .0
 2601.-2700.   .0         .0          .0         .0         .0          .0
 2701.-2800.   .0         .0          .0         .0         .0          .0
 2801.-2900.   .0         .0          .0         .0         .0          .0
 2901.-3000.   .0         .0          .0         .0         .0          .0

               .245E 12   .218E 12    .720E 11   .0         .0          .0
```

```
SCC = 30102099--PRINTING INKOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     37

SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
  25          .262E 10   .246E 10   .200E 10   .0         .0         .0
  26          .436E 11   .382E 11   .273E 11   .0         .0         .0
  27          .605E 11   .544E 11   .224E 11   .0         .0         .0
  28          .115E 12   .101E 12   .192E 11   .0         .0         .0
  30          .139E 10   .130E 10   .106E 10   .0         .0         .0
  33          .439E 10   .411E 10   .0         .0         .0         .0
  99          .171E 11   .160E 11   .0         .0         .0         .0

              .245E 12   .218E 12   .720E 11   .0         .0         .0


CC 30102099--PRINTING INK OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     37

EMP RANGE    COUNT

                         -------------------------------------------------------------------------------------------------
   0.- 100.  .154E 12   !H
 101.- 200.  .520E 11   !H
 201.- 300.  .120E 11   !H
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102102--SODIUM CARB  SOLVAY-HANDLING      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1
   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102102--SODIUM CARB SOLVAY-HANDLING      -NO CONTROL EQUIPMENT -TOT RECS =       1

SIC          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM   EXPECTED     MINIMUM
             60 DEG     60 DEG       60 DEG      300 DEG    300 DEG     300 DEG
```

```
SCC= 30102102--SODIUM CARB  SOLVAY-HANDLING      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      9

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
   0.- 100.    .168E 11  .158E 11   .721E 10   .0         .0         .0
 101.- 200.    .444E 11  .352E 11   .175E 11   .0         .0         .0
 201.- 300.    .0        .0         .0         .0         .0         .0
 301.- 400.    .0        .0         .0         .0         .0         .0
 401.- 500.    .0        .0         .0         .0         .0         .0
 501.- 600.    .0        .0         .0         .0         .0         .0
 601.- 700.    .0        .0         .0         .0         .0         .0
 701.- 800.    .0        .0         .0         .0         .0         .0
 801.- 900.    .0        .0         .0         .0         .0         .0
 901.-1000.    .0        .0         .0         .0         .0         .0
1001.-1100.    .0        .0         .0         .0         .0         .0
1101.-1200.    .0        .0         .0         .0         .0         .0
1201.-1300.    .0        .0         .0         .0         .0         .0
1301.-1400.    .0        .0         .0         .0         .0         .0
1401.-1500.    .0        .0         .0         .0         .0         .0
1501.-1600.    .0        .0         .0         .0         .0         .0
1601.-1700.    .0        .0         .0         .0         .0         .0
1701.-1800.    .0        .0         .0         .0         .0         .0
1801.-1900.    .0        .0         .0         .0         .0         .0
1901.-2000.    .0        .0         .0         .0         .0         .0
2001.-2100.    .0        .0         .0         .0         .0         .0
2101.-2200.    .0        .0         .0         .0         .0         .0
2201.-2300.    .0        .0         .0         .0         .0         .0
2301.-2400.    .0        .0         .0         .0         .0         .0
2401.-2500.    .0        .0         .0         .0         .0         .0
2501.-2600.    .0        .0         .0         .0         .0         .0
2601.-2700.    .0        .0         .0         .0         .0         .0
2701.-2800.    .0        .0         .0         .0         .0         .0
2801.-2900.    .0        .0         .0         .0         .0         .0
2901.-3000.    .0        .0         .0         .0         .0         .0

               .612E 11  .510E 11   .247E 11   .0         .0         .0
```

```
SCC = 30102102--SODIUM CARB SOLVAY-HANDLING      -WITH CONTROL EQUIPMENT -TOT RECS =     9

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28       .612E 11   .510E 11   .247E 11   .0         .0          .0


            .612E 11   .510E 11   .247E 11   .0         .0          .0


CC =30102102--SODIUM CARB  SOLVAY-HANDLING     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      9

TEMP RANGE   COUNT

                           -----------------------------------------------------------------------------------------------------
   0.- 100.  .158E 11  !H
 101.- 200.  .352E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102199--SODIUM CARB  OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     12

   TEMP        MAXIMUM    EXPECTED     MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG      60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.   .181E 12   .170E 12    .568E 11   .0         .0         .0
  101.- 200.   .810E 12   .760E 12    .406E 12   .0         .0         .0
  201.- 300.   .0         .0          .0         .0         .0         .0
  301.- 400.   .0         .0          .0         .0         .0         .0
  401.- 500.   .0         .0          .0         .0         .0         .0
  501.- 600.   .0         .0          .0         .0         .0         .0
  601.- 700.   .0         .0          .0         .0         .0         .0
  701.- 800.   .0         .0          .0         .0         .0         .0
  801.- 900.   .188E 12   .157E 12    .110E 12   .681E 11   .648E 11   .592E 11
  901.-1000.   .0         .0          .0         .0         .0         .0
 1001.-1100.   .0         .0          .0         .0         .0         .0
 1101.-1200.   .0         .0          .0         .0         .0         .0
 1201.-1300.   .0         .0          .0         .0         .0         .0
 1301.-1400.   .0         .0          .0         .0         .0         .0
 1401.-1500.   .0         .0          .0         .0         .0         .0
 1501.-1600.   .0         .0          .0         .0         .0         .0
 1601.-1700.   .0         .0          .0         .0         .0         .0
 1701.-1800.   .0         .0          .0         .0         .0         .0
 1801.-1900.   .0         .0          .0         .0         .0         .0
 1901.-2000.   .0         .0          .0         .0         .0         .0
 2001.-2100.   .0         .0          .0         .0         .0         .0
 2101.-2200.   .0         .0          .0         .0         .0         .0
 2201.-2300.   .0         .0          .0         .0         .0         .0
 2301.-2400.   .0         .0          .0         .0         .0         .0
 2401.-2500.   .0         .0          .0         .0         .0         .0
 2501.-2600.   .0         .0          .0         .0         .0         .0
 2601.-2700.   .0         .0          .0         .0         .0         .0
 2701.-2800.   .0         .0          .0         .0         .0         .0
 2801.-2900.   .0         .0          .0         .0         .0         .0
 2901.-3000.   .0         .0          .0         .0         .0         .0

               .118E 13   .109E 13    .573E 12   .681E 11   .648E 11   .592E 11
```

```
SCC = 30102199--SODIUM CARB OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      12

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG     300 DEG    300 DEG
   14       .715E 11   .671E 11   .546E 11   .0         .0          .0
   28       .108E 13   .991E 12   .518E 12   .681E 11   .648E 11   .592E 11
   32       .310E 11   .291E 11   .0         .0         .0          .0

            .118E 13   .109E 13   .573E 12   .681E 11   .648E 11   .592E 11


CC = 30102199--SODIUM CARB  OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     12

TEMP RANGE    COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .170E 12  !H
 101.- 200.  .760E 12  !HHHHHHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .157E 12  !H
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102199--SODIUM CARB  OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     68

   TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
   0.- 100.   .203E 12   .190E 12    .155E 12    .0          .0          .0
 101.- 200.   .389E 13   .299E 13    .148E 13    .0          .0          .0
 201.- 300.   .246E 11   .186E 11    .975E 10    .0          .0          .0
 301.- 400.   .0         .0          .0          .0          .0          .0
 401.- 500.   .186E 13   .146E 13    .864E 12    .186E 12    .176E 12    .161E 12
 501.- 600.   .0         .0          .0          .0          .0          .0
 601.- 700.   .0         .0          .0          .0          .0          .0
 701.- 800.   .0         .0          .0          .0          .0          .0
 801.- 900.   .0         .0          .0          .0          .0          .0
 901.-1000.   .0         .0          .0          .0          .0          .0
1001.-1100.   .0         .0          .0          .0          .0          .0
1101.-1200.   .0         .0          .0          .0          .0          .0
1201.-1300.   .0         .0          .0          .0          .0          .0
1301.-1400.   .0         .0          .0          .0          .0          .0
1401.-1500.   .0         .0          .0          .0          .0          .0
1501.-1600.   .0         .0          .0          .0          .0          .0
1601.-1700.   .0         .0          .0          .0          .0          .0
1701.-1800.   .0         .0          .0          .0          .0          .0
1801.-1900.   .0         .0          .0          .0          .0          .0
1901.-2000.   .0         .0          .0          .0          .0          .0
2001.-2100.   .0         .0          .0          .0          .0          .0
2101.-2200.   .0         .0          .0          .0          .0          .0
2201.-2300.   .0         .0          .0          .0          .0          .0
2301.-2400.   .0         .0          .0          .0          .0          .0
2401.-2500.   .0         .0          .0          .0          .0          .0
2501.-2600.   .0         .0          .0          .0          .0          .0
2601.-2700.   .0         .0          .0          .0          .0          .0
2701.-2800.   .0         .0          .0          .0          .0          .0
2801.-2900.   .0         .0          .0          .0          .0          .0
2901.-3000.   .0         .0          .0          .0          .0          .0

              .597E 13   .466E 13    .250E 13    .186E 12    .176E 12    .161E 12
```

```
SCC = 30102199--SODIUM CARB OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =    68

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   14       .571E 13  .445E 13   .240E 13   .186E 12   .176E 12   .161E 12
   28       .263E 12  .208E 12   .106E 12   .0         .0         .0


            .597E 13  .466E 13   .250E 13   .186E 12   .176E 12   .161E 12


CC =30102199--SODIUM CARB  OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     68

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .190E 12  !H
 101.- 200.  .299E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .186E 11  !H
 301.- 400.  .0        !
 401.- 500.  .146E 13  !HHHHHHHHHHHHHH
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102199--SODIUM CARB  OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =     80

  TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   0.- 100.   .384E 12   .360E 12   .212E 12   .0         .0         .0
 101.- 200.   .470E 13   .375E 13   .188E 13   .0         .0         .0
 201.- 300.   .246E 11   .186E 11   .975E 10   .0         .0         .0
 301.- 400.   .0         .0         .0         .0         .0         .0
 401.- 500.   .186E 13   .146E 13   .864E 12   .186E 12   .176E 12   .161E 12
 501.- 600.   .0         .0         .0         .0         .0         .0
 601.- 700.   .0         .0         .0         .0         .0         .0
 701.- 800.   .0         .0         .0         .0         .0         .0
 801.- 900.   .188E 12   .157E 12   .110E 12   .681E 11   .648E 11   .592E 11
 901.-1000.   .0         .0         .0         .0         .0         .0
1001.-1100.   .0         .0         .0         .0         .0         .0
1101.-1200.   .0         .0         .0         .0         .0         .0
1201.-1300.   .0         .0         .0         .0         .0         .0
1301.-1400.   .0         .0         .0         .0         .0         .0
1401.-1500.   .0         .0         .0         .0         .0         .0
1501.-1600.   .0         .0         .0         .0         .0         .0
1601.-1700.   .0         .0         .0         .0         .0         .0
1701.-1800.   .0         .0         .0         .0         .0         .0
1801.-1900.   .0         .0         .0         .0         .0         .0
1901.-2000.   .0         .0         .0         .0         .0         .0
2001.-2100.   .0         .0         .0         .0         .0         .0
2101.-2200.   .0         .0         .0         .0         .0         .0
2201.-2300.   .0         .0         .0         .0         .0         .0
2301.-2400.   .0         .0         .0         .0         .0         .0
2401.-2500.   .0         .0         .0         .0         .0         .0
2501.-2600.   .0         .0         .0         .0         .0         .0
2601.-2700.   .0         .0         .0         .0         .0         .0
2701.-2800.   .0         .0         .0         .0         .0         .0
2801.-2900.   .0         .0         .0         .0         .0         .0
2901.-3000.   .0         .0         .0         .0         .0         .0

              .715E 13   .575E 13   .308E 13   .254E 12   .241E 12   .220E 12
```

```
SCC = 30102199--SODIUM CARB OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     80
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
  14         .578E 13   .452E 13    .245E 13   .186E 12   .176E 12    .161E 12
  28         .134E 13   .120E 13    .624E 12   .681E 11   .648E 11    .592E 11
  32         .310E 11   .291E 11    .0         .0         .0          .0

             .715E 13   .575E 13    .308E 13   .254E 12   .241E 12    .220E 12

CC 30102199--SODIUM CARB  OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     80
EMP RANGE    COUNT

   0.- 100.  .360E 12  --------------------------------------------------------------------------------------------------
 101.- 200.  .375E 13  !HHH
 201.- 300.  .186E 11  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .0        !H
 401.- 500.  .146E 13  !
 501.- 600.  .0        !HHHHHHHHHHHHHHH
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .157E 12  !
 901.-1000.  .0        !H
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102201--H2S04 CHAMBE GENERAL            -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      2

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .0         .0          .0         .0          .0          .0
  101.- 200.   .579E 11   .435E 11    .107E 11   .0          .0          .0
  201.- 300.   .0         .0          .0         .0          .0          .0
  301.- 400.   .0         .0          .0         .0          .0          .0
  401.- 500.   .0         .0          .0         .0          .0          .0
  501.- 600.   .0         .0          .0         .0          .0          .0
  601.- 700.   .0         .0          .0         .0          .0          .0
  701.- 800.   .0         .0          .0         .0          .0          .0
  801.- 900.   .0         .0          .0         .0          .0          .0
  901.-1000.   .0         .0          .0         .0          .0          .0
 1001.-1100.   .0         .0          .0         .0          .0          .0
 1101.-1200.   .0         .0          .0         .0          .0          .0
 1201.-1300.   .0         .0          .0         .0          .0          .0
 1301.-1400.   .0         .0          .0         .0          .0          .0
 1401.-1500.   .0         .0          .0         .0          .0          .0
 1501.-1600.   .0         .0          .0         .0          .0          .0
 1601.-1700.   .0         .0          .0         .0          .0          .0
 1701.-1800.   .0         .0          .0         .0          .0          .0
 1801.-1900.   .0         .0          .0         .0          .0          .0
 1901.-2000.   .0         .0          .0         .0          .0          .0
 2001.-2100.   .0         .0          .0         .0          .0          .0
 2101.-2200.   .0         .0          .0         .0          .0          .0
 2201.-2300.   .0         .0          .0         .0          .0          .0
 2301.-2400.   .0         .0          .0         .0          .0          .0
 2401.-2500.   .0         .0          .0         .0          .0          .0
 2501.-2600.   .0         .0          .0         .0          .0          .0
 2601.-2700.   .0         .0          .0         .0          .0          .0
 2701.-2800.   .0         .0          .0         .0          .0          .0
 2801.-2900.   .0         .0          .0         .0          .0          .0
 2901.-3000.   .0         .0          .0         .0          .0          .0

               .579E 11   .435E 11    .107E 11   .0          .0          .0
```

```
SCC = 30102201--H2S04 CHAMBEGENERAL              -NO CONTROL EQUIPMENT -TOT RECS =      2
SIC           MAXIMUM     EXPECTED     MINIMUM     MAXIMUM   EXPECTED    MINIMUM
              60 DEG      60 DEG       60 DEG      300 DEG    300 DEG    300 DEG
   28        .579E 11    .435E 11    .107E 11    .0          .0          .0


             .579E 11    .435E 11    .107E 11    .0          .0          .0


CC = 30102201--H2S04 CHAMBE GENERAL              --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
    0.- 100.   .0     !
  101.- 200.   .435E 11  !H
  201.- 300.   .0     !
  301.- 400.   .0     !
  401.- 500.   .0     !
  501.- 600.   .0     !
  601.- 700.   .0     !
  701.- 800.   .0     !
  801.- 900.   .0     !
  901.-1000.   .0     !
 1001.-1100.   .0     !
 1101.-1200.   .0     !
 1201.-1300.   .0     !
 1301.-1400.   .0     !
 1401.-1500.   .0     !
 1501.-1600.   .0     !
 1601.-1700.   .0     !
 1701.-1800.   .0     !
 1801.-1900.   .0     !
 1901.-2000.   .0     !
 2001.-2100.   .0     !
 2101.-2200.   .0     !
 2201.-2300.   .0     !
 2301.-2400.   .0     !
 2401.-2500.   .0     !
 2501.-2600.   .0     !
 2601.-2700.   .0     !
 2701.-2800.   .0     !
 2801.-2900.   .0     !
 2901.-3000.   .0     !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102201--H2S04 CHAMBE GENERAL              -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.   .577E 10   .541E 10   .441E 10   .0          .0         .0
  101.- 200.   .548E 12   .431E 12   .216E 12   .0          .0         .0
  201.- 300.   .0         .0         .0         .0          .0         .0
  301.- 400.   .0         .0         .0         .0          .0         .0
  401.- 500.   .0         .0         .0         .0          .0         .0
  501.- 600.   .0         .0         .0         .0          .0         .0
  601.- 700.   .0         .0         .0         .0          .0         .0
  701.- 800.   .0         .0         .0         .0          .0         .0
  801.- 900.   .0         .0         .0         .0          .0         .0
  901.-1000.   .0         .0         .0         .0          .0         .0
 1001.-1100.   .0         .0         .0         .0          .0         .0
 1101.-1200.   .0         .0         .0         .0          .0         .0
 1201.-1300.   .0         .0         .0         .0          .0         .0
 1301.-1400.   .0         .0         .0         .0          .0         .0
 1401.-1500.   .0         .0         .0         .0          .0         .0
 1501.-1600.   .0         .0         .0         .0          .0         .0
 1601.-1700.   .0         .0         .0         .0          .0         .0
 1701.-1800.   .0         .0         .0         .0          .0         .0
 1801.-1900.   .0         .0         .0         .0          .0         .0
 1901.-2000.   .0         .0         .0         .0          .0         .0
 2001.-2100.   .0         .0         .0         .0          .0         .0
 2101.-2200.   .0         .0         .0         .0          .0         .0
 2201.-2300.   .0         .0         .0         .0          .0         .0
 2301.-2400.   .0         .0         .0         .0          .0         .0
 2401.-2500.   .0         .0         .0         .0          .0         .0
 2501.-2600.   .0         .0         .0         .0          .0         .0
 2601.-2700.   .0         .0         .0         .0          .0         .0
 2701.-2800.   .0         .0         .0         .0          .0         .0
 2801.-2900.   .0         .0         .0         .0          .0         .0
 2901.-3000.   .0         .0         .0         .0          .0         .0

               .553E 12   .436E 12   .220E 12   .0          .0         .0
```

```
SCC = 30102201--H2S04 CHAMBEGENERAL            -WITH CONTROL EQUIPMENT -TOT RECS =     5

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
             60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28       .541E 12   .427E 12    .216E 12    .0          .0           .0
   33       .120E 11   .900E 10    .441E 10    .0          .0           .0


            .553E 12   .436E 12    .220E 12    .0          .0           .0


CC =30102201--H2S04 CHAMBE GENERAL            ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .541E 10  !H
 101.- 200.  .431E 12  !HHHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102201--H2S04 CHAMBE GENERAL              -TOTAL SCC -SIC =    0 -TOT RECS =      7

   TEMP         MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
               60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   0.- 100.    .577E 10     .541E 10     .441E 10   .0           .0           .0
 101.- 200.    .605E 12     .474E 12     .227E 12   .0           .0           .0
 201.- 300.    .0           .0           .0         .0           .0           .0
 301.- 400.    .0           .0           .0         .0           .0           .0
 401.- 500.    .0           .0           .0         .0           .0           .0
 501.- 600.    .0           .0           .0         .0           .0           .0
 601.- 700.    .0           .0           .0         .0           .0           .0
 701.- 800.    .0           .0           .0         .0           .0           .0
 801.- 900.    .0           .0           .0         .0           .0           .0
 901.-1000.    .0           .0           .0         .0           .0           .0
1001.-1100.    .0           .0           .0         .0           .0           .0
1101.-1200.    .0           .0           .0         .0           .0           .0
1201.-1300.    .0           .0           .0         .0           .0           .0
1301.-1400.    .0           .0           .0         .0           .0           .0
1401.-1500.    .0           .0           .0         .0           .0           .0
1501.-1600.    .0           .0           .0         .0           .0           .0
1601.-1700.    .0           .0           .0         .0           .0           .0
1701.-1800.    .0           .0           .0         .0           .0           .0
1801.-1900.    .0           .0           .0         .0           .0           .0
1901.-2000.    .0           .0           .0         .0           .0           .0
2001.-2100.    .0           .0           .0         .0           .0           .0
2101.-2200.    .0           .0           .0         .0           .0           .0
2201.-2300.    .0           .0           .0         .0           .0           .0
2301.-2400.    .0           .0           .0         .0           .0           .0
2401.-2500.    .0           .0           .0         .0           .0           .0
2501.-2600.    .0           .0           .0         .0           .0           .0
2601.-2700.    .0           .0           .0         .0           .0           .0
2701.-2800.    .0           .0           .0         .0           .0           .0
2801.-2900.    .0           .0           .0         .0           .0           .0
2901.-3000.    .0           .0           .0         .0           .0           .0

               .611E 12     .480E 12     .231E 12   .0           .0           .0
```

```
SCC = 30102201--H2SO4 CHAMBEGENERAL              -TOTAL SCC -TOT RECS =      7

SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   28          .599E 12   .471E 12    .227E 12   .0         .0          .0
   33          .120E 11   .900E 10    .441E 10   .0         .0          .0


               .611E 12   .480E 12    .231E 12   .0         .0          .0


CC 30102201--H2SO4 CHAMBE GENERAL               --TOTAL SCC  -SIC =    0 -TOT RECS =      7

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .541E 10  !H
 101.- 200.  .474E 12  !HHHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102301--H2S04 CONTAC 99.7 CONVERSION      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      4
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                 60 DEG     60 DEG      60 DEG    300 DEG   300 DEG    300 DEG
    0.- 100.    .0         .0          .0         .0         .0         .0
  101.- 200.    .213E 12   .160E 12    .532E 11   .0         .0         .0
  201.- 300.    .810E 11   .621E 11    .0         .0         .0         .0
  301.- 400.    .0         .0          .0         .0         .0         .0
  401.- 500.    .0         .0          .0         .0         .0         .0
  501.- 600.    .0         .0          .0         .0         .0         .0
  601.- 700.    .0         .0          .0         .0         .0         .0
  701.- 800.    .0         .0          .0         .0         .0         .0
  801.- 900.    .0         .0          .0         .0         .0         .0
  901.-1000.    .0         .0          .0         .0         .0         .0
 1001.-1100.    .0         .0          .0         .0         .0         .0
 1101.-1200.    .0         .0          .0         .0         .0         .0
 1201.-1300.    .0         .0          .0         .0         .0         .0
 1301.-1400.    .0         .0          .0         .0         .0         .0
 1401.-1500.    .0         .0          .0         .0         .0         .0
 1501.-1600.    .0         .0          .0         .0         .0         .0
 1601.-1700.    .0         .0          .0         .0         .0         .0
 1701.-1800.    .0         .0          .0         .0         .0         .0
 1801.-1900.    .0         .0          .0         .0         .0         .0
 1901.-2000.    .0         .0          .0         .0         .0         .0
 2001.-2100.    .0         .0          .0         .0         .0         .0
 2101.-2200.    .0         .0          .0         .0         .0         .0
 2201.-2300.    .0         .0          .0         .0         .0         .0
 2301.-2400.    .0         .0          .0         .0         .0         .0
 2401.-2500.    .0         .0          .0         .0         .0         .0
 2501.-2600.    .0         .0          .0         .0         .0         .0
 2601.-2700.    .0         .0          .0         .0         .0         .0
 2701.-2800.    .0         .0          .0         .0         .0         .0
 2801.-2900.    .0         .0          .0         .0         .0         .0
 2901.-3000.    .0         .0          .0         .0         .0         .0

                .294E 12   .222E 12    .532E 11   .0         .0         .0
```

```
SCC = 30102301--H2S04 CONTAC99.7 CONVERSION      -NO CONTROL EQUIPMENT -TOT RECS =       4
SIC           MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
               60 DEG      60 DEG       60 DEG     300 DEG     300 DEG    300 DEG
   28        .213E 12    .160E 12    .532E 11    .0          .0          .0
   33        .810E 11    .621E 11    .0          .0          .0          .0

             .294E 12    .222E 12    .532E 11    .0          .0          .0

CC = 30102301--H2S04 CONTAC 99.7 CONVERSION     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      4
TEMP RANGE    COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .160E 12  !H
 201.- 300.   .621E 11  !H
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102301--H2S04 CONTAC 99.7 CONVERSION      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      8

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.     .0         .0         .0         .0         .0         .0
  101.- 200.     .127E 13   .957E 12   .471E 12   .0         .0         .0
  201.- 300.     .0         .0         .0         .0         .0         .0
  301.- 400.     .0         .0         .0         .0         .0         .0
  401.- 500.     .0         .0         .0         .0         .0         .0
  501.- 600.     .0         .0         .0         .0         .0         .0
  601.- 700.     .0         .0         .0         .0         .0         .0
  701.- 800.     .0         .0         .0         .0         .0         .0
  801.- 900.     .0         .0         .0         .0         .0         .0
  901.-1000.     .0         .0         .0         .0         .0         .0
 1001.-1100.     .0         .0         .0         .0         .0         .0
 1101.-1200.     .0         .0         .0         .0         .0         .0
 1201.-1300.     .0         .0         .0         .0         .0         .0
 1301.-1400.     .0         .0         .0         .0         .0         .0
 1401.-1500.     .0         .0         .0         .0         .0         .0
 1501.-1600.     .0         .0         .0         .0         .0         .0
 1601.-1700.     .0         .0         .0         .0         .0         .0
 1701.-1800.     .0         .0         .0         .0         .0         .0
 1801.-1900.     .0         .0         .0         .0         .0         .0
 1901.-2000.     .0         .0         .0         .0         .0         .0
 2001.-2100.     .0         .0         .0         .0         .0         .0
 2101.-2200.     .0         .0         .0         .0         .0         .0
 2201.-2300.     .0         .0         .0         .0         .0         .0
 2301.-2400.     .0         .0         .0         .0         .0         .0
 2401.-2500.     .0         .0         .0         .0         .0         .0
 2501.-2600.     .0         .0         .0         .0         .0         .0
 2601.-2700.     .0         .0         .0         .0         .0         .0
 2701.-2800.     .0         .0         .0         .0         .0         .0
 2801.-2900.     .0         .0         .0         .0         .0         .0
 2901.-3000.     .0         .0         .0         .0         .0         .0

                 .127E 13   .957E 12   .471E 12   .0         .0         .0
```

```
SCC = 30102301--H2S04 CONTAC99.7 CONVERSION      -WITH CONTROL EQUIPMENT -TOT RECS =     8
SIC           MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28        .127E 13   .957E 12   .471E 12   .0         .0          .0


             .127E 13   .957E 12   .471E 12   .0         .0          .0


CC =30102301--H2S04 CONTAC 99.7 CONVERSION     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      8
TEMP RANGE    COUNT

                         ------------------------------------------------------------------------------------------------------
   0.- 100.   .0         !
 101.- 200.   .957E 12   !HHHHHHHHH
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102301--H2SO4 CONTAC 99.7 CONVERSION      -TOTAL SCC -SIC =    0 -TOT RECS =     12

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG      300 DEG    300 DEG    300 DEG
    0.- 100.    .0         .0          .0          .0         .0         .0
  101.- 200.   .148E 13   .112E 13    .524E 12     .0         .0         .0
  201.- 300.   .810E 11   .621E 11    .0           .0         .0         .0
  301.- 400.   .0         .0          .0           .0         .0         .0
  401.- 500.   .0         .0          .0           .0         .0         .0
  501.- 600.   .0         .0          .0           .0         .0         .0
  601.- 700.   .0         .0          .0           .0         .0         .0
  701.- 800.   .0         .0          .0           .0         .0         .0
  801.- 900.   .0         .0          .0           .0         .0         .0
  901.-1000.   .0         .0          .0           .0         .0         .0
 1001.-1100.   .0         .0          .0           .0         .0         .0
 1101.-1200.   .0         .0          .0           .0         .0         .0
 1201.-1300.   .0         .0          .0           .0         .0         .0
 1301.-1400.   .0         .0          .0           .0         .0         .0
 1401.-1500.   .0         .0          .0           .0         .0         .0
 1501.-1600.   .0         .0          .0           .0         .0         .0
 1601.-1700.   .0         .0          .0           .0         .0         .0
 1701.-1800.   .0         .0          .0           .0         .0         .0
 1801.-1900.   .0         .0          .0           .0         .0         .0
 1901.-2000.   .0         .0          .0           .0         .0         .0
 2001.-2100.   .0         .0          .0           .0         .0         .0
 2101.-2200.   .0         .0          .0           .0         .0         .0
 2201.-2300.   .0         .0          .0           .0         .0         .0
 2301.-2400.   .0         .0          .0           .0         .0         .0
 2401.-2500.   .0         .0          .0           .0         .0         .0
 2501.-2600.   .0         .0          .0           .0         .0         .0
 2601.-2700.   .0         .0          .0           .0         .0         .0
 2701.-2800.   .0         .0          .0           .0         .0         .0
 2801.-2900.   .0         .0          .0           .0         .0         .0
 2901.-3000.   .0         .0          .0           .0         .0         .0

               .156E 13   .118E 13    .524E 12     .0         .0         .0
```

```
SCC = 30102301--H2S04 CONTAC99.7 CONVERSION      -TOTAL SCC -TOT RECS =     12

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG     300 DEG     300 DEG
   28        .148E 13   .112E 13    .524E 12   .0          .0          .0
   33        .810E 11   .621E 11    .0         .0          .0          .0

             .156E 13   .118E 13    .524E 12   .0          .0          .0


CC 30102301--H2S04 CONTAC 99.7 CONVERSION     --TOTAL SCC  -SIC =    0 -TOT RECS =     12

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .112E 13  !HHHHHHHHHHH
 201.- 300.   .621E 11  !H
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102304--H2S04 CONTAC 99.5 CONVERSION      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1

   TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.    .0         .0          .0          .0         .0          .0
 101.- 200.    .695E 10   .519E 10    .254E 10    .0         .0          .0
 201.- 300.    .0         .0          .0          .0         .0          .0
 301.- 400.    .0         .0          .0          .0         .0          .0
 401.- 500.    .0         .0          .0          .0         .0          .0
 501.- 600.    .0         .0          .0          .0         .0          .0
 601.- 700.    .0         .0          .0          .0         .0          .0
 701.- 800.    .0         .0          .0          .0         .0          .0
 801.- 900.    .0         .0          .0          .0         .0          .0
 901.-1000.    .0         .0          .0          .0         .0          .0
1001.-1100.    .0         .0          .0          .0         .0          .0
1101.-1200.    .0         .0          .0          .0         .0          .0
1201.-1300.    .0         .0          .0          .0         .0          .0
1301.-1400.    .0         .0          .0          .0         .0          .0
1401.-1500.    .0         .0          .0          .0         .0          .0
1501.-1600.    .0         .0          .0          .0         .0          .0
1601.-1700.    .0         .0          .0          .0         .0          .0
1701.-1800.    .0         .0          .0          .0         .0          .0
1801.-1900.    .0         .0          .0          .0         .0          .0
1901.-2000.    .0         .0          .0          .0         .0          .0
2001.-2100.    .0         .0          .0          .0         .0          .0
2101.-2200.    .0         .0          .0          .0         .0          .0
2201.-2300.    .0         .0          .0          .0         .0          .0
2301.-2400.    .0         .0          .0          .0         .0          .0
2401.-2500.    .0         .0          .0          .0         .0          .0
2501.-2600.    .0         .0          .0          .0         .0          .0
2601.-2700.    .0         .0          .0          .0         .0          .0
2701.-2800.    .0         .0          .0          .0         .0          .0
2801.-2900.    .0         .0          .0          .0         .0          .0
2901.-3000.    .0         .0          .0          .0         .0          .0

               .695E 10   .519E 10    .254E 10    .0         .0          .0
```

```
SCC = 30102304--H2S04 CONTAC99.5 CONVERSION        -NO CONTROL EQUIPMENT -TOT RECS =       1
SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28         .695E 10   .519E 10   .254E 10   .0         .0         .0

              .695E 10   .519E 10   .254E 10   .0         .0         .0

CC = 30102304--H2S04 CONTAC 99.5 CONVERSION      --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =       1
TEMP RANGE   COUNT

                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .0       !
 101.- 200.  .519E 10 !H
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102304--H2SO4 CONTAC 99.5 CONVERSION       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      2
   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
   0.- 100.     .0          .0          .0          .0          .0          .0
 101.- 200.     .217E 12    .162E 12    .794E 11    .0          .0          .0
 201.- 300.     .182E 12    .137E 12    .699E 11    .0          .0          .0
 301.- 400.     .0          .0          .0          .0          .0          .0
 401.- 500.     .0          .0          .0          .0          .0          .0
 501.- 600.     .0          .0          .0          .0          .0          .0
 601.- 700.     .0          .0          .0          .0          .0          .0
 701.- 800.     .0          .0          .0          .0          .0          .0
 801.- 900.     .0          .0          .0          .0          .0          .0
 901.-1000.     .0          .0          .0          .0          .0          .0
1001.-1100.     .0          .0          .0          .0          .0          .0
1101.-1200.     .0          .0          .0          .0          .0          .0
1201.-1300.     .0          .0          .0          .0          .0          .0
1301.-1400.     .0          .0          .0          .0          .0          .0
1401.-1500.     .0          .0          .0          .0          .0          .0
1501.-1600.     .0          .0          .0          .0          .0          .0
1601.-1700.     .0          .0          .0          .0          .0          .0
1701.-1800.     .0          .0          .0          .0          .0          .0
1801.-1900.     .0          .0          .0          .0          .0          .0
1901.-2000.     .0          .0          .0          .0          .0          .0
2001.-2100.     .0          .0          .0          .0          .0          .0
2101.-2200.     .0          .0          .0          .0          .0          .0
2201.-2300.     .0          .0          .0          .0          .0          .0
2301.-2400.     .0          .0          .0          .0          .0          .0
2401.-2500.     .0          .0          .0          .0          .0          .0
2501.-2600.     .0          .0          .0          .0          .0          .0
2601.-2700.     .0          .0          .0          .0          .0          .0
2701.-2800.     .0          .0          .0          .0          .0          .0
2801.-2900.     .0          .0          .0          .0          .0          .0
2901.-3000.     .0          .0          .0          .0          .0          .0

                .399E 12    .299E 12    .149E 12    .0          .0          .0
```

```
SCC = 30102304--H2S04 CONTAC99.5 CONVERSION      -WITH CONTROL EQUIPMENT -TOT RECS =     2

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG       60 DEG      300DEG   300 DEG     300 DEG
  28        .217E 12   .162E 12    .794E 11   .0          .0          .0
  33        .182E 12   .137E 12    .699E 11   .0          .0          .0

            .399E 12   .299E 12    .149E 12   .0          .0          .0


CC =30102304--H2S04 CONTAC 99.5 CONVERSION     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2

TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .0       !
 101.- 200.  .162E 12 !H
 201.- 300.  .137E 12 !H
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102304--H2S04 CONTAC 99.5 CONVERSION      -TOTAL SCC -SIC =    0 -TOT RECS =      3

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   0.- 100.   .0          .0          .0         .0          .0         .0
 101.- 200.   .224E 12   .167E 12    .820E 11   .0          .0         .0
 201.- 300.   .182E 12   .137E 12    .699E 11   .0          .0         .0
 301.- 400.   .0          .0          .0         .0          .0         .0
 401.- 500.   .0          .0          .0         .0          .0         .0
 501.- 600.   .0          .0          .0         .0          .0         .0
 601.- 700.   .0          .0          .0         .0          .0         .0
 701.- 800.   .0          .0          .0         .0          .0         .0
 801.- 900.   .0          .0          .0         .0          .0         .0
 901.-1000.   .0          .0          .0         .0          .0         .0
1001.-1100.   .0          .0          .0         .0          .0         .0
1101.-1200.   .0          .0          .0         .0          .0         .0
1201.-1300.   .0          .0          .0         .0          .0         .0
1301.-1400.   .0          .0          .0         .0          .0         .0
1401.-1500.   .0          .0          .0         .0          .0         .0
1501.-1600.   .0          .0          .0         .0          .0         .0
1601.-1700.   .0          .0          .0         .0          .0         .0
1701.-1800.   .0          .0          .0         .0          .0         .0
1801.-1900.   .0          .0          .0         .0          .0         .0
1901.-2000.   .0          .0          .0         .0          .0         .0
2001.-2100.   .0          .0          .0         .0          .0         .0
2101.-2200.   .0          .0          .0         .0          .0         .0
2201.-2300.   .0          .0          .0         .0          .0         .0
2301.-2400.   .0          .0          .0         .0          .0         .0
2401.-2500.   .0          .0          .0         .0          .0         .0
2501.-2600.   .0          .0          .0         .0          .0         .0
2601.-2700.   .0          .0          .0         .0          .0         .0
2701.-2800.   .0          .0          .0         .0          .0         .0
2801.-2900.   .0          .0          .0         .0          .0         .0
2901.-3000.   .0          .0          .0         .0          .0         .0

              .406E 12   .304E 12    .152E 12   .0          .0         .0
```

```
SCC = 30102304--H2S04 CONTAC99.5 CONVERSION      -TOTAL SCC -TOT RECS =      3

SIC          MAXIMUM    EXPECTED     MINIMUM    MAXIMUM   EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .224E 12   .167E 12   .820E 11    .0         .0         .0
   33       .182E 12   .137E 12   .699E 11    .0         .0         .0


            .406E 12   .304E 12   .152E 12    .0         .0         .0


CC 30102304--H2S04 CONTAC 99.5 CONVERSION     --TOTAL SCC  -SIC =    0 -TOT RECS =      3

EMP RANGE   COUNT

                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .167E 12  !H
 201.- 300.  .137E 12  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102306--H2S04 CONTAC 99.0 CONVERSION      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     11

   TEMP         MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                 60 DEG    60 DEG      60 DEG    300 DEG   300 DEG    300 DEG
   0.- 100.     .225E 11  .211E 11    .0         .0         .0         .0
 101.- 200.     .877E 12  .655E 12    .279E 12   .0         .0         .0
 201.- 300.     .270E 12  .202E 12    .102E 12   .0         .0         .0
 301.- 400.     .0        .0          .0         .0         .0         .0
 401.- 500.     .0        .0          .0         .0         .0         .0
 501.- 600.     .0        .0          .0         .0         .0         .0
 601.- 700.     .0        .0          .0         .0         .0         .0
 701.- 800.     .0        .0          .0         .0         .0         .0
 801.- 900.     .0        .0          .0         .0         .0         .0
 901.-1000.     .0        .0          .0         .0         .0         .0
1001.-1100.     .0        .0          .0         .0         .0         .0
1101.-1200.     .0        .0          .0         .0         .0         .0
1201.-1300.     .0        .0          .0         .0         .0         .0
1301.-1400.     .0        .0          .0         .0         .0         .0
1401.-1500.     .0        .0          .0         .0         .0         .0
1501.-1600.     .0        .0          .0         .0         .0         .0
1601.-1700.     .0        .0          .0         .0         .0         .0
1701.-1800.     .0        .0          .0         .0         .0         .0
1801.-1900.     .0        .0          .0         .0         .0         .0
1901.-2000.     .0        .0          .0         .0         .0         .0
2001.-2100.     .0        .0          .0         .0         .0         .0
2101.-2200.     .0        .0          .0         .0         .0         .0
2201.-2300.     .0        .0          .0         .0         .0         .0
2301.-2400.     .0        .0          .0         .0         .0         .0
2401.-2500.     .0        .0          .0         .0         .0         .0
2501.-2600.     .0        .0          .0         .0         .0         .0
2601.-2700.     .0        .0          .0         .0         .0         .0
2701.-2800.     .0        .0          .0         .0         .0         .0
2801.-2900.     .0        .0          .0         .0         .0         .0
2901.-3000.     .0        .0          .0         .0         .0         .0

                .117E 13  .879E 12    .381E 12   .0         .0         .0
```

```
SCC = 30102306--H2S04 CONTAC99.0 CONVERSION      -NO CONTROL EQUIPMENT -TOT RECS =     11

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28       .266E 12   .199E 12   .974E 11   .0         .0         .0
   33       .783E 12   .590E 12   .239E 12   .0         .0         .0
   99       .121E 12   .906E 11   .445E 11   .0         .0         .0


            .117E 13   .879E 12   .381E 12   .0         .0         .0


CC = 30102306--H2S04 CONTAC 99.0 CONVERSION     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     11

TEMP RANGE   COUNT

                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .211E 11  !H
 101.- 200.  .655E 12  !HHHHHH
 201.- 300.  .202E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102306--H2S04 CONTAC 99.0 CONVERSION      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      6
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                 60 DEG     60 DEG     60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.    .0         .0          .0          .0        .0         .0
  101.- 200.    .859E 12   .650E 12    .321E 12    .0        .0         .0
  201.- 300.    .0         .0          .0          .0        .0         .0
  301.- 400.    .0         .0          .0          .0        .0         .0
  401.- 500.    .0         .0          .0          .0        .0         .0
  501.- 600.    .0         .0          .0          .0        .0         .0
  601.- 700.    .0         .0          .0          .0        .0         .0
  701.- 800.    .0         .0          .0          .0        .0         .0
  801.- 900.    .0         .0          .0          .0        .0         .0
  901.-1000.    .0         .0          .0          .0        .0         .0
 1001.-1100.    .0         .0          .0          .0        .0         .0
 1101.-1200.    .0         .0          .0          .0        .0         .0
 1201.-1300.    .0         .0          .0          .0        .0         .0
 1301.-1400.    .0         .0          .0          .0        .0         .0
 1401.-1500.    .0         .0          .0          .0        .0         .0
 1501.-1600.    .0         .0          .0          .0        .0         .0
 1601.-1700.    .0         .0          .0          .0        .0         .0
 1701.-1800.    .0         .0          .0          .0        .0         .0
 1801.-1900.    .0         .0          .0          .0        .0         .0
 1901.-2000.    .0         .0          .0          .0        .0         .0
 2001.-2100.    .0         .0          .0          .0        .0         .0
 2101.-2200.    .0         .0          .0          .0        .0         .0
 2201.-2300.    .0         .0          .0          .0        .0         .0
 2301.-2400.    .0         .0          .0          .0        .0         .0
 2401.-2500.    .0         .0          .0          .0        .0         .0
 2501.-2600.    .0         .0          .0          .0        .0         .0
 2601.-2700.    .0         .0          .0          .0        .0         .0
 2701.-2800.    .0         .0          .0          .0        .0         .0
 2801.-2900.    .0         .0          .0          .0        .0         .0
 2901.-3000.    .0         .0          .0          .0        .0         .0

                .859E 12   .650E 12    .321E 12    .0        .0         .0
```

```
SCC = 30102306--H2S04 CONTAC99.0 CONVERSION      -WITH CONTROL EQUIPMENT -TOT RECS =     6

SIC           MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28        .859E 12   .650E 12   .321E 12   .0         .0          .0


             .859E 12   .650E 12   .321E 12   .0         .0          .0


CC =30102306--H2S04 CONTAC 99.0 CONVERSION     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TCTAL RECS =      6

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .0          !
 101.- 200.  .650E 12    !HHHHHH
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102306--H2S04 CONTAC 99.0 CONVERSION      -TOTAL SCC -SIC =    0 -TOT RECS =     17

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   0.- 100.   .225E 11   .211E 11    .0         .0         .0         .0
 101.- 200.   .174E 13   .131E 13    .599E 12   .0         .0         .0
 201.- 300.   .270E 12   .202E 12    .102E 12   .0         .0         .0
 301.- 400.   .0         .0          .0         .0         .0         .0
 401.- 500.   .0         .0          .0         .0         .0         .0
 501.- 600.   .0         .0          .0         .0         .0         .0
 601.- 700.   .0         .0          .0         .0         .0         .0
 701.- 800.   .0         .0          .0         .0         .0         .0
 801.- 900.   .0         .0          .0         .0         .0         .0
 901.-1000.   .0         .0          .0         .0         .0         .0
1001.-1100.   .0         .0          .0         .0         .0         .0
1101.-1200.   .0         .0          .0         .0         .0         .0
1201.-1300.   .0         .0          .0         .0         .0         .0
1301.-1400.   .0         .0          .0         .0         .0         .0
1401.-1500.   .0         .0          .0         .0         .0         .0
1501.-1600.   .0         .0          .0         .0         .0         .0
1601.-1700.   .0         .0          .0         .0         .0         .0
1701.-1800.   .0         .0          .0         .0         .0         .0
1801.-1900.   .0         .0          .0         .0         .0         .0
1901.-2000.   .0         .0          .0         .0         .0         .0
2001.-2100.   .0         .0          .0         .0         .0         .0
2101.-2200.   .0         .0          .0         .0         .0         .0
2201.-2300.   .0         .0          .0         .0         .0         .0
2301.-2400.   .0         .0          .0         .0         .0         .0
2401.-2500.   .0         .0          .0         .0         .0         .0
2501.-2600.   .0         .0          .0         .0         .0         .0
2601.-2700.   .0         .0          .0         .0         .0         .0
2701.-2800.   .0         .0          .0         .0         .0         .0
2801.-2900.   .0         .0          .0         .0         .0         .0
2901.-3000.   .0         .0          .0         .0         .0         .0

              .203E 13   .153E 13    .701E 12   .0         .0         .0
```

```
SCC = 30102306--H2S04 CONTAC99.0 CONVERSION      -TOTAL SCC -TOT RECS =     17

SIC             MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28          .113E 13   .849E 12    .418E 12   .0         .0         .0
   33          .783E 12   .590E 12    .239E 12   .0         .0         .0
   99          .121E 12   .906E 11    .445E 11   .0         .0         .0


               .203E 13   .153E 13    .701E 12   .0         .0         .0


CC 30102306--H2S04 CONTAC 99.0 CONVERSION     --TOTAL SCC  -SIC =    0 -TOT RECS =     17

EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .211E 11  !H
 101.- 200.  .131E 13  !HHHHHHHHHHHHH
 201.- 300.  .202E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102308--H2S04 CONTAC 98.0 CONVERSION      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     19

   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.    .502E 10   .471E 10    .383E 10    .0          .0          .0
 101.- 200.    .281E 13   .228E 13    .103E 13    .0          .0          .0
 201.- 300.    .441E 11   .334E 11    .175E 11    .0          .0          .0
 301.- 400.    .0         .0          .0          .0          .0          .0
 401.- 500.    .120E 11   .955E 10    .587E 10    .182E 10    .173E 10    .159E 10
 501.- 600.    .0         .0          .0          .0          .0          .0
 601.- 700.    .0         .0          .0          .0          .0          .0
 701.- 800.    .0         .0          .0          .0          .0          .0
 801.- 900.    .0         .0          .0          .0          .0          .0
 901.-1000.    .0         .0          .0          .0          .0          .0
1001.-1100.    .0         .0          .0          .0          .0          .0
1101.-1200.    .0         .0          .0          .0          .0          .0
1201.-1300.    .0         .0          .0          .0          .0          .0
1301.-1400.    .0         .0          .0          .0          .0          .0
1401.-1500.    .0         .0          .0          .0          .0          .0
1501.-1600.    .0         .0          .0          .0          .0          .0
1601.-1700.    .0         .0          .0          .0          .0          .0
1701.-1800.    .0         .0          .0          .0          .0          .0
1801.-1900.    .0         .0          .0          .0          .0          .0
1901.-2000.    .0         .0          .0          .0          .0          .0
2001.-2100.    .0         .0          .0          .0          .0          .0
2101.-2200.    .0         .0          .0          .0          .0          .0
2201.-2300.    .0         .0          .0          .0          .0          .0
2301.-2400.    .0         .0          .0          .0          .0          .0
2401.-2500.    .0         .0          .0          .0          .0          .0
2501.-2600.    .0         .0          .0          .0          .0          .0
2601.-2700.    .0         .0          .0          .0          .0          .0
2701.-2800.    .0         .0          .0          .0          .0          .0
2801.-2900.    .0         .0          .0          .0          .0          .0
2901.-3000.    .0         .0          .0          .0          .0          .0

               .287E 13   .233E 13    .106E 13    .182E 10    .173E 10    .159E 10
```

```
SCC = 30102308--H2S04 CONTAC98.0 CONVERSION      -NO CONTROL EQUIPMENT -TOT RECS =     19

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED     MINIMUM
              60 DEG      60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
   10       .143E 12    .107E 12    .524E 11    .0          .0          .0
   28       .255E 13    .209E 13    .101E 13    .182E 10    .173E 10    .159E 10
   29       .169E 12    .127E 12    .0          .0          .0          .0

            .287E 13    .233E 13    .106E 13    .182E 10    .173E 10    .159E 10


CC = 30102308--H2S04 CONTAC 98.0 CONVERSION     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     19

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .471E 10  !H
 101.- 200.   .228E 13  !HHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .334E 11  !H
 301.- 400.   .0        !
 401.- 500.   .955E 10  !H
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102308--H2S04 CONTAC 98.0 CONVERSION       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     37

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .418E 12   .392E 12   .294E 12   .0          .0         .0
  101.- 200.   .409E 13   .310E 13   .140E 13   .0          .0         .0
  201.- 300.   .323E 12   .242E 12   .504E 11   .0          .0         .0
  301.- 400.   .0         .0         .0         .0          .0         .0
  401.- 500.   .0         .0         .0         .0          .0         .0
  501.- 600.   .148E 12   .119E 12   .747E 11   .278E 11    .264E 11   .242E 11
  601.- 700.   .0         .0         .0         .0          .0         .0
  701.- 800.   .0         .0         .0         .0          .0         .0
  801.- 900.   .0         .0         .0         .0          .0         .0
  901.-1000.   .0         .0         .0         .0          .0         .0
 1001.-1100.   .0         .0         .0         .0          .0         .0
 1101.-1200.   .0         .0         .0         .0          .0         .0
 1201.-1300.   .0         .0         .0         .0          .0         .0
 1301.-1400.   .0         .0         .0         .0          .0         .0
 1401.-1500.   .0         .0         .0         .0          .0         .0
 1501.-1600.   .0         .0         .0         .0          .0         .0
 1601.-1700.   .0         .0         .0         .0          .0         .0
 1701.-1800.   .0         .0         .0         .0          .0         .0
 1801.-1900.   .0         .0         .0         .0          .0         .0
 1901.-2000.   .0         .0         .0         .0          .0         .0
 2001.-2100.   .0         .0         .0         .0          .0         .0
 2101.-2200.   .0         .0         .0         .0          .0         .0
 2201.-2300.   .0         .0         .0         .0          .0         .0
 2301.-2400.   .0         .0         .0         .0          .0         .0
 2401.-2500.   .0         .0         .0         .0          .0         .0
 2501.-2600.   .0         .0         .0         .0          .0         .0
 2601.-2700.   .0         .0         .0         .0          .0         .0
 2701.-2800.   .0         .0         .0         .0          .0         .0
 2801.-2900.   .0         .0         .0         .0          .0         .0
 2901.-3000.   .0         .0         .0         .0          .0         .0

               .498E 13   .385E 13   .182E 13   .278E 11    .264E 11   .242E 11
```

```
SCC = 30102308--H2S04 CONTAC98.0 CONVERSION      -WITH CONTROL EQUIPMENT -TOT RECS =    37

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG       60 DEG      300DEG   300 DEG     300 DEG
   28       .464E 13   .359E 13    .175E 13   .0         .0          .0
   33       .188E 12   .142E 12    .0         .0         .0          .0
   99       .148E 12   .119E 12    .747E 11   .278E 11   .264E 11    .242E 11

            .498E 13   .385E 13    .182E 13   .278E 11   .264E 11    .242E 11

CC =30102308--H2S04 CONTAC 98.0 CONVERSION    ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     37

TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .392E 12   !HHH
 101.- 200.   .310E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .242E 12   !HH
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .119E 12   !H
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102308--H2S04 CONTAC 98.0 CONVERSION     -TOTAL SCC -SIC =    0 -TOT RECS =     56
   TEMP          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
                60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
    0.- 100.    .423E 12    .397E 12     .298E 12    .0          .0           .0
  101.- 200.    .689E 13    .538E 13     .243E 13    .0          .0           .0
  201.- 300.    .367E 12    .275E 12     .679E 11    .0          .0           .0
  301.- 400.    .0          .0           .0          .0          .0           .0
  401.- 500.    .120E 11    .955E 10     .587E 10    .182E 10    .173E 10     .159E 10
  501.- 600.    .148E 12    .119E 12     .747E 11    .278E 11    .264E 11     .242E 11
  601.- 700.    .0          .0           .0          .0          .0           .0
  701.- 800.    .0          .0           .0          .0          .0           .0
  801.- 900.    .0          .0           .0          .0          .0           .0
  901.-1000.    .0          .0           .0          .0          .0           .0
 1001.-1100.    .0          .0           .0          .0          .0           .0
 1101.-1200.    .0          .0           .0          .0          .0           .0
 1201.-1300.    .0          .0           .0          .0          .0           .0
 1301.-1400.    .0          .0           .0          .0          .0           .0
 1401.-1500.    .0          .0           .0          .0          .0           .0
 1501.-1600.    .0          .0           .0          .0          .0           .0
 1601.-1700.    .0          .0           .0          .0          .0           .0
 1701.-1800.    .0          .0           .0          .0          .0           .0
 1801.-1900.    .0          .0           .0          .0          .0           .0
 1901.-2000.    .0          .0           .0          .0          .0           .0
 2001.-2100.    .0          .0           .0          .0          .0           .0
 2101.-2200.    .0          .0           .0          .0          .0           .0
 2201.-2300.    .0          .0           .0          .0          .0           .0
 2301.-2400.    .0          .0           .0          .0          .0           .0
 2401.-2500.    .0          .0           .0          .0          .0           .0
 2501.-2600.    .0          .0           .0          .0          .0           .0
 2601.-2700.    .0          .0           .0          .0          .0           .0
 2701.-2800.    .0          .0           .0          .0          .0           .0
 2801.-2900.    .0          .0           .0          .0          .0           .0
 2901.-3000.    .0          .0           .0          .0          .0           .0

                .784E 13    .618E 13     .288E 13    .296E 11    .281E 11     .257E 11
```

```
SCC = 30102308--H2S04 CONTAC98.0 CONVERSION      -TOTAL SCC -TOT RECS =     56

SIC           MAXIMUM     EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
              60 DEG      60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
  10         .143E 12    .107E 12    .524E 11    .0         .0          .0
  28         .720E 13    .568E 13    .275E 13    .182E 10   .173E 10    .159E 10
  29         .169E 12    .127E 12    .0          .0         .0          .0
  33         .188E 12    .142E 12    .0          .0         .0          .0
  99         .148E 12    .119E 12    .747E 11    .278E 11   .264E 11    .242E 11

             .784E 13    .618E 13    .288E 13    .296E 11   .281E 11    .257E 11


CC 30102308--H2S04 CONTAC 98.0 CONVERSION     --TOTAL SCC  -SIC =    0 -TOT RECS =     56

EMP RANGE    COUNT

                            --------------------------------------------------------------------------------------------------------------------------------------------
   0.- 100.  .397E 12   !HHH
 101.- 200.  .538E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .275E 12   !HH
 301.- 400.  .0         !
 401.- 500.  .955E 10   !H
 501.- 600.  .119E 12   !H
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102310--H2SO4 CONTAC 97.0 CONVERSION      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     11
   TEMP        MAXIMUM    EXPECTED     MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG       60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .869E 11   .815E 11    .664E 11   .0          .0          .0
  101.- 200.   .103E 13   .791E 12    .185E 12   .0          .0          .0
  201.- 300.   .0         .0          .0         .0          .0          .0
  301.- 400.   .0         .0          .0         .0          .0          .0
  401.- 500.   .0         .0          .0         .0          .0          .0
  501.- 600.   .0         .0          .0         .0          .0          .0
  601.- 700.   .0         .0          .0         .0          .0          .0
  701.- 800.   .0         .0          .0         .0          .0          .0
  801.- 900.   .0         .0          .0         .0          .0          .0
  901.-1000.   .0         .0          .0         .0          .0          .0
 1001.-1100.   .0         .0          .0         .0          .0          .0
 1101.-1200.   .0         .0          .0         .0          .0          .0
 1201.-1300.   .0         .0          .0         .0          .0          .0
 1301.-1400.   .0         .0          .0         .0          .0          .0
 1401.-1500.   .0         .0          .0         .0          .0          .0
 1501.-1600.   .0         .0          .0         .0          .0          .0
 1601.-1700.   .0         .0          .0         .0          .0          .0
 1701.-1800.   .0         .0          .0         .0          .0          .0
 1801.-1900.   .0         .0          .0         .0          .0          .0
 1901.-2000.   .0         .0          .0         .0          .0          .0
 2001.-2100.   .0         .0          .0         .0          .0          .0
 2101.-2200.   .0         .0          .0         .0          .0          .0
 2201.-2300.   .0         .0          .0         .0          .0          .0
 2301.-2400.   .0         .0          .0         .0          .0          .0
 2401.-2500.   .0         .0          .0         .0          .0          .0
 2501.-2600.   .0         .0          .0         .0          .0          .0
 2601.-2700.   .0         .0          .0         .0          .0          .0
 2701.-2800.   .0         .0          .0         .0          .0          .0
 2801.-2900.   .0         .0          .0         .0          .0          .0
 2901.-3000.   .0         .0          .0         .0          .0          .0

               .111E 13   .872E 12    .251E 12   .0          .0          .0
```

```
SCC = 30102310--H2S04 CONTAC97.0 CONVERSION      -NO CONTROL EQUIPMENT -TOT RECS =     11
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG   300 DEG
   28       .111E 13   .872E 12    .251E 12   .0         .0         .0

            .111E 13   .872E 12    .251E 12   .0         .0         .0


CC = 30102310--H2S04 CONTAC 97.0 CONVERSION     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     11
TEMP RANGE   COUNT

                      -------------------------------------------------------------------------------------------------------
    0.- 100.  .815E 11  !H
  101.- 200.  .791E 12  !HHHHHHH
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102310--H2S04 CONTAC 97.0 CONVERSION      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     13
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .215E 12   .201E 12   .164E 12   .0          .0          .0
  101.- 200.   .213E 13   .159E 13   .784E 12   .0          .0          .0
  201.- 300.   .0         .0         .0         .0          .0          .0
  301.- 400.   .0         .0         .0         .0          .0          .0
  401.- 500.   .0         .0         .0         .0          .0          .0
  501.- 600.   .0         .0         .0         .0          .0          .0
  601.- 700.   .0         .0         .0         .0          .0          .0
  701.- 800.   .0         .0         .0         .0          .0          .0
  801.- 900.   .0         .0         .0         .0          .0          .0
  901.-1000.   .0         .0         .0         .0          .0          .0
 1001.-1100.   .0         .0         .0         .0          .0          .0
 1101.-1200.   .0         .0         .0         .0          .0          .0
 1201.-1300.   .0         .0         .0         .0          .0          .0
 1301.-1400.   .0         .0         .0         .0          .0          .0
 1401.-1500.   .0         .0         .0         .0          .0          .0
 1501.-1600.   .0         .0         .0         .0          .0          .0
 1601.-1700.   .0         .0         .0         .0          .0          .0
 1701.-1800.   .0         .0         .0         .0          .0          .0
 1801.-1900.   .0         .0         .0         .0          .0          .0
 1901.-2000.   .0         .0         .0         .0          .0          .0
 2001.-2100.   .0         .0         .0         .0          .0          .0
 2101.-2200.   .0         .0         .0         .0          .0          .0
 2201.-2300.   .0         .0         .0         .0          .0          .0
 2301.-2400.   .0         .0         .0         .0          .0          .0
 2401.-2500.   .0         .0         .0         .0          .0          .0
 2501.-2600.   .0         .0         .0         .0          .0          .0
 2601.-2700.   .0         .0         .0         .0          .0          .0
 2701.-2800.   .0         .0         .0         .0          .0          .0
 2801.-2900.   .0         .0         .0         .0          .0          .0
 2901.-3000.   .0         .0         .0         .0          .0          .0

               .235E 13   .179E 13   .948E 12   .0          .0          .0
```

```
SCC = 30102310--H2S04 CONTAC97.0 CONVERSION      -WITH CONTROL EQUIPMENT -TOT RECS =    13

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG       60 DEG      300DEG    300 DEG     300 DEG
   28        .235E 13    .179E 13    .948E 12   .0          .0          .0


             .235E 13    .179E 13    .948E 12   .0          .0          .0


CC =30102310--H2S04 CONTAC 97.0 CONVERSION     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     13

TEMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .201E 12  !HH
 101.- 200.   .159E 13  !HHHHHHHHHHHHHHH
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102310--H2S04 CONTAC 97.0 CONVERSION      -TOTAL SCC -SIC =    0 -TOT RECS =     24
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .302E 12   .283E 12   .231E 12   .0         .0          .0
  101.- 200.    .316E 13   .238E 13   .969E 12   .0         .0          .0
  201.- 300.   .0         .0          .0         .0         .0          .0
  301.- 400.   .0         .0          .0         .0         .0          .0
  401.- 500.   .0         .0          .0         .0         .0          .0
  501.- 600.   .0         .0          .0         .0         .0          .0
  601.- 700.   .0         .0          .0         .0         .0          .0
  701.- 800.   .0         .0          .0         .0         .0          .0
  801.- 900.   .0         .0          .0         .0         .0          .0
  901.-1000.   .0         .0          .0         .0         .0          .0
 1001.-1100.   .0         .0          .0         .0         .0          .0
 1101.-1200.   .0         .0          .0         .0         .0          .0
 1201.-1300.   .0         .0          .0         .0         .0          .0
 1301.-1400.   .0         .0          .0         .0         .0          .0
 1401.-1500.   .0         .0          .0         .0         .0          .0
 1501.-1600.   .0         .0          .0         .0         .0          .0
 1601.-1700.   .0         .0          .0         .0         .0          .0
 1701.-1800.   .0         .0          .0         .0         .0          .0
 1801.-1900.   .0         .0          .0         .0         .0          .0
 1901.-2000.   .0         .0          .0         .0         .0          .0
 2001.-2100.   .0         .0          .0         .0         .0          .0
 2101.-2200.   .0         .0          .0         .0         .0          .0
 2201.-2300.   .0         .0          .0         .0         .0          .0
 2301.-2400.   .0         .0          .0         .0         .0          .0
 2401.-2500.   .0         .0          .0         .0         .0          .0
 2501.-2600.   .0         .0          .0         .0         .0          .0
 2601.-2700.   .0         .0          .0         .0         .0          .0
 2701.-2800.   .0         .0          .0         .0         .0          .0
 2801.-2900.   .0         .0          .0         .0         .0          .0
 2901.-3000.   .0         .0          .0         .0         .0          .0

               .346E 13   .267E 13    .120E 13   .0         .0          .0
```

```
SCC = 30102310--H2S04 CONTAC97.0 CONVERSION      -TOTAL SCC -TOT RECS =     24
SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
              60 DEG     60 DEG     60 DEG    300 DEG    300 DEG    300 DEG
   28        .346E 13   .267E 13   .120E 13   .0         .0         .0


             .346E 13   .267E 13   .120E 13   .0         .0         .0


CC 30102310--H2S04 CONTAC 97.0 CONVERSION     --TOTAL SCC  -SIC =    0 -TOT RECS =     24
EMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .283E 12  !HH
 101.- 200.  .238E 13  !HHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102312--H2S04 CONTAC 96.0 CONVERSION      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      5

   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM   EXPECTED    MINIMUM
                 60 DEG     60 DEG       60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.    .0         .0           .0          .0         .0          .0
  101.- 200.    .602E 12   .485E 12     .197E 12    .0         .0          .0
  201.- 300.    .0         .0           .0          .0         .0          .0
  301.- 400.    .0         .0           .0          .0         .0          .0
  401.- 500.    .0         .0           .0          .0         .0          .0
  501.- 600.    .0         .0           .0          .0         .0          .0
  601.- 700.    .0         .0           .0          .0         .0          .0
  701.- 800.    .0         .0           .0          .0         .0          .0
  801.- 900.    .0         .0           .0          .0         .0          .0
  901.-1000.    .0         .0           .0          .0         .0          .0
 1001.-1100.    .0         .0           .0          .0         .0          .0
 1101.-1200.    .0         .0           .0          .0         .0          .0
 1201.-1300.    .0         .0           .0          .0         .0          .0
 1301.-1400.    .0         .0           .0          .0         .0          .0
 1401.-1500.    .0         .0           .0          .0         .0          .0
 1501.-1600.    .0         .0           .0          .0         .0          .0
 1601.-1700.    .0         .0           .0          .0         .0          .0
 1701.-1800.    .0         .0           .0          .0         .0          .0
 1801.-1900.    .0         .0           .0          .0         .0          .0
 1901.-2000.    .0         .0           .0          .0         .0          .0
 2001.-2100.    .0         .0           .0          .0         .0          .0
 2101.-2200.    .0         .0           .0          .0         .0          .0
 2201.-2300.    .0         .0           .0          .0         .0          .0
 2301.-2400.    .0         .0           .0          .0         .0          .0
 2401.-2500.    .0         .0           .0          .0         .0          .0
 2501.-2600.    .0         .0           .0          .0         .0          .0
 2601.-2700.    .0         .0           .0          .0         .0          .0
 2701.-2800.    .0         .0           .0          .0         .0          .0
 2801.-2900.    .0         .0           .0          .0         .0          .0
 2901.-3000.    .0         .0           .0          .0         .0          .0

                .602E 12   .485E 12     .197E 12    .0         .0          .0
```

```
SCC = 30102312--H2SO4 CONTAC96.0 CONVERSION      -NO CONTROL EQUIPMENT -TOT RECS =      5
SIC            MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED     MINIMUM
               60 DEG      60 DEG       60 DEG      300 DEG     300 DEG     300 DEG
   28         .602E 12    .485E 12    .197E 12    .0          .0          .0

              .602E 12    .485E 12    .197E 12    .0          .0          .0


CC = 30102312--H2SO4 CONTAC 96.0 CONVERSION     --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5
TEMP RANGE    COUNT

                            ----------------------------------------------------------------------------------------------------
   0.- 100.   .0          !
 101.- 200.   .485E 12    !HHHH
 201.- 300.   .0          !
 301.- 400.   .0          !
 401.- 500.   .0          !
 501.- 600.   .0          !
 601.- 700.   .0          !
 701.- 800.   .0          !
 801.- 900.   .0          !
 901.-1000.   .0          !
1001.-1100.   .0          !
1101.-1200.   .0          !
1201.-1300.   .0          !
1301.-1400.   .0          !
1401.-1500.   .0          !
1501.-1600.   .0          !
1601.-1700.   .0          !
1701.-1800.   .0          !
1801.-1900.   .0          !
1901.-2000.   .0          !
2001.-2100.   .0          !
2101.-2200.   .0          !
2201.-2300.   .0          !
2301.-2400.   .0          !
2401.-2500.   .0          !
2501.-2600.   .0          !
2601.-2700.   .0          !
2701.-2800.   .0          !
2801.-2900.   .0          !
2901.-3000.   .0          !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102312--H2S04 CONTAC 96.0 CONVERSION      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5
   TEMP         MAXIMUM   EXPECTED   MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                 60 DEG    60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.    .0         .0         .0         .0         .0         .0
  101.- 200.    .141E 13   .105E 13   .414E 12   .0         .0         .0
  201.- 300.    .0         .0         .0         .0         .0         .0
  301.- 400.    .0         .0         .0         .0         .0         .0
  401.- 500.    .0         .0         .0         .0         .0         .0
  501.- 600.    .0         .0         .0         .0         .0         .0
  601.- 700.    .0         .0         .0         .0         .0         .0
  701.- 800.    .0         .0         .0         .0         .0         .0
  801.- 900.    .0         .0         .0         .0         .0         .0
  901.-1000.    .0         .0         .0         .0         .0         .0
 1001.-1100.    .0         .0         .0         .0         .0         .0
 1101.-1200.    .0         .0         .0         .0         .0         .0
 1201.-1300.    .0         .0         .0         .0         .0         .0
 1301.-1400.    .0         .0         .0         .0         .0         .0
 1401.-1500.    .0         .0         .0         .0         .0         .0
 1501.-1600.    .0         .0         .0         .0         .0         .0
 1601.-1700.    .0         .0         .0         .0         .0         .0
 1701.-1800.    .0         .0         .0         .0         .0         .0
 1801.-1900.    .0         .0         .0         .0         .0         .0
 1901.-2000.    .0         .0         .0         .0         .0         .0
 2001.-2100.    .0         .0         .0         .0         .0         .0
 2101.-2200.    .0         .0         .0         .0         .0         .0
 2201.-2300.    .0         .0         .0         .0         .0         .0
 2301.-2400.    .0         .0         .0         .0         .0         .0
 2401.-2500.    .0         .0         .0         .0         .0         .0
 2501.-2600.    .0         .0         .0         .0         .0         .0
 2601.-2700.    .0         .0         .0         .0         .0         .0
 2701.-2800.    .0         .0         .0         .0         .0         .0
 2801.-2900.    .0         .0         .0         .0         .0         .0
 2901.-3000.    .0         .0         .0         .0         .0         .0

                .141E 13   .105E 13   .414E 12   .0         .0         .0
```

```
SCC = 30102312--H2S04 CONTAC96.0 CONVERSION      -WITH CONTROL EQUIPMENT -TOT RECS =     5
SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM      EXPECTED     MINIMUM
              60 DEG     60 DEG       60 DEG       300DEG     300 DEG      300 DEG
   28        .141E 13   .105E 13    .414E 12    .0           .0           .0

             .141E 13   .105E 13    .414E 12    .0           .0           .0

CC =30102312--H2S04 CONTAC 96.0 CONVERSION     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5
TEMP RANGE     COUNT

    0.- 100.   .0          ------------------------------------------------------------------------------------------------
  101.- 200.   .105E 13   !HHHHHHHHHH
  201.- 300.   .0         !
  301.- 400.   .0         !
  401.- 500.   .0         !
  501.- 600.   .0         !
  601.- 700.   .0         !
  701.- 800.   .0         !
  801.- 900.   .0         !
  901.-1000.   .0         !
 1001.-1100.   .0         !
 1101.-1200.   .0         !
 1201.-1300.   .0         !
 1301.-1400.   .0         !
 1401.-1500.   .0         !
 1501.-1600.   .0         !
 1601.-1700.   .0         !
 1701.-1800.   .0         !
 1801.-1900.   .0         !
 1901.-2000.   .0         !
 2001.-2100.   .0         !
 2101.-2200.   .0         !
 2201.-2300.   .0         !
 2301.-2400.   .0         !
 2401.-2500.   .0         !
 2501.-2600.   .0         !
 2601.-2700.   .0         !
 2701.-2800.   .0         !
 2801.-2900.   .0         !
 2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102312--H2S04 CONTAC 96.0 CONVERSION      -TOTAL SCC -SIC =    0 -TOT RECS =     10
   TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.    .0         .0          .0          .0         .0          .0
  101.- 200.    .201E 13   .154E 13    .611E 12    .0         .0          .0
  201.- 300.    .0         .0          .0          .0         .0          .0
  301.- 400.    .0         .0          .0          .0         .0          .0
  401.- 500.    .0         .0          .0          .0         .0          .0
  501.- 600.    .0         .0          .0          .0         .0          .0
  601.- 700.    .0         .0          .0          .0         .0          .0
  701.- 800.    .0         .0          .0          .0         .0          .0
  801.- 900.    .0         .0          .0          .0         .0          .0
  901.-1000.    .0         .0          .0          .0         .0          .0
 1001.-1100.    .0         .0          .0          .0         .0          .0
 1101.-1200.    .0         .0          .0          .0         .0          .0
 1201.-1300.    .0         .0          .0          .0         .0          .0
 1301.-1400.    .0         .0          .0          .0         .0          .0
 1401.-1500.    .0         .0          .0          .0         .0          .0
 1501.-1600.    .0         .0          .0          .0         .0          .0
 1601.-1700.    .0         .0          .0          .0         .0          .0
 1701.-1800.    .0         .0          .0          .0         .0          .0
 1801.-1900.    .0         .0          .0          .0         .0          .0
 1901.-2000.    .0         .0          .0          .0         .0          .0
 2001.-2100.    .0         .0          .0          .0         .0          .0
 2101.-2200.    .0         .0          .0          .0         .0          .0
 2201.-2300.    .0         .0          .0          .0         .0          .0
 2301.-2400.    .0         .0          .0          .0         .0          .0
 2401.-2500.    .0         .0          .0          .0         .0          .0
 2501.-2600.    .0         .0          .0          .0         .0          .0
 2601.-2700.    .0         .0          .0          .0         .0          .0
 2701.-2800.    .0         .0          .0          .0         .0          .0
 2801.-2900.    .0         .0          .0          .0         .0          .0
 2901.-3000.    .0         .0          .0          .0         .0          .0

                .201E 13   .154E 13    .611E 12    .0         .0          .0
```

```
SCC = 30102312--H2S04 CONTAC96.0 CONVERSION      -TOTAL SCC -TOT RECS =     10
SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG    300 DEG     300 DEG
   28       .201E 13    .154E 13     .611E 12    .0         .0          .0


            .201E 13    .154E 13     .611E 12    .0         .0          .0


CC 30102312--H2S04 CONTAC 96.0 CONVERSION     --TOTAL SCC  -SIC =    0 -TOT RECS =     10
EMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.   .0         !
 101.- 200.   .154E 13   !HHHHHHHHHHHHHHH
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102314--H2S04 CONTAC 95.0 CONVERSION      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      3

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .767E 11   .719E 11   .151E 11   .0          .0          .0
  101.- 200.   .197E 12   .148E 12   .729E 11   .0          .0          .0
  201.- 300.   .0         .0         .0         .0          .0          .0
  301.- 400.   .0         .0         .0         .0          .0          .0
  401.- 500.   .0         .0         .0         .0          .0          .0
  501.- 600.   .0         .0         .0         .0          .0          .0
  601.- 700.   .0         .0         .0         .0          .0          .0
  701.- 800.   .0         .0         .0         .0          .0          .0
  801.- 900.   .0         .0         .0         .0          .0          .0
  901.-1000.   .0         .0         .0         .0          .0          .0
 1001.-1100.   .0         .0         .0         .0          .0          .0
 1101.-1200.   .0         .0         .0         .0          .0          .0
 1201.-1300.   .0         .0         .0         .0          .0          .0
 1301.-1400.   .0         .0         .0         .0          .0          .0
 1401.-1500.   .0         .0         .0         .0          .0          .0
 1501.-1600.   .0         .0         .0         .0          .0          .0
 1601.-1700.   .0         .0         .0         .0          .0          .0
 1701.-1800.   .0         .0         .0         .0          .0          .0
 1801.-1900.   .0         .0         .0         .0          .0          .0
 1901.-2000.   .0         .0         .0         .0          .0          .0
 2001.-2100.   .0         .0         .0         .0          .0          .0
 2101.-2200.   .0         .0         .0         .0          .0          .0
 2201.-2300.   .0         .0         .0         .0          .0          .0
 2301.-2400.   .0         .0         .0         .0          .0          .0
 2401.-2500.   .0         .0         .0         .0          .0          .0
 2501.-2600.   .0         .0         .0         .0          .0          .0
 2601.-2700.   .0         .0         .0         .0          .0          .0
 2701.-2800.   .0         .0         .0         .0          .0          .0
 2801.-2900.   .0         .0         .0         .0          .0          .0
 2901.-3000.   .0         .0         .0         .0          .0          .0

               .274E 12   .220E 12   .880E 11   .0          .0          .0
```

```
SCC = 30102314--H2SO4 CONTAC95.0 CONVERSION      -NO CONTROL EQUIPMENT -TOT RECS =      3

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28       .274E 12   .220E 12   .880E 11   .0         .0          .0


            .274E 12   .220E 12   .880E 11   .0         .0          .0


CC = 30102314--H2SO4 CONTAC 95.0 CONVERSION    --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3

TEMP RANGE   COUNT

                        -----------------------------------------------------------------------------------------------------
   0.- 100.   .719E 11  !H
 101.- 200.   .148E 12  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102314--H2S04 CONTAC 95.0 CONVERSION      -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
               60 DEG      60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .142E 11   .133E 11   .108E 11   .0          .0         .0
  101.- 200.   .744E 12   .557E 12   .273E 12   .0          .0         .0
  201.- 300.   .0         .0         .0         .0          .0         .0
  301.- 400.   .0         .0         .0         .0          .0         .0
  401.- 500.   .0         .0         .0         .0          .0         .0
  501.- 600.   .0         .0         .0         .0          .0         .0
  601.- 700.   .0         .0         .0         .0          .0         .0
  701.- 800.   .0         .0         .0         .0          .0         .0
  801.- 900.   .0         .0         .0         .0          .0         .0
  901.-1000.   .0         .0         .0         .0          .0         .0
 1001.-1100.   .0         .0         .0         .0          .0         .0
 1101.-1200.   .0         .0         .0         .0          .0         .0
 1201.-1300.   .0         .0         .0         .0          .0         .0
 1301.-1400.   .0         .0         .0         .0          .0         .0
 1401.-1500.   .0         .0         .0         .0          .0         .0
 1501.-1600.   .0         .0         .0         .0          .0         .0
 1601.-1700.   .0         .0         .0         .0          .0         .0
 1701.-1800.   .0         .0         .0         .0          .0         .0
 1801.-1900.   .0         .0         .0         .0          .0         .0
 1901.-2000.   .0         .0         .0         .0          .0         .0
 2001.-2100.   .0         .0         .0         .0          .0         .0
 2101.-2200.   .0         .0         .0         .0          .0         .0
 2201.-2300.   .0         .0         .0         .0          .0         .0
 2301.-2400.   .0         .0         .0         .0          .0         .0
 2401.-2500.   .0         .0         .0         .0          .0         .0
 2501.-2600.   .0         .0         .0         .0          .0         .0
 2601.-2700.   .0         .0         .0         .0          .0         .0
 2701.-2800.   .0         .0         .0         .0          .0         .0
 2801.-2900.   .0         .0         .0         .0          .0         .0
 2901.-3000.   .0         .0         .0         .0          .0         .0

               .758E 12   .570E 12   .284E 12   .0          .0         .0
```

```
SCC = 30102314--H2S04 CONTAC95.0 CONVERSION      -WITH CONTROL EQUIPMENT -TOT RECS =     5

SIC            MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28         .306E 12   .233E 12   .118E 12   .0         .0          .0
   33         .452E 12   .337E 12   .165E 12   .0         .0          .0


              .758E 12   .570E 12   .284E 12   .0         .0          .0


CC =30102314--H2S04 CONTAC 95.0 CONVERSION     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     5

TEMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.   .133E 11   !H
 101.- 200.   .557E 12   !HHHHH
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102314--H2SO4 CONTAC 95.0 CONVERSION      -TOTAL SCC -SIC =    0 -TOT RECS =      8
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.    .908E 11   .852E 11    .259E 11   .0         .0          .0
 101.- 200.    .942E 12   .705E 12    .346E 12   .0         .0          .0
 201.- 300.    .0         .0          .0         .0         .0          .0
 301.- 400.    .0         .0          .0         .0         .0          .0
 401.- 500.    .0         .0          .0         .0         .0          .0
 501.- 600.    .0         .0          .0         .0         .0          .0
 601.- 700.    .0         .0          .0         .0         .0          .0
 701.- 800.    .0         .0          .0         .0         .0          .0
 801.- 900.    .0         .0          .0         .0         .0          .0
 901.-1000.    .0         .0          .0         .0         .0          .0
1001.-1100.    .0         .0          .0         .0         .0          .0
1101.-1200.    .0         .0          .0         .0         .0          .0
1201.-1300.    .0         .0          .0         .0         .0          .0
1301.-1400.    .0         .0          .0         .0         .0          .0
1401.-1500.    .0         .0          .0         .0         .0          .0
1501.-1600.    .0         .0          .0         .0         .0          .0
1601.-1700.    .0         .0          .0         .0         .0          .0
1701.-1800.    .0         .0          .0         .0         .0          .0
1801.-1900.    .0         .0          .0         .0         .0          .0
1901.-2000.    .0         .0          .0         .0         .0          .0
2001.-2100.    .0         .0          .0         .0         .0          .0
2101.-2200.    .0         .0          .0         .0         .0          .0
2201.-2300.    .0         .0          .0         .0         .0          .0
2301.-2400.    .0         .0          .0         .0         .0          .0
2401.-2500.    .0         .0          .0         .0         .0          .0
2501.-2600.    .0         .0          .0         .0         .0          .0
2601.-2700.    .0         .0          .0         .0         .0          .0
2701.-2800.    .0         .0          .0         .0         .0          .0
2801.-2900.    .0         .0          .0         .0         .0          .0
2901.-3000.    .0         .0          .0         .0         .0          .0

               .103E 13   .790E 12    .372E 12   .0         .0          .0
```

```
SCC = 30102314--H2S04 CONTAC95.0 CONVERSION      -TOTAL SCC -TOT RECS =      8

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
   28       .580E 12    .453E 12     .206E 12    .0          .0          .0
   33       .452E 12    .337E 12     .165E 12    .0          .0          .0


            .103E 13    .790E 12     .372E 12    .0          .0          .0


CC 30102314--H2S04 CONTAC 95.0 CONVERSION     --TOTAL SCC  -SIC =    0 -TOT RECS =      8

EMP RANGE    COUNT
                         ------------------------------------------------------------------------------------------------------
    0.- 100.   .852E 11  !H
  101.- 200.   .705E 12  !HHHHHHH
  201.- 300.   .0        !
  301.- 400.   .0        !
  401.- 500.   .0        !
  501.- 600.   .0        !
  601.- 700.   .0        !
  701.- 800.   .0        !
  801.- 900.   .0        !
  901.-1000.   .0        !
 1001.-1100.   .0        !
 1101.-1200.   .0        !
 1201.-1300.   .0        !
 1301.-1400.   .0        !
 1401.-1500.   .0        !
 1501.-1600.   .0        !
 1601.-1700.   .0        !
 1701.-1800.   .0        !
 1801.-1900.   .0        !
 1901.-2000.   .0        !
 2001.-2100.   .0        !
 2101.-2200.   .0        !
 2201.-2300.   .0        !
 2301.-2400.   .0        !
 2401.-2500.   .0        !
 2501.-2600.   .0        !
 2601.-2700.   .0        !
 2701.-2800.   .0        !
 2801.-2900.   .0        !
 2901.-3000.   .0        !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102318--H2S04 CONTAC 93.0 CONVERSION      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      2
   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102318--H2S04 CONTAC93.0 CONVERSION      -NO CONTROL EQUIPMENT -TOT RECS =      2

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30102318--H2SO4 CONTAC 93.0 CONVERSION       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      8
   TEMP        MAXIMUM   EXPECTED   MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.   .0         .0         .0         .0         .0         .0
  101.- 200.   .421E 12   .316E 12   .942E 11   .0         .0         .0
  201.- 300.   .957E 11   .733E 11   .0         .0         .0         .0
  301.- 400.   .186E 12   .143E 12   .790E 11   .203E 10   .193E 10   .176E 10
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .702E 12   .532E 12   .173E 12   .203E 10   .193E 10   .176E 10
```

```
SCC = 30102318--H2S04 CONTAC93.0 CONVERSION      -WITH CONTROL EQUIPMENT -TOT RECS =     8

SIC           MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED     MINIMUM
              60 DEG     60 DEG       60 DEG       300DEG   300 DEG      300 DEG
   28        .702E 12   .532E 12    .173E 12    .203E 10   .193E 10    .176E 10


             .702E 12   .532E 12    .173E 12    .203E 10   .193E 10    .176E 10


CC =30102318--H2S04 CONTAC 93.0 CONVERSION     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      8

TEMP RANGE    COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.   .0         !
 101.- 200.   .316E 12   !HHH
 201.- 300.   .733E 11   !H
 301.- 400.   .143E 12   !H
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102399--H2S04 CONTAC OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     18

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.   .367E 11   .344E 11   .280E 11   .0         .0         .0
  101.- 200.   .486E 13   .393E 13   .108E 13   .0         .0         .0
  201.- 300.   .0         .0         .0         .0         .0         .0
  301.- 400.   .881E 12   .679E 12   .379E 12   .193E 11   .184E 11   .168E 11
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .225E 11   .184E 11   .123E 11   .633E 10   .601E 10   .550E 10
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .122E 12   .102E 12   .721E 11   .465E 11   .443E 11   .404E 11
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

                .592E 13   .476E 13   .157E 13   .722E 11   .686E 11   .627E 11
```

```
SCC = 30102399--H2S04 CONTACOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =     18

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300 DEG     300 DEG    300 DEG
  28        .518E 13   .420E 13    .130E 13    .722E 11   .686E 11    .627E 11
  33        .742E 12   .555E 12    .272E 12    .0         .0          .0


            .592E 13   .476E 13    .157E 13    .722E 11   .686E 11    .627E 11


CC = 30102399--H2S04 CONTAC OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     18

TEMP RANGE   COUNT

                        ---------------------------------------------------------------------------------------------------------
   0.- 100.  .344E 11  !H
 101.- 200.  .393E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .0        !
 301.- 400.  .679E 12  !HHHHHH
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .184E 11  !H
 701.- 800.  .0        !
 801.- 900.  .102E 12  !H
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102399--H2S04 CONTAC OTHER/NOT CLASSIFIED  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     35

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.   .827E 12   .776E 12   .577E 12   .0         .0         .0
  101.- 200.   .418E 13   .314E 13   .139E 13   .0         .0         .0
  201.- 300.   .0         .0         .0         .0         .0         .0
  301.- 400.   .0         .0         .0         .0         .0         .0
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .501E 13   .392E 13   .197E 13   .0         .0         .0
```

```
SCC = 30102399--H2S04 CONTACOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =    35

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM     EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300DEG    300 DEG     300 DEG
   26        .219E 11   .164E 11   .806E 10   .0          .0          .0
   28        .471E 13   .369E 13   .193E 13   .0          .0          .0
   29        .209E 12   .157E 12   .0         .0          .0          .0
   33        .703E 11   .530E 11   .260E 11   .0          .0          .0

             .501E 13   .392E 13   .197E 13   .0          .0          .0


CC =30102399--H2S04 CONTAC OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     35

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .776E 12  !HHHHHHH
 101.- 200.  .314E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102399--H2SO4 CONTAC OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =    0 -TOT RECS =     53

   TEMP       MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.  .864E 12   .810E 12    .605E 12   .0         .0          .0
  101.- 200.  .905E 13   .707E 13    .247E 13   .0         .0          .0
  201.- 300.  .0         .0          .0         .0         .0          .0
  301.- 400.  .881E 12   .679E 12    .379E 12   .193E 11   .184E 11    .168E 11
  401.- 500.  .0         .0          .0         .0         .0          .0
  501.- 600.  .0         .0          .0         .0         .0          .0
  601.- 700.  .225E 11   .184E 11    .123E 11   .633E 10   .601E 10    .550E 10
  701.- 800.  .0         .0          .0         .0         .0          .0
  801.- 900.  .122E 12   .102E 12    .721E 11   .465E 11   .443E 11    .404E 11
  901.-1000.  .0         .0          .0         .0         .0          .0
 1001.-1100.  .0         .0          .0         .0         .0          .0
 1101.-1200.  .0         .0          .0         .0         .0          .0
 1201.-1300.  .0         .0          .0         .0         .0          .0
 1301.-1400.  .0         .0          .0         .0         .0          .0
 1401.-1500.  .0         .0          .0         .0         .0          .0
 1501.-1600.  .0         .0          .0         .0         .0          .0
 1601.-1700.  .0         .0          .0         .0         .0          .0
 1701.-1800.  .0         .0          .0         .0         .0          .0
 1801.-1900.  .0         .0          .0         .0         .0          .0
 1901.-2000.  .0         .0          .0         .0         .0          .0
 2001.-2100.  .0         .0          .0         .0         .0          .0
 2101.-2200.  .0         .0          .0         .0         .0          .0
 2201.-2300.  .0         .0          .0         .0         .0          .0
 2301.-2400.  .0         .0          .0         .0         .0          .0
 2401.-2500.  .0         .0          .0         .0         .0          .0
 2501.-2600.  .0         .0          .0         .0         .0          .0
 2601.-2700.  .0         .0          .0         .0         .0          .0
 2701.-2800.  .0         .0          .0         .0         .0          .0
 2801.-2900.  .0         .0          .0         .0         .0          .0
 2901.-3000.  .0         .0          .0         .0         .0          .0

              .109E 14   .868E 13    .354E 13   .722E 11   .686E 11    .627E 11
```

```
SCC = 30102399--H2S04 CONTACOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =     53

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   26        .219E 11   .164E 11    .806E 10   .0         .0          .0
   28        .989E 13   .790E 13    .323E 13   .722E 11   .686E 11    .627E 11
   29        .209E 12   .157E 12    .0         .0         .0          .0
   33        .812E 12   .608E 12    .298E 12   .0         .0          .0

             .109E 14   .868E 13    .354E 13   .722E 11   .686E 11    .627E 11


CC 30102399--H2S04 CONTAC OTHER/NOT CLASSIFIED--TOTAL SCC  -SIC =    0 -TOT RECS =     53

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .810E 12   !HHHHHHHH
 101.- 200.  .707E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHKHHHHHH
 201.- 300.  .0         !
 301.- 400.  .679E 12   !HHHHHH
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .184E 11   !H
 701.- 800.  .0         !
 801.- 900.  .102E 12   !H
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102401--SYNTH FIBERS NYLON GENERAL       -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     47

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.    .186E 12   .174E 12   .522E 11    .0          .0          .0
  101.- 200.    .412E 12   .319E 12   .825E 11    .0          .0          .0
  201.- 300.    .206E 12   .156E 12   .194E 11    .0          .0          .0
  301.- 400.    .0         .0         .0          .0          .0          .0
  401.- 500.    .949E 08   .754E 08   .464E 08    .144E 08    .137E 08    .125E 08
  501.- 600.    .218E 12   .177E 12   .605E 09    .509E 11    .483E 11    .227E 09
  601.- 700.    .0         .0         .0          .0          .0          .0
  701.- 800.    .0         .0         .0          .0          .0          .0
  801.- 900.    .405E 12   .339E 12   .0          .155E 12    .147E 12    .0
  901.-1000.    .348E 12   .293E 12   .210E 12    .143E 12    .136E 12    .124E 12
 1001.-1100.    .0         .0         .0          .0          .0          .0
 1101.-1200.    .0         .0         .0          .0          .0          .0
 1201.-1300.    .0         .0         .0          .0          .0          .0
 1301.-1400.    .0         .0         .0          .0          .0          .0
 1401.-1500.    .0         .0         .0          .0          .0          .0
 1501.-1600.    .0         .0         .0          .0          .0          .0
 1601.-1700.    .0         .0         .0          .0          .0          .0
 1701.-1800.    .0         .0         .0          .0          .0          .0
 1801.-1900.    .0         .0         .0          .0          .0          .0
 1901.-2000.    .0         .0         .0          .0          .0          .0
 2001.-2100.    .0         .0         .0          .0          .0          .0
 2101.-2200.    .0         .0         .0          .0          .0          .0
 2201.-2300.    .0         .0         .0          .0          .0          .0
 2301.-2400.    .0         .0         .0          .0          .0          .0
 2401.-2500.    .0         .0         .0          .0          .0          .0
 2501.-2600.    .0         .0         .0          .0          .0          .0
 2601.-2700.    .0         .0         .0          .0          .0          .0
 2701.-2800.    .0         .0         .0          .0          .0          .0
 2801.-2900.    .0         .0         .0          .0          .0          .0
 2901.-3000.    .0         .0         .0          .0          .0          .0

                .177E 13   .146E 13   .365E 12    .349E 12    .332E 12    .124E 12
```

```
SCC = 30102401--SYNTH FIBERSNYLON GENERAL        -NO CONTROL EQUIPMENT -TOT RECS =     47

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   22       .120E 12   .102E 12    .653E 11   .0         .0          .0
   28       .165E 13   .136E 13    .300E 12   .349E 12   .332E 12    .124E 12
   99       .265E 09   .199E 09    .999E 08   .0         .0          .0

            .177E 13   .146E 13    .365E 12   .349E 12   .332E 12    .124E 12


CC = 30102401--SYNTH FIBERS NYLON GENERAL       --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     47

TEMP RANGE   COUNT

                         -----------------------------------------------------------------------------------------------------
   0.- 100.  .174E 12  !H
 101.- 200.  .319E 12  !HHH
 201.- 300.  .156E 12  !H
 301.- 400.  .0        !
 401.- 500.  .754E 08  !
 501.- 600.  .177E 12  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .339E 12  !HHH
 901.-1000.  .293E 12  !HH
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102401--SYNTH FIBERS NYLON GENERAL        -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     26

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
   0.- 100.   .223E 11   .209E 11   .928E 10    .0          .0          .0
 101.- 200.   .196E 12   .159E 12   .516E 11    .0          .0          .0
 201.- 300.   .710E 11   .540E 11   .289E 11    .0          .0          .0
 301.- 400.   .587E 11   .455E 11   .259E 11   .281E 10   .267E 10   .244E 10
 401.- 500.   .786E 09   .617E 09   .366E 09   .794E 08   .754E 08   .690E 08
 501.- 600.   .627E 10   .505E 10   .323E 10   .131E 10   .124E 10   .114E 10
 601.- 700.   .976E 11   .796E 11   .526E 11   .257E 11   .244E 11   .223E 11
 701.- 800.   .0         .0         .0         .0         .0         .0
 801.- 900.   .0         .0         .0         .0         .0         .0
 901.-1000.   .0         .0         .0         .0         .0         .0
1001.-1100.   .0         .0         .0         .0         .0         .0
1101.-1200.   .0         .0         .0         .0         .0         .0
1201.-1300.   .0         .0         .0         .0         .0         .0
1301.-1400.   .0         .0         .0         .0         .0         .0
1401.-1500.   .0         .0         .0         .0         .0         .0
1501.-1600.   .0         .0         .0         .0         .0         .0
1601.-1700.   .0         .0         .0         .0         .0         .0
1701.-1800.   .0         .0         .0         .0         .0         .0
1801.-1900.   .0         .0         .0         .0         .0         .0
1901.-2000.   .0         .0         .0         .0         .0         .0
2001.-2100.   .0         .0         .0         .0         .0         .0
2101.-2200.   .0         .0         .0         .0         .0         .0
2201.-2300.   .0         .0         .0         .0         .0         .0
2301.-2400.   .0         .0         .0         .0         .0         .0
2401.-2500.   .0         .0         .0         .0         .0         .0
2501.-2600.   .0         .0         .0         .0         .0         .0
2601.-2700.   .0         .0         .0         .0         .0         .0
2701.-2800.   .0         .0         .0         .0         .0         .0
2801.-2900.   .0         .0         .0         .0         .0         .0
2901.-3000.   .0         .0         .0         .0         .0         .0

              .452E 12   .365E 12   .172E 12   .299E 11   .284E 11   .260E 11
```

```
SCC = 30102401--SYNTH FIBERSNYLON GENERAL        -WITH CONTROL EQUIPMENT -TOT RECS =    26

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG     300DEG    300 DEG     300 DEG
   22       .159E 12   .130E 12   .809E 11   .257E 11   .244E 11   .223E 11
   28       .294E 12   .235E 12   .909E 11   .420E 10   .399E 10   .365E 10


            .452E 12   .365E 12   .172E 12   .299E 11   .284E 11   .260E 11


CC =30102401--SYNTH FIBERS NYLON GENERAL       ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     26

TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .209E 11   !H
 101.- 200.   .159E 12   !H
 201.- 300.   .540E 11   !H
 301.- 400.   .455E 11   !H
 401.- 500.   .617E 09   !
 501.- 600.   .505E 10   !H
 601.- 700.   .796E 11   !H
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102401--SYNTH FIBERS NYLON GENERAL        -TOTAL SCC -SIC =    0 -TOT RECS =     73

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .208E 12   .195E 12   .614E 11   .0         .0         .0
  101.- 200.   .608E 12   .479E 12   .134E 12   .0         .0         .0
  201.- 300.   .277E 12   .210E 12   .482E 11   .0         .0         .0
  301.- 400.   .587E 11   .455E 11   .259E 11   .281E 10   .267E 10   .244E 10
  401.- 500.   .880E 09   .692E 09   .412E 09   .938E 08   .891E 08   .815E 08
  501.- 600.   .225E 12   .182E 12   .383E 10   .522E 11   .496E 11   .136E 10
  601.- 700.   .976E 11   .796E 11   .526E 11   .257E 11   .244E 11   .223E 11
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .405E 12   .339E 12   .0         .155E 12   .147E 12   .0
  901.-1000.   .348E 12   .293E 12   .210E 12   .143E 12   .136E 12   .124E 12
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .223E 13   .182E 13   .537E 12   .378E 12   .360E 12   .150E 12
```

```
SCC = 30102401--SYNTH FIBERSNYLON GENERAL        -TOTAL SCC -TOT RECS =     73

SIC           MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED     MINIMUM
              60 DEG      60 DEG       60 DEG     300 DEG     300 DEG     300 DEG
   22        .279E 12    .232E 12    .146E 12    .257E 11    .244E 11    .223E 11
   28        .195E 13    .159E 13    .390E 12    .353E 12    .336E 12    .128E 12
   99        .265E 09    .199E 09    .999E 08    .0          .0          .0


             .223E 13    .182E 13    .537E 12    .378E 12    .360E 12    .150E 12


CC 30102401--SYNTH FIBERS NYLON GENERAL       --TOTAL SCC  -SIC =    0 -TOT RECS =     73

EMP RANGE   COUNT

                      --------------------------------------------------------------------------------------------------
   0.- 100.  .195E 12 !H
 101.- 200.  .479E 12 !HHHH
 201.- 300.  .210E 12 !HH
 301.- 400.  .455E 11 !H
 401.- 500.  .692E 09 !
 501.- 600.  .182E 12 !H
 601.- 700.  .796E 11 !H
 701.- 800.  .0       !
 801.- 900.  .339E 12 !HHH
 901.-1000.  .293E 12 !HH
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102402--SYNTH FIBERS DACRON GENERAL      -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     37
   TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.   .134E 08   .125E 08    .102E 08    .0          .0          .0
  101.- 200.   .275E 12   .218E 12    .110E 12    .0          .0          .0
  201.- 300.   .259E 12   .198E 12    .107E 12    .0          .0          .0
  301.- 400.   .410E 11   .316E 11    .177E 11    .113E 10    .107E 10    .977E 09
  401.- 500.   .0         .0          .0          .0          .0          .0
  501.- 600.   .0         .0          .0          .0          .0          .0
  601.- 700.   .0         .0          .0          .0          .0          .0
  701.- 800.   .0         .0          .0          .0          .0          .0
  801.- 900.   .0         .0          .0          .0          .0          .0
  901.-1000.   .0         .0          .0          .0          .0          .0
 1001.-1100.   .0         .0          .0          .0          .0          .0
 1101.-1200.   .0         .0          .0          .0          .0          .0
 1201.-1300.   .0         .0          .0          .0          .0          .0
 1301.-1400.   .0         .0          .0          .0          .0          .0
 1401.-1500.   .0         .0          .0          .0          .0          .0
 1501.-1600.   .0         .0          .0          .0          .0          .0
 1601.-1700.   .0         .0          .0          .0          .0          .0
 1701.-1800.   .0         .0          .0          .0          .0          .0
 1801.-1900.   .0         .0          .0          .0          .0          .0
 1901.-2000.   .0         .0          .0          .0          .0          .0
 2001.-2100.   .0         .0          .0          .0          .0          .0
 2101.-2200.   .0         .0          .0          .0          .0          .0
 2201.-2300.   .0         .0          .0          .0          .0          .0
 2301.-2400.   .0         .0          .0          .0          .0          .0
 2401.-2500.   .0         .0          .0          .0          .0          .0
 2501.-2600.   .0         .0          .0          .0          .0          .0
 2601.-2700.   .0         .0          .0          .0          .0          .0
 2701.-2800.   .0         .0          .0          .0          .0          .0
 2801.-2900.   .0         .0          .0          .0          .0          .0
 2901.-3000.   .0         .0          .0          .0          .0          .0

               .575E 12   .447E 12    .234E 12    .113E 10    .107E 10    .977E 09
```

```
SCC = 30102402--SYNTH FIBERSDACRON GENERAL       -NO CONTROL EQUIPMENT -TOT RECS =      37

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300 DEG     300 DEG    300 DEG
   28       .575E 12   .447E 12    .234E 12    .113E 10    .107E 10   .977E 09


            .575E 12   .447E 12    .234E 12    .113E 10    .107E 10   .977E 09


CC = 30102402--SYNTH FIBERS DACRON GENERAL      --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     37

TEMP RANGE   COUNT
                    ----------------------------------------------------------------------------------------------------
   0.- 100.  .125E 08  !
 101.- 200.  .218E 12  !HH
 201.- 300.  .198E 12  !H
 301.- 400.  .316E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102402--SYNTH FIBERS DACRON GENERAL       -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      5

   TEMP         MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG      60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.    .0          .0          .0          .0          .0          .0
  101.- 200.    .422E 11    .333E 11    .169E 11    .0          .0          .0
  201.- 300.    .288E 12    .218E 12    .113E 12    .0          .0          .0
  301.- 400.    .0          .0          .0          .0          .0          .0
  401.- 500.    .0          .0          .0          .0          .0          .0
  501.- 600.    .0          .0          .0          .0          .0          .0
  601.- 700.    .0          .0          .0          .0          .0          .0
  701.- 800.    .0          .0          .0          .0          .0          .0
  801.- 900.    .0          .0          .0          .0          .0          .0
  901.-1000.    .0          .0          .0          .0          .0          .0
 1001.-1100.    .0          .0          .0          .0          .0          .0
 1101.-1200.    .0          .0          .0          .0          .0          .0
 1201.-1300.    .0          .0          .0          .0          .0          .0
 1301.-1400.    .0          .0          .0          .0          .0          .0
 1401.-1500.    .0          .0          .0          .0          .0          .0
 1501.-1600.    .0          .0          .0          .0          .0          .0
 1601.-1700.    .0          .0          .0          .0          .0          .0
 1701.-1800.    .0          .0          .0          .0          .0          .0
 1801.-1900.    .0          .0          .0          .0          .0          .0
 1901.-2000.    .0          .0          .0          .0          .0          .0
 2001.-2100.    .0          .0          .0          .0          .0          .0
 2101.-2200.    .0          .0          .0          .0          .0          .0
 2201.-2300.    .0          .0          .0          .0          .0          .0
 2301.-2400.    .0          .0          .0          .0          .0          .0
 2401.-2500.    .0          .0          .0          .0          .0          .0
 2501.-2600.    .0          .0          .0          .0          .0          .0
 2601.-2700.    .0          .0          .0          .0          .0          .0
 2701.-2800.    .0          .0          .0          .0          .0          .0
 2801.-2900.    .0          .0          .0          .0          .0          .0
 2901.-3000.    .0          .0          .0          .0          .0          .0

                .330E 12    .251E 12    .130E 12    .0          .0          .0
```

```
SCC = 30102402--SYNTH FIBERSDACRON GENERAL       -WITH CONTROL EQUIPMENT -TOT RECS =     5

SIC           MAXIMUM    EXPECTED   MINIMUM    MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300DEG    300 DEG     300 DEG
   28        .330E 12   .251E 12   .130E 12   .0          .0          .0


             .330E 12   .251E 12   .130E 12   .0          .0          .0


CC =30102402--SYNTH FIBERS DACRON GENERAL      ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      5

TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .333E 11  !H
 201.- 300.   .218E 12  !HH
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102402--SYNTH FIBERS DACRON GENERAL       -TOTAL SCC -SIC =    0 -TOT RECS =     42

   TEMP          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.    .134E 08   .125E 08    .102E 08    .0          .0          .0
  101.- 200.    .317E 12   .251E 12    .127E 12    .0          .0          .0
  201.- 300.    .547E 12   .415E 12    .220E 12    .0          .0          .0
  301.- 400.    .410E 11   .316E 11    .177E 11    .113E 10    .107E 10    .977E 09
  401.- 500.    .0         .0          .0          .0          .0          .0
  501.- 600.    .0         .0          .0          .0          .0          .0
  601.- 700.    .0         .0          .0          .0          .0          .0
  701.- 800.    .0         .0          .0          .0          .0          .0
  801.- 900.    .0         .0          .0          .0          .0          .0
  901.-1000.    .0         .0          .0          .0          .0          .0
 1001.-1100.    .0         .0          .0          .0          .0          .0
 1101.-1200.    .0         .0          .0          .0          .0          .0
 1201.-1300.    .0         .0          .0          .0          .0          .0
 1301.-1400.    .0         .0          .0          .0          .0          .0
 1401.-1500.    .0         .0          .0          .0          .0          .0
 1501.-1600.    .0         .0          .0          .0          .0          .0
 1601.-1700.    .0         .0          .0          .0          .0          .0
 1701.-1800.    .0         .0          .0          .0          .0          .0
 1801.-1900.    .0         .0          .0          .0          .0          .0
 1901.-2000.    .0         .0          .0          .0          .0          .0
 2001.-2100.    .0         .0          .0          .0          .0          .0
 2101.-2200.    .0         .0          .0          .0          .0          .0
 2201.-2300.    .0         .0          .0          .0          .0          .0
 2301.-2400.    .0         .0          .0          .0          .0          .0
 2401.-2500.    .0         .0          .0          .0          .0          .0
 2501.-2600.    .0         .0          .0          .0          .0          .0
 2601.-2700.    .0         .0          .0          .0          .0          .0
 2701.-2800.    .0         .0          .0          .0          .0          .0
 2801.-2900.    .0         .0          .0          .0          .0          .0
 2901.-3000.    .0         .0          .0          .0          .0          .0

                .905E 12   .698E 12    .364E 12    .113E 10    .107E 10    .977E 09
```

```
SCC = 30102402--SYNTH FIBERSDACRON GENERAL       -TOTAL SCC -TOT RECS =      42

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28        .905E 12   .698E 12    .364E 12   .113E 10  .107E 10    .977E 09


             .905E 12   .698E 12    .364E 12   .113E 10  .107E 10    .977E 09


CC 30102402--SYNTH FIBERS DACRON GENERAL      --TOTAL SCC  -SIC =    0 -TOT RECS =     42

EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .125E 08   !
 101.- 200.  .251E 12   !HH
 201.- 300.  .415E 12   !HHHH
 301.- 400.  .316E 11   !H
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102403--SYNTH FIBERS ORLON               -NO CONTROL EQUIPMENT -SIC =     0  -TOT RECS =       7
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   0.- 100.    .351E 11   .329E 11   .268E 11   .0          .0          .0
 101.- 200.    .429E 12   .357E 12   .141E 12   .0          .0          .0
 201.- 300.    .0         .0         .0         .0          .0          .0
 301.- 400.    .0         .0         .0         .0          .0          .0
 401.- 500.    .0         .0         .0         .0          .0          .0
 501.- 600.    .0         .0         .0         .0          .0          .0
 601.- 700.    .0         .0         .0         .0          .0          .0
 701.- 800.    .0         .0         .0         .0          .0          .0
 801.- 900.    .0         .0         .0         .0          .0          .0
 901.-1000.    .0         .0         .0         .0          .0          .0
1001.-1100.    .0         .0         .0         .0          .0          .0
1101.-1200.    .0         .0         .0         .0          .0          .0
1201.-1300.    .0         .0         .0         .0          .0          .0
1301.-1400.    .0         .0         .0         .0          .0          .0
1401.-1500.    .0         .0         .0         .0          .0          .0
1501.-1600.    .0         .0         .0         .0          .0          .0
1601.-1700.    .0         .0         .0         .0          .0          .0
1701.-1800.    .0         .0         .0         .0          .0          .0
1801.-1900.    .0         .0         .0         .0          .0          .0
1901.-2000.    .0         .0         .0         .0          .0          .0
2001.-2100.    .0         .0         .0         .0          .0          .0
2101.-2200.    .0         .0         .0         .0          .0          .0
2201.-2300.    .0         .0         .0         .0          .0          .0
2301.-2400.    .0         .0         .0         .0          .0          .0
2401.-2500.    .0         .0         .0         .0          .0          .0
2501.-2600.    .0         .0         .0         .0          .0          .0
2601.-2700.    .0         .0         .0         .0          .0          .0
2701.-2800.    .0         .0         .0         .0          .0          .0
2801.-2900.    .0         .0         .0         .0          .0          .0
2901.-3000.    .0         .0         .0         .0          .0          .0

               .464E 12   .390E 12   .168E 12   .0          .0          .0
```

```
SCC = 30102403--SYNTH FIBERSORLON                -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG     300 DEG    300 DEG
   28         .464E 12   .390E 12   .168E 12    .0          .0          .0


              .464E 12   .390E 12   .168E 12    .0          .0          .0


CC = 30102403--SYNTH FIBERS ORLON               --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.   .329E 11   !H
 101.- 200.   .357E 12   !HHH
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102403--SYNTH FIBERS ORLON                  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3
   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG
    0.- 100.   .229E 09   .215E 09   .175E 09   .0         .0         .0
  101.- 200.   .145E 12   .109E 12   .354E 11   .0         .0         .0
  201.- 300.   .0         .0         .0         .0         .0         .0
  301.- 400.   .0         .0         .0         .0         .0         .0
  401.- 500.   .0         .0         .0         .0         .0         .0
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .145E 12   .109E 12   .355E 11   .0         .0         .0
```

```
SCC = 30102403--SYNTH FIBERSORLON                -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC           MAXIMUM    EXPECTED   MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG       300DEG    300 DEG     300 DEG
   28        .145E 12   .109E 12   .355E 11    .0          .0          .0


             .145E 12   .109E 12   .355E 11    .0          .0          .0


CC =30102403--SYNTH FIBERS ORLON               ---WITH CONTROL EQUIPMENT  -SIC=    0 -TCTAL RECS =      3

TEMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.   .215E 09  !
 101.- 200.   .109E 12  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102403--SYNTH FIBERS ORLON                    -TOTAL SCC -SIC =    0 -TOT RECS =     10
     TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   0.- 100.     .353E 11   .331E 11    .270E 11   .0         .0          .0
 101.- 200.     .574E 12   .466E 12    .176E 12   .0         .0          .0
 201.- 300.     .0         .0          .0         .0         .0          .0
 301.- 400.     .0         .0          .0         .0         .0          .0
 401.- 500.     .0         .0          .0         .0         .0          .0
 501.- 600.     .0         .0          .0         .0         .0          .0
 601.- 700.     .0         .0          .0         .0         .0          .0
 701.- 800.     .0         .0          .0         .0         .0          .0
 801.- 900.     .0         .0          .0         .0         .0          .0
 901.-1000.     .0         .0          .0         .0         .0          .0
1001.-1100.     .0         .0          .0         .0         .0          .0
1101.-1200.     .0         .0          .0         .0         .0          .0
1201.-1300.     .0         .0          .0         .0         .0          .0
1301.-1400.     .0         .0          .0         .0         .0          .0
1401.-1500.     .0         .0          .0         .0         .0          .0
1501.-1600.     .0         .0          .0         .0         .0          .0
1601.-1700.     .0         .0          .0         .0         .0          .0
1701.-1800.     .0         .0          .0         .0         .0          .0
1801.-1900.     .0         .0          .0         .0         .0          .0
1901.-2000.     .0         .0          .0         .0         .0          .0
2001.-2100.     .0         .0          .0         .0         .0          .0
2101.-2200.     .0         .0          .0         .0         .0          .0
2201.-2300.     .0         .0          .0         .0         .0          .0
2301.-2400.     .0         .0          .0         .0         .0          .0
2401.-2500.     .0         .0          .0         .0         .0          .0
2501.-2600.     .0         .0          .0         .0         .0          .0
2601.-2700.     .0         .0          .0         .0         .0          .0
2701.-2800.     .0         .0          .0         .0         .0          .0
2801.-2900.     .0         .0          .0         .0         .0          .0
2901.-3000.     .0         .0          .0         .0         .0          .0

                .609E 12   .499E 12    .203E 12   .0         .0          .0
```

```
SCC = 30102403--SYNTH FIBERSORLON                  -TOTAL SCC -TOT RECS =     10

SIC            MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   28         .609E 12   .499E 12   .203E 12   .0         .0         .0


              .609E 12   .499E 12   .203E 12   .0         .0         .0


CC 30102403--SYNTH FIBERS ORLON                --TOTAL SCC  -SIC =    0 -TOT RECS =     10

EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
    0.- 100.  .331E 11   !H
  101.- 200.  .466E 12   !HHHH
  201.- 300.  .0         !
  301.- 400.  .0         !
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102404--SYNTH FIBERS ELASTIC             -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      0
   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG   300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102404--SYNTH FIBERSELASTIC          -NO CONTROL EQUIPMENT -TOT RECS =      0

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG     300 DEG    300 DEG
```

```
SCC= 30102404--SYNTH FIBERS ELASTIC                    -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =       1
     TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                    60 DEG     60 DEG     60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.       .151E 10   .142E 10   .115E 10   .0          .0          .0
  101.- 200.       .0         .0         .0         .0          .0          .0
  201.- 300.       .0         .0         .0         .0          .0          .0
  301.- 400.       .0         .0         .0         .0          .0          .0
  401.- 500.       .0         .0         .0         .0          .0          .0
  501.- 600.       .0         .0         .0         .0          .0          .0
  601.- 700.       .0         .0         .0         .0          .0          .0
  701.- 800.       .0         .0         .0         .0          .0          .0
  801.- 900.       .0         .0         .0         .0          .0          .0
  901.-1000.       .0         .0         .0         .0          .0          .0
 1001.-1100.       .0         .0         .0         .0          .0          .0
 1101.-1200.       .0         .0         .0         .0          .0          .0
 1201.-1300.       .0         .0         .0         .0          .0          .0
 1301.-1400.       .0         .0         .0         .0          .0          .0
 1401.-1500.       .0         .0         .0         .0          .0          .0
 1501.-1600.       .0         .0         .0         .0          .0          .0
 1601.-1700.       .0         .0         .0         .0          .0          .0
 1701.-1800.       .0         .0         .0         .0          .0          .0
 1801.-1900.       .0         .0         .0         .0          .0          .0
 1901.-2000.       .0         .0         .0         .0          .0          .0
 2001.-2100.       .0         .0         .0         .0          .0          .0
 2101.-2200.       .0         .0         .0         .0          .0          .0
 2201.-2300.       .0         .0         .0         .0          .0          .0
 2301.-2400.       .0         .0         .0         .0          .0          .0
 2401.-2500.       .0         .0         .0         .0          .0          .0
 2501.-2600.       .0         .0         .0         .0          .0          .0
 2601.-2700.       .0         .0         .0         .0          .0          .0
 2701.-2800.       .0         .0         .0         .0          .0          .0
 2801.-2900.       .0         .0         .0         .0          .0          .0
 2901.-3000.       .0         .0         .0         .0          .0          .0

                   .151E 10   .142E 10   .115E 10   .0          .0          .0
```

```
SCC = 30102404--SYNTH FIBERSELASTIC                    -WITH CONTROL EQUIPMENT -TOT RECS =      1
SIC            MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG      300DEG   300 DEG    300 DEG
   28         .151E 10   .142E 10   .115E 10   .0         .0         .0

              .151E 10   .142E 10   .115E 10   .0         .0         .0

CC =30102404--SYNTH FIBERS ELASTIC                   ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      1
TEMP RANGE   COUNT

                          -----------------------------------------------------------------------------------------------------
    0.- 100.  .142E 10  !H
  101.- 200.  .0        !
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102405--SYNTH FIBERS TEFLON                -NO CONTROL EQUIPMENT -SIC =     0  -TOT RECS =      3

   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.   .0          .0          .0          .0          .0          .0
  101.- 200.   .0          .0          .0          .0          .0          .0
  201.- 300.   .0          .0          .0          .0          .0          .0
  301.- 400.   .0          .0          .0          .0          .0          .0
  401.- 500.   .0          .0          .0          .0          .0          .0
  501.- 600.   .810E 09    .646E 09    .401E 09    .136E 09    .129E 09    .118E 09
  601.- 700.   .0          .0          .0          .0          .0          .0
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .810E 09    .646E 09    .401E 09    .136E 09    .129E 09    .118E 09
```

```
SCC = 30102405--SYNTH FIBERSTEFLON              -NO CONTROL EQUIPMENT -TOT RECS =      3

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG     300 DEG    300 DEG
   28       .810E 09   .646E 09   .401E 09   .136E 09   .129E 09   .118E 09


            .810E 09   .646E 09   .401E 09   .136E 09   .129E 09   .118E 09


CC = 30102405--SYNTH FIBERS TEFLON              --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .0        !
  101.- 200.  .0        !
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .646E 09  !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102405--SYNTH FIBERS TEFLON            -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      8
   TEMP        MAXIMUM   EXPECTED   MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG   60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102405--SYNTH FIBERSTEFLON           -WITH CONTROL EQUIPMENT -TOT RECS =     8

SIC           MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
TEMP OUTSIDE CURVES        9.0
TEMP OUTSIDE CURVES        9.0
TEMP OUTSIDE CURVES        9.0
```

```
SCC= 30102406--SYNTH FIBERS POLYESTER          -NO CONTROL EQUIPMENT -SIC =     0  -TOT RECS =      19
   TEMP          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                  60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.    .469E 12   .440E 12   .336E 12
  101.- 200.    .134E 13   .111E 13   .479E 12   .0         .0         .0
  201.- 300.    .0         .0         .0         .0         .0         .0
  301.- 400.    .417E 11   .325E 11   .189E 11   .0         .0         .0
  401.- 500.    .155E 10   .122E 10   .735E 09   .310E 10   .294E 10   .269E 10
  501.- 600.    .0         .0         .0         .191E 09   .181E 09   .166E 09
  601.- 700.    .0         .0         .0         .0         .0         .0
  701.- 800.    .0         .0         .0         .0         .0         .0
  801.- 900.    .0         .0         .0         .0         .0         .0
  901.-1000.    .0         .0         .0         .0         .0         .0
 1001.-1100.    .0         .0         .0         .0         .0         .0
 1101.-1200.    .0         .0         .0         .0         .0         .0
 1201.-1300.    .0         .0         .0         .0         .0         .0
 1301.-1400.    .0         .0         .0         .0         .0         .0
 1401.-1500.    .0         .0         .0         .0         .0         .0
 1501.-1600.    .0         .0         .0         .0         .0         .0
 1601.-1700.    .0         .0         .0         .0         .0         .0
 1701.-1800.    .0         .0         .0         .0         .0         .0
 1801.-1900.    .0         .0         .0         .0         .0         .0
 1901.-2000.    .0         .0         .0         .0         .0         .0
 2001.-2100.    .0         .0         .0         .0         .0         .0
 2101.-2200.    .0         .0         .0         .0         .0         .0
 2201.-2300.    .0         .0         .0         .0         .0         .0
 2301.-2400.    .0         .0         .0         .0         .0         .0
 2401.-2500.    .0         .0         .0         .0         .0         .0
 2501.-2600.    .0         .0         .0         .0         .0         .0
 2601.-2700.    .0         .0         .0         .0         .0         .0
 2701.-2800.    .0         .0         .0         .0         .0         .0
 2801.-2900.    .0         .0         .0         .0         .0         .0
 2901.-3000.    .0         .0         .0         .0         .0         .0
                                                                      .0

                .185E 13   .158E 13   .835E 12   .329E 10   .312E 10   .286E 10
```

```
SCC = 30102406--SYNTH FIBERSPOLYESTER          -NO CONTROL EQUIPMENT -TOT RECS =     19

SIC          MAXIMUM     EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG      60 DEG      60 DEG      300 DEG     300 DEG    300 DEG
  22        .434E 12    .407E 12    .332E 12    .0          .0          .0
  28        .142E 13    .118E 13    .503E 12    .329E 10    .312E 10    .286E 10


            .185E 13    .158E 13    .835E 12    .329E 10    .312E 10    .286E 10


CC = 30102406--SYNTH FIBERS POLYESTER          --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     19

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .440E 12  !HHHH
 101.- 200.  .111E 13  !HHHHHHHHHHH
 201.- 300.  .0        !
 301.- 400.  .325E 11  !H
 401.- 500.  .122E 10  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102406--SYNTH FIBERS POLYESTER          -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     24

   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                 60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .621E 11   .582E 11   .321E 11   .0         .0         .0
  101.- 200.   .212E 10   .161E 10   .797E 09   .0         .0         .0
  201.- 300.   .295E 10   .226E 10   .124E 10   .0         .0         .0
  301.- 400.   .0         .0         .0         .0         .0         .0
  401.- 500.   .773E 09   .610E 09   .368E 09   .955E 08   .906E 08   .829E 08
  501.- 600.   .0         .0         .0         .0         .0         .0
  601.- 700.   .0         .0         .0         .0         .0         .0
  701.- 800.   .0         .0         .0         .0         .0         .0
  801.- 900.   .0         .0         .0         .0         .0         .0
  901.-1000.   .0         .0         .0         .0         .0         .0
 1001.-1100.   .0         .0         .0         .0         .0         .0
 1101.-1200.   .0         .0         .0         .0         .0         .0
 1201.-1300.   .0         .0         .0         .0         .0         .0
 1301.-1400.   .0         .0         .0         .0         .0         .0
 1401.-1500.   .0         .0         .0         .0         .0         .0
 1501.-1600.   .0         .0         .0         .0         .0         .0
 1601.-1700.   .0         .0         .0         .0         .0         .0
 1701.-1800.   .0         .0         .0         .0         .0         .0
 1801.-1900.   .0         .0         .0         .0         .0         .0
 1901.-2000.   .0         .0         .0         .0         .0         .0
 2001.-2100.   .0         .0         .0         .0         .0         .0
 2101.-2200.   .0         .0         .0         .0         .0         .0
 2201.-2300.   .0         .0         .0         .0         .0         .0
 2301.-2400.   .0         .0         .0         .0         .0         .0
 2401.-2500.   .0         .0         .0         .0         .0         .0
 2501.-2600.   .0         .0         .0         .0         .0         .0
 2601.-2700.   .0         .0         .0         .0         .0         .0
 2701.-2800.   .0         .0         .0         .0         .0         .0
 2801.-2900.   .0         .0         .0         .0         .0         .0
 2901.-3000.   .0         .0         .0         .0         .0         .0

               .679E 11   .627E 11   .345E 11   .955E 08   .906E 08   .829E 08
```

```
SCC = 30102406--SYNTH FIBERSPOLYESTER           -WITH CONTROL EQUIPMENT -TOT RECS =    24

SIC           MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
               60 DEG    60 DEG      60 DEG     300DEG    300 DEG     300 DEG
   28        .679E 11   .627E 11   .345E 11   .955E 08   .906E 08   .829E 08


             .679E 11   .627E 11   .345E 11   .955E 08   .906E 08   .829E 08


CC =30102406--SYNTH FIBERS POLYESTER          ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     24

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .582E 11  !H
 101.- 200.  .161E 10  !H
 201.- 300.  .226E 10  !H
 301.- 400.  .0        !
 401.- 500.  .610E 09  !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102406--SYNTH FIBERS POLYESTER                -TOTAL SCC -SIC =    0 -TOT RECS =     43
    TEMP         MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
                 60 DEG      60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
   0.- 100.     .531E 12    .498E 12    .368E 12    .0          .0          .0
 101.- 200.     .134E 13    .111E 13    .480E 12    .0          .0          .0
 201.- 300.     .295E 10    .226E 10    .124E 10    .0          .0          .0
 301.- 400.     .417E 11    .325E 11    .189E 11    .310E 10    .294E 10    .269E 10
 401.- 500.     .232E 10    .183E 10    .110E 10    .286E 09    .272E 09    .249E 09
 501.- 600.     .0          .0          .0          .0          .0          .0
 601.- 700.     .0          .0          .0          .0          .0          .0
 701.- 800.     .0          .0          .0          .0          .0          .0
 801.- 900.     .0          .0          .0          .0          .0          .0
 901.-1000.     .0          .0          .0          .0          .0          .0
1001.-1100.     .0          .0          .0          .0          .0          .0
1101.-1200.     .0          .0          .0          .0          .0          .0
1201.-1300.     .0          .0          .0          .0          .0          .0
1301.-1400.     .0          .0          .0          .0          .0          .0
1401.-1500.     .0          .0          .0          .0          .0          .0
1501.-1600.     .0          .0          .0          .0          .0          .0
1601.-1700.     .0          .0          .0          .0          .0          .0
1701.-1800.     .0          .0          .0          .0          .0          .0
1801.-1900.     .0          .0          .0          .0          .0          .0
1901.-2000.     .0          .0          .0          .0          .0          .0
2001.-2100.     .0          .0          .0          .0          .0          .0
2101.-2200.     .0          .0          .0          .0          .0          .0
2201.-2300.     .0          .0          .0          .0          .0          .0
2301.-2400.     .0          .0          .0          .0          .0          .0
2401.-2500.     .0          .0          .0          .0          .0          .0
2501.-2600.     .0          .0          .0          .0          .0          .0
2601.-2700.     .0          .0          .0          .0          .0          .0
2701.-2800.     .0          .0          .0          .0          .0          .0
2801.-2900.     .0          .0          .0          .0          .0          .0
2901.-3000.     .0          .0          .0          .0          .0          .0

                .192E 13    .165E 13    .869E 12    .338E 10    .321E 10    .294E 10
```

```
SCC = 30102406--SYNTH FIBERSPOLYESTER          -TOTAL SCC -TOT RECS =     43

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
   22        .434E 12   .407E 12    .332E 12   .0         .0          .0
   28        .148E 13   .124E 13    .538E 12   .338E 10   .321E 10    .294E 10


             .192E 13   .165E 13    .869E 12   .338E 10   .321E 10    .294E 10


CC 30102406--SYNTH FIBERS POLYESTER          --TOTAL SCC  -SIC =    0 -TOT RECS =     43

EMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------------
    0.- 100.  .498E 12 !HHHH
  101.- 200.  .111E 13 !HHHHHHHHHHH
  201.- 300.  .226E 10 !H
  301.- 400.  .325E 11 !H
  401.- 500.  .183E 10 !H
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102410--SYNTH FIBERS ACRYLIC          -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      3
   TEMP       MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG    300 DEG   300 DEG    300 DEG
    0.- 100.  .246E 11   .231E 11    .0         .0         .0         .0
  101.- 200.  .338E 11   .317E 11    .156E 11   .0         .0         .0
  201.- 300.  .0         .0          .0         .0         .0         .0
  301.- 400.  .0         .0          .0         .0         .0         .0
  401.- 500.  .0         .0          .0         .0         .0         .0
  501.- 600.  .0         .0          .0         .0         .0         .0
  601.- 700.  .0         .0          .0         .0         .0         .0
  701.- 800.  .0         .0          .0         .0         .0         .0
  801.- 900.  .0         .0          .0         .0         .0         .0
  901.-1000.  .0         .0          .0         .0         .0         .0
 1001.-1100.  .0         .0          .0         .0         .0         .0
 1101.-1200.  .0         .0          .0         .0         .0         .0
 1201.-1300.  .0         .0          .0         .0         .0         .0
 1301.-1400.  .0         .0          .0         .0         .0         .0
 1401.-1500.  .0         .0          .0         .0         .0         .0
 1501.-1600.  .0         .0          .0         .0         .0         .0
 1601.-1700.  .0         .0          .0         .0         .0         .0
 1701.-1800.  .0         .0          .0         .0         .0         .0
 1801.-1900.  .0         .0          .0         .0         .0         .0
 1901.-2000.  .0         .0          .0         .0         .0         .0
 2001.-2100.  .0         .0          .0         .0         .0         .0
 2101.-2200.  .0         .0          .0         .0         .0         .0
 2201.-2300.  .0         .0          .0         .0         .0         .0
 2301.-2400.  .0         .0          .0         .0         .0         .0
 2401.-2500.  .0         .0          .0         .0         .0         .0
 2501.-2600.  .0         .0          .0         .0         .0         .0
 2601.-2700.  .0         .0          .0         .0         .0         .0
 2701.-2800.  .0         .0          .0         .0         .0         .0
 2801.-2900.  .0         .0          .0         .0         .0         .0
 2901.-3000.  .0         .0          .0         .0         .0         .0

              .584E 11   .548E 11    .156E 11   .0         .0         .0
```

```
SCC = 30102410--SYNTH FIBERSACRYLIC              -NO CONTROL EQUIPMENT -TOT RECS =      3
SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300 DEG     300 DEG    300 DEG
   28       .584E 11   .548E 11   .156E 11   .0          .0          .0


            .584E 11   .548E 11   .156E 11   .0          .0          .0


CC = 30102410--SYNTH FIBERS ACRYLIC             --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3
TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .231E 11  !H
 101.- 200.  .317E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102410--SYNTH FIBERS ACRYLIC           -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3
   TEMP         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.    .663E 10   .622E 10   .507E 10    .0         .0          .0
  101.- 200.    .0         .0         .0          .0         .0          .0
  201.- 300.    .0         .0         .0          .0         .0          .0
  301.- 400.    .0         .0         .0          .0         .0          .0
  401.- 500.    .0         .0         .0          .0         .0          .0
  501.- 600.    .0         .0         .0          .0         .0          .0
  601.- 700.    .468E 11   .382E 11   .253E 11    .125E 11   .119E 11    .109E 11
  701.- 800.    .0         .0         .0          .0         .0          .0
  801.- 900.    .0         .0         .0          .0         .0          .0
  901.-1000.    .0         .0         .0          .0         .0          .0
 1001.-1100.    .0         .0         .0          .0         .0          .0
 1101.-1200.    .0         .0         .0          .0         .0          .0
 1201.-1300.    .0         .0         .0          .0         .0          .0
 1301.-1400.    .0         .0         .0          .0         .0          .0
 1401.-1500.    .0         .0         .0          .0         .0          .0
 1501.-1600.    .0         .0         .0          .0         .0          .0
 1601.-1700.    .0         .0         .0          .0         .0          .0
 1701.-1800.    .0         .0         .0          .0         .0          .0
 1801.-1900.    .0         .0         .0          .0         .0          .0
 1901.-2000.    .0         .0         .0          .0         .0          .0
 2001.-2100.    .0         .0         .0          .0         .0          .0
 2101.-2200.    .0         .0         .0          .0         .0          .0
 2201.-2300.    .0         .0         .0          .0         .0          .0
 2301.-2400.    .0         .0         .0          .0         .0          .0
 2401.-2500.    .0         .0         .0          .0         .0          .0
 2501.-2600.    .0         .0         .0          .0         .0          .0
 2601.-2700.    .0         .0         .0          .0         .0          .0
 2701.-2800.    .0         .0         .0          .0         .0          .0
 2801.-2900.    .0         .0         .0          .0         .0          .0
 2901.-3000.    .0         .0         .0          .0         .0          .0

                .535E 11   .445E 11   .304E 11    .125E 11   .119E 11    .109E 11
```

```
SCC = 30102410--SYNTH FIBERSACRYLIC            -WITH CONTROL EQUIPMENT -TOT RECS =     3

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   28       .535E 11   .445E 11   .304E 11   .125E 11   .119E 11   .109E 11


            .535E 11   .445E 11   .304E 11   .125E 11   .119E 11   .109E 11


CC =30102410--SYNTH FIBERS ACRYLIC           ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     3

TEMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
    0.- 100.  .622E 10   !H
  101.- 200.  .0         !
  201.- 300.  .0         !
  301.- 400.  .0         !
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .382E 11   !H
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102410--SYNTH FIBERS ACRYLIC           -TOTAL SCC -SIC =    0 -TOT RECS =      6

   TEMP        MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.  .312E 11   .293E 11    .507E 10    .0          .0          .0
  101.- 200.  .338E 11   .317E 11    .156E 11    .0          .0          .0
  201.- 300.  .0         .0          .0          .0          .0          .0
  301.- 400.  .0         .0          .0          .0          .0          .0
  401.- 500.  .0         .0          .0          .0          .0          .0
  501.- 600.  .0         .0          .0          .0          .0          .0
  601.- 700.  .468E 11   .382E 11    .253E 11    .125E 11    .119E 11    .109E 11
  701.- 800.  .0         .0          .0          .0          .0          .0
  801.- 900.  .0         .0          .0          .0          .0          .0
  901.-1000.  .0         .0          .0          .0          .0          .0
 1001.-1100.  .0         .0          .0          .0          .0          .0
 1101.-1200.  .0         .0          .0          .0          .0          .0
 1201.-1300.  .0         .0          .0          .0          .0          .0
 1301.-1400.  .0         .0          .0          .0          .0          .0
 1401.-1500.  .0         .0          .0          .0          .0          .0
 1501.-1600.  .0         .0          .0          .0          .0          .0
 1601.-1700.  .0         .0          .0          .0          .0          .0
 1701.-1800.  .0         .0          .0          .0          .0          .0
 1801.-1900.  .0         .0          .0          .0          .0          .0
 1901.-2000.  .0         .0          .0          .0          .0          .0
 2001.-2100.  .0         .0          .0          .0          .0          .0
 2101.-2200.  .0         .0          .0          .0          .0          .0
 2201.-2300.  .0         .0          .0          .0          .0          .0
 2301.-2400.  .0         .0          .0          .0          .0          .0
 2401.-2500.  .0         .0          .0          .0          .0          .0
 2501.-2600.  .0         .0          .0          .0          .0          .0
 2601.-2700.  .0         .0          .0          .0          .0          .0
 2701.-2800.  .0         .0          .0          .0          .0          .0
 2801.-2900.  .0         .0          .0          .0          .0          .0
 2901.-3000.  .0         .0          .0          .0          .0          .0

              .112E 12   .992E 11    .459E 11    .125E 11    .119E 11    .109E 11
```

```
SCC = 30102410--SYNTH FIBERSACRYLIC            -TOTAL SCC -TOT RECS =      6

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28        .112E 12   .992E 11    .459E 11   .125E 11  .119E 11    .109E 11


             .112E 12   .992E 11    .459E 11   .125E 11  .119E 11    .109E 11


CC 30102410--SYNTH FIBERS ACRYLIC          --TOTAL SCC  -SIC =    0 -TOT RECS =      6

EMP RANGE    COUNT

                           ----------------------------------------------------------------------------------------------------
   0.- 100.   .293E 11  !H
 101.- 200.   .317E 11  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .382E 11  !H
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102412--SYNTH FIBERS TYVEX               -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      0

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102412--SYNTH FIBERSTYVEX                    -NO CONTROL EQUIPMENT -TOT RECS =       0

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30102412--SYNTH FIBERS TYVEX                -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      2
   TEMP        MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                60 DEG      60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.   .0          .0          .0          .0          .0          .0
  101.- 200.   .910E 11    .677E 11    .332E 11    .0          .0          .0
  201.- 300.   .0          .0          .0          .0          .0          .0
  301.- 400.   .0          .0          .0          .0          .0          .0
  401.- 500.   .0          .0          .0          .0          .0          .0
  501.- 600.   .0          .0          .0          .0          .0          .0
  601.- 700.   .0          .0          .0          .0          .0          .0
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .910E 11    .677E 11    .332E 11    .0          .0          .0
```

```
SCC = 30102412--SYNTH FIBERSTYVEX                -WITH CONTROL EQUIPMENT -TOT RECS =     2

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG     300DEG    300 DEG     300 DEG
   28       .910E 11  .677E 11   .332E 11   .0         .0          .0


            .910E 11  .677E 11   .332E 11   .0         .0          .0


CC =30102412--SYNTH FIBERS TYVEX              ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      2

TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .0           !
 101.- 200.  .677E 11     !H
 201.- 300.  .0           !
 301.- 400.  .0           !
 401.- 500.  .0           !
 501.- 600.  .0           !
 601.- 700.  .0           !
 701.- 800.  .0           !
 801.- 900.  .0           !
 901.-1000.  .0           !
1001.-1100.  .0           !
1101.-1200.  .0           !
1201.-1300.  .0           !
1301.-1400.  .0           !
1401.-1500.  .0           !
1501.-1600.  .0           !
1601.-1700.  .0           !
1701.-1800.  .0           !
1801.-1900.  .0           !
1901.-2000.  .0           !
2001.-2100.  .0           !
2101.-2200.  .0           !
2201.-2300.  .0           !
2301.-2400.  .0           !
2401.-2500.  .0           !
2501.-2600.  .0           !
2601.-2700.  .0           !
2701.-2800.  .0           !
2801.-2900.  .0           !
2901.-3000.  .0           !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102414--SYNTH FIBERS OLEFINS           -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      2
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                 60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
    0.- 100.    .0         .0          .0         .0         .0         .0
  101.- 200.    .0         .0          .0         .0         .0         .0
  201.- 300.    .0         .0          .0         .0         .0         .0
  301.- 400.    .0         .0          .0         .0         .0         .0
  401.- 500.    .0         .0          .0         .0         .0         .0
  501.- 600.    .534E 10   .433E 10    .280E 10   .125E 10   .118E 10   .108E 10
  601.- 700.    .0         .0          .0         .0         .0         .0
  701.- 800.    .0         .0          .0         .0         .0         .0
  801.- 900.    .0         .0          .0         .0         .0         .0
  901.-1000.    .0         .0          .0         .0         .0         .0
 1001.-1100.    .0         .0          .0         .0         .0         .0
 1101.-1200.    .0         .0          .0         .0         .0         .0
 1201.-1300.    .0         .0          .0         .0         .0         .0
 1301.-1400.    .0         .0          .0         .0         .0         .0
 1401.-1500.    .0         .0          .0         .0         .0         .0
 1501.-1600.    .0         .0          .0         .0         .0         .0
 1601.-1700.    .0         .0          .0         .0         .0         .0
 1701.-1800.    .0         .0          .0         .0         .0         .0
 1801.-1900.    .0         .0          .0         .0         .0         .0
 1901.-2000.    .0         .0          .0         .0         .0         .0
 2001.-2100.    .0         .0          .0         .0         .0         .0
 2101.-2200.    .0         .0          .0         .0         .0         .0
 2201.-2300.    .0         .0          .0         .0         .0         .0
 2301.-2400.    .0         .0          .0         .0         .0         .0
 2401.-2500.    .0         .0          .0         .0         .0         .0
 2501.-2600.    .0         .0          .0         .0         .0         .0
 2601.-2700.    .0         .0          .0         .0         .0         .0
 2701.-2800.    .0         .0          .0         .0         .0         .0
 2801.-2900.    .0         .0          .0         .0         .0         .0
 2901.-3000.    .0         .0          .0         .0         .0         .0

                .534E 10   .433E 10    .280E 10   .125E 10   .118E 10   .108E 10
```

```
SCC = 30102414--SYNTH FIBERSOLEFINS             -NO CONTROL EQUIPMENT -TOT RECS =      2

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28       .534E 10   .433E 10   .280E 10   .125E 10   .118E 10   .108E 10


            .534E 10   .433E 10   .280E 10   .125E 10   .118E 10   .108E 10


CC = 30102414--SYNTH FIBERS OLEFINS            --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     2

TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
    0.- 100.   .0        !
  101.- 200.   .0        !
  201.- 300.   .0        !
  301.- 400.   .0        !
  401.- 500.   .0        !
  501.- 600.   .433E 10  !H
  601.- 700.   .0        !
  701.- 800.   .0        !
  801.- 900.   .0        !
  901.-1000.   .0        !
 1001.-1100.   .0        !
 1101.-1200.   .0        !
 1201.-1300.   .0        !
 1301.-1400.   .0        !
 1401.-1500.   .0        !
 1501.-1600.   .0        !
 1601.-1700.   .0        !
 1701.-1800.   .0        !
 1801.-1900.   .0        !
 1901.-2000.   .0        !
 2001.-2100.   .0        !
 2101.-2200.   .0        !
 2201.-2300.   .0        !
 2301.-2400.   .0        !
 2401.-2500.   .0        !
 2501.-2600.   .0        !
 2601.-2700.   .0        !
 2701.-2800.   .0        !
 2801.-2900.   .0        !
 2901.-3000.   .0        !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102414--SYNTH FIBERS OLEFINS            -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      0

   TEMP        MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
                60 DEG     60 DEG    60 DEG     300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102414--SYNTH FIBERSOLEFINS            -WITH CONTROL EQUIPMENT -TOT RECS =     0

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
```

```
SCC= 30102499--SYNTH FIBERS OTHERS/NOT CLASSIFIE -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =     43
   TEMP          MAXIMUM    EXPECTED     MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG       60 DEG     300 DEG    300 DEG     300 DEG
    0.- 100.    .316E 12   .296E 12    .233E 12    .0          .0          .0
  101.- 200.    .122E 13   .947E 12    .314E 12    .0          .0          .0
  201.- 300.    .211E 12   .160E 12    .838E 11    .0          .0          .0
  301.- 400.    .829E 10   .644E 10    .368E 10    .437E 09    .415E 09    .379E 09
  401.- 500.    .459E 11   .363E 11    .218E 11    .554E 10    .526E 10    .481E 10
  501.- 600.    .155E 12   .125E 12    .788E 11    .299E 11    .283E 11    .259E 11
  601.- 700.    .131E 11   .107E 11    .717E 10    .368E 10    .350E 10    .320E 10
  701.- 800.    .0         .0          .0          .0          .0          .0
  801.- 900.    .0         .0          .0          .0          .0          .0
  901.-1000.    .0         .0          .0          .0          .0          .0
 1001.-1100.    .0         .0          .0          .0          .0          .0
 1101.-1200.    .0         .0          .0          .0          .0          .0
 1201.-1300.    .0         .0          .0          .0          .0          .0
 1301.-1400.    .0         .0          .0          .0          .0          .0
 1401.-1500.    .0         .0          .0          .0          .0          .0
 1501.-1600.    .0         .0          .0          .0          .0          .0
 1601.-1700.    .0         .0          .0          .0          .0          .0
 1701.-1800.    .0         .0          .0          .0          .0          .0
 1801.-1900.    .0         .0          .0          .0          .0          .0
 1901.-2000.    .0         .0          .0          .0          .0          .0
 2001.-2100.    .0         .0          .0          .0          .0          .0
 2101.-2200.    .0         .0          .0          .0          .0          .0
 2201.-2300.    .0         .0          .0          .0          .0          .0
 2301.-2400.    .0         .0          .0          .0          .0          .0
 2401.-2500.    .0         .0          .0          .0          .0          .0
 2501.-2600.    .0         .0          .0          .0          .0          .0
 2601.-2700.    .0         .0          .0          .0          .0          .0
 2701.-2800.    .0         .0          .0          .0          .0          .0
 2801.-2900.    .0         .0          .0          .0          .0          .0
 2901.-3000.    .0         .0          .0          .0          .0          .0

                .197E 13   .158E 13    .741E 12    .395E 11    .375E 11    .343E 11
```

```
SCC = 30102499--SYNTH FIBERSOTHERS/NOT CLASSIFIE -NO CONTROL EQUIPMENT -TOT RECS =     43

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   22         .187E 12   .153E 12   .813E 11   .554E 10   .526E 10   .481E 10
   28         .105E 13   .862E 12   .413E 12   .340E 11   .323E 11   .295E 11
   30         .729E 12   .563E 12   .244E 12   .0         .0         .0
   34         .343E 10   .321E 10   .262E 10   .0         .0         .0
   35         .839E 09   .787E 09   .641E 09   .0         .0         .0

              .197E 13   .158E 13   .741E 12   .395E 11   .375E 11   .343E 11


CC = 30102499--SYNTH FIBERS OTHERS/NOT CLASSIFIE--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     43

TEMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.   .296E 12   !HH
 101.- 200.   .947E 12   !HHHHHHHHH
 201.- 300.   .160E 12   !H
 301.- 400.   .644E 10   !H
 401.- 500.   .363E 11   !H
 501.- 600.   .125E 12   !H
 601.- 700.   .107E 11   !H
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102499--SYNTH FIBERS OTHERS/NOT CLASSIFIE  -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =     28
   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.  .254E 12   .239E 12   .137E 12   .0          .0         .0
  101.- 200.  .591E 12   .458E 12   .227E 12   .0          .0         .0
  201.- 300.  .600E 11   .457E 11   .245E 11   .0          .0         .0
  301.- 400.  .0         .0         .0         .0          .0         .0
  401.- 500.  .459E 11   .363E 11   .218E 11   .0          .0         .0
  501.- 600.  .234E 09   .189E 09   .123E 09   .554E 10   .526E 10   .481E 10
  601.- 700.  .0         .0         .0         .545E 08   .517E 08   .473E 08
  701.- 800.  .0         .0         .0         .0          .0         .0
  801.- 900.  .0         .0         .0         .0          .0         .0
  901.-1000.  .0         .0         .0         .0          .0         .0
 1001.-1100.  .0         .0         .0         .0          .0         .0
 1101.-1200.  .0         .0         .0         .0          .0         .0
 1201.-1300.  .0         .0         .0         .0          .0         .0
 1301.-1400.  .0         .0         .0         .0          .0         .0
 1401.-1500.  .0         .0         .0         .0          .0         .0
 1501.-1600.  .0         .0         .0         .0          .0         .0
 1601.-1700.  .0         .0         .0         .0          .0         .0
 1701.-1800.  .0         .0         .0         .0          .0         .0
 1801.-1900.  .0         .0         .0         .0          .0         .0
 1901.-2000.  .0         .0         .0         .0          .0         .0
 2001.-2100.  .0         .0         .0         .0          .0         .0
 2101.-2200.  .0         .0         .0         .0          .0         .0
 2201.-2300.  .0         .0         .0         .0          .0         .0
 2301.-2400.  .0         .0         .0         .0          .0         .0
 2401.-2500.  .0         .0         .0         .0          .0         .0
 2501.-2600.  .0         .0         .0         .0          .0         .0
 2601.-2700.  .0         .0         .0         .0          .0         .0
 2701.-2800.  .0         .0         .0         .0          .0         .0
 2801.-2900.  .0         .0         .0         .0          .0         .0
 2901.-3000.  .0         .0         .0         .0          .0         .0

              .952E 12   .779E 12   .410E 12   .559E 10   .531E 10   .486E 10
```

```
SCC = 30102499--SYNTH FIBERSOTHERS/NOT CLASSIFIE -WITH CONTROL EQUIPMENT -TOT RECS =    28

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
             60 DEG     60 DEG       60 DEG       300DEG    300 DEG     300 DEG
  22        .109E 12    .957E 11    .577E 11    .554E 10    .526E 10    .481E 10
  28        .842E 12    .684E 12    .353E 12    .545E 08    .517E 08    .473E 08

            .952E 12    .779E 12    .410E 12    .559E 10    .531E 10    .486E 10


CC =30102499--SYNTH FIBERS OTHERS/NOT CLASSIFIE---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     28

TEMP RANGE   COUNT

                       --------------------------------------------------------------------------------------------
   0.- 100.  .239E 12  !HH
 101.- 200.  .458E 12  !HHHH
 201.- 300.  .457E 11  !H
 301.- 400.  .0        !
 401.- 500.  .363E 11  !H
 501.- 600.  .189E 09  !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102499--SYNTH FIBERS OTHERS/NOT CLASSIFIE -TOTAL SCC -SIC =    0 -TOT RECS =     71
   TEMP        MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
               60 DEG      60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
    0.- 100.   .570E 12    .535E 12    .369E 12    .0          .0          .0
  101.- 200.   .181E 13    .141E 13    .541E 12    .0          .0          .0
  201.- 300.   .271E 12    .206E 12    .108E 12    .0          .0          .0
  301.- 400.   .829E 10    .644E 10    .368E 10    .437E 09    .415E 09    .379E 09
  401.- 500.   .919E 11    .725E 11    .436E 11    .111E 11    .105E 11    .962E 10
  501.- 600.   .156E 12    .125E 12    .789E 11    .299E 11    .284E 11    .260E 11
  601.- 700.   .131E 11    .107E 11    .717E 10    .368E 10    .350E 10    .320E 10
  701.- 800.   .0          .0          .0          .0          .0          .0
  801.- 900.   .0          .0          .0          .0          .0          .0
  901.-1000.   .0          .0          .0          .0          .0          .0
 1001.-1100.   .0          .0          .0          .0          .0          .0
 1101.-1200.   .0          .0          .0          .0          .0          .0
 1201.-1300.   .0          .0          .0          .0          .0          .0
 1301.-1400.   .0          .0          .0          .0          .0          .0
 1401.-1500.   .0          .0          .0          .0          .0          .0
 1501.-1600.   .0          .0          .0          .0          .0          .0
 1601.-1700.   .0          .0          .0          .0          .0          .0
 1701.-1800.   .0          .0          .0          .0          .0          .0
 1801.-1900.   .0          .0          .0          .0          .0          .0
 1901.-2000.   .0          .0          .0          .0          .0          .0
 2001.-2100.   .0          .0          .0          .0          .0          .0
 2101.-2200.   .0          .0          .0          .0          .0          .0
 2201.-2300.   .0          .0          .0          .0          .0          .0
 2301.-2400.   .0          .0          .0          .0          .0          .0
 2401.-2500.   .0          .0          .0          .0          .0          .0
 2501.-2600.   .0          .0          .0          .0          .0          .0
 2601.-2700.   .0          .0          .0          .0          .0          .0
 2701.-2800.   .0          .0          .0          .0          .0          .0
 2801.-2900.   .0          .0          .0          .0          .0          .0
 2901.-3000.   .0          .0          .0          .0          .0          .0

               .292E 13    .236E 13    .115E 13    .451E 11    .428E 11    .392E 11
```

```
SCC = 30102499--SYNTH FIBERSOTHERS/NOT CLASSIFIE -TOTAL SCC -TOT RECS =      71

SIC          MAXIMUM     EXPECTED    MINIMUM     MAXIMUM     EXPECTED    MINIMUM
             60 DEG      60 DEG      60 DEG      300 DEG     300 DEG     300 DEG
   22        .297E 12    .249E 12    .139E 12    .111E 11    .105E 11    .962E 10
   28        .189E 13    .155E 13    .766E 12    .340E 11    .323E 11    .296E 11
   30        .729E 12    .563E 12    .244E 12    .0          .0          .0
   34        .343E 10    .321E 10    .262E 10    .0          .0          .0
   35        .839E 09    .787E 09    .641E 09    .0          .0          .0

             .292E 13    .236E 13    .115E 13    .451E 11    .428E 11    .392E 11

CC 30102499--SYNTH FIBERS OTHERS/NOT CLASSIFIE--TOTAL SCC  -SIC =     0 -TOT RECS =      71

EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .535E 12  !HHHHH
 101.- 200.  .141E 13  !HHHHHHHHHHHHHHH
 201.- 300.  .206E 12  !HH
 301.- 400.  .644E 10  !H
 401.- 500.  .725E 11  !H
 501.- 600.  .125E 12  !H
 601.- 700.  .107E 11  !H
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102501--SEMISYNTH FI RAYON GENERAL       -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      9
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
                 60 DEG     60 DEG      60 DEG    300 DEG    300 DEG     300 DEG
    0.- 100.   .708E 13   .664E 13    .479E 13   .0          .0          .0
  101.- 200.   .404E 11   .301E 11    .148E 11   .0          .0          .0
  201.- 300.   .0         .0          .0         .0          .0          .0
  301.- 400.   .0         .0          .0         .0          .0          .0
  401.- 500.   .0         .0          .0         .0          .0          .0
  501.- 600.   .0         .0          .0         .0          .0          .0
  601.- 700.   .0         .0          .0         .0          .0          .0
  701.- 800.   .0         .0          .0         .0          .0          .0
  801.- 900.   .0         .0          .0         .0          .0          .0
  901.-1000.   .0         .0          .0         .0          .0          .0
 1001.-1100.   .0         .0          .0         .0          .0          .0
 1101.-1200.   .0         .0          .0         .0          .0          .0
 1201.-1300.   .0         .0          .0         .0          .0          .0
 1301.-1400.   .0         .0          .0         .0          .0          .0
 1401.-1500.   .0         .0          .0         .0          .0          .0
 1501.-1600.   .0         .0          .0         .0          .0          .0
 1601.-1700.   .0         .0          .0         .0          .0          .0
 1701.-1800.   .0         .0          .0         .0          .0          .0
 1801.-1900.   .0         .0          .0         .0          .0          .0
 1901.-2000.   .0         .0          .0         .0          .0          .0
 2001.-2100.   .0         .0          .0         .0          .0          .0
 2101.-2200.   .0         .0          .0         .0          .0          .0
 2201.-2300.   .0         .0          .0         .0          .0          .0
 2301.-2400.   .0         .0          .0         .0          .0          .0
 2401.-2500.   .0         .0          .0         .0          .0          .0
 2501.-2600.   .0         .0          .0         .0          .0          .0
 2601.-2700.   .0         .0          .0         .0          .0          .0
 2701.-2800.   .0         .0          .0         .0          .0          .0
 2801.-2900.   .0         .0          .0         .0          .0          .0
 2901.-3000.   .0         .0          .0         .0          .0          .0

               .712E 13   .667E 13    .481E 13   .0          .0          .0
```

```
SCC = 30102501--SEMISYNTH FIRAYON GENERAL        -NO CONTROL EQUIPMENT -TOT RECS =      9

SIC          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300 DEG    300 DEG    300 DEG
   22       .143E 13   .134E 13   .109E 13    .0          .0          .0
   28       .569E 13   .533E 13   .371E 13    .0          .0          .0


            .712E 13   .667E 13   .481E 13    .0          .0          .0


CC = 30102501--SEMISYNTH FI RAYON GENERAL       --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      9

TEMP RANGE   COUNT

                      -----------------------------------------------------------------------------------------------------
   0.- 100.  .664E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .301E 11 !H
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102501--SEMISYNTH FI RAYON GENERAL        -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =       7
   TEMP          MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
                  60 DEG     60 DEG     60 DEG      300 DEG    300 DEG     300 DEG
    0.- 100.     .293E 11   .275E 11   .209E 11    .0         .0          .0
  101.- 200.     .0         .0         .0          .0         .0          .0
  201.- 300.     .0         .0         .0          .0         .0          .0
  301.- 400.     .0         .0         .0          .0         .0          .0
  401.- 500.     .0         .0         .0          .0         .0          .0
  501.- 600.     .0         .0         .0          .0         .0          .0
  601.- 700.     .0         .0         .0          .0         .0          .0
  701.- 800.     .0         .0         .0          .0         .0          .0
  801.- 900.     .0         .0         .0          .0         .0          .0
  901.-1000.     .0         .0         .0          .0         .0          .0
 1001.-1100.     .0         .0         .0          .0         .0          .0
 1101.-1200.     .0         .0         .0          .0         .0          .0
 1201.-1300.     .0         .0         .0          .0         .0          .0
 1301.-1400.     .0         .0         .0          .0         .0          .0
 1401.-1500.     .0         .0         .0          .0         .0          .0
 1501.-1600.     .0         .0         .0          .0         .0          .0
 1601.-1700.     .0         .0         .0          .0         .0          .0
 1701.-1800.     .0         .0         .0          .0         .0          .0
 1801.-1900.     .0         .0         .0          .0         .0          .0
 1901.-2000.     .0         .0         .0          .0         .0          .0
 2001.-2100.     .0         .0         .0          .0         .0          .0
 2101.-2200.     .0         .0         .0          .0         .0          .0
 2201.-2300.     .0         .0         .0          .0         .0          .0
 2301.-2400.     .0         .0         .0          .0         .0          .0
 2401.-2500.     .0         .0         .0          .0         .0          .0
 2501.-2600.     .0         .0         .0          .0         .0          .0
 2601.-2700.     .0         .0         .0          .0         .0          .0
 2701.-2800.     .0         .0         .0          .0         .0          .0
 2801.-2900.     .0         .0         .0          .0         .0          .0
 2901.-3000.     .0         .0         .0          .0         .0          .0

                 .293E 11   .275E 11   .209E 11    .0         .0          .0
```

```
SCC = 30102501--SEMISYNTH FIRAYON GENERAL        -WITH CONTROL EQUIPMENT -TOT RECS =      7
SIC             MAXIMUM    EXPECTED    MINIMUM     MAXIMUM     EXPECTED     MINIMUM
                60 DEG     60 DEG       60 DEG       300DEG    300 DEG      300 DEG
   28          .153E 11   .143E 11    .117E 11    .0           .0           .0
   32          .141E 11   .132E 11    .923E 10    .0           .0           .0

               .293E 11   .275E 11    .209E 11    .0           .0           .0

CC =30102501--SEMISYNTH FI RAYON GENERAL       ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7
TEMP RANGE    COUNT
                       -----------------------------------------------------------------------------------------------------
   0.- 100.   .275E 11  !H
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102501--SEMISYNTH FI RAYON GENERAL        -TOTAL SCC -SIC =    0 -TOT RECS =     16
   TEMP         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
    0.- 100.   .711E 13   .667E 13    .481E 13   .0         .0         .0
  101.- 200.   .404E 11   .301E 11    .148E 11   .0         .0         .0
  201.- 300.   .0         .0          .0         .0         .0         .0
  301.- 400.   .0         .0          .0         .0         .0         .0
  401.- 500.   .0         .0          .0         .0         .0         .0
  501.- 600.   .0         .0          .0         .0         .0         .0
  601.- 700.   .0         .0          .0         .0         .0         .0
  701.- 800.   .0         .0          .0         .0         .0         .0
  801.- 900.   .0         .0          .0         .0         .0         .0
  901.-1000.   .0         .0          .0         .0         .0         .0
 1001.-1100.   .0         .0          .0         .0         .0         .0
 1101.-1200.   .0         .0          .0         .0         .0         .0
 1201.-1300.   .0         .0          .0         .0         .0         .0
 1301.-1400.   .0         .0          .0         .0         .0         .0
 1401.-1500.   .0         .0          .0         .0         .0         .0
 1501.-1600.   .0         .0          .0         .0         .0         .0
 1601.-1700.   .0         .0          .0         .0         .0         .0
 1701.-1800.   .0         .0          .0         .0         .0         .0
 1801.-1900.   .0         .0          .0         .0         .0         .0
 1901.-2000.   .0         .0          .0         .0         .0         .0
 2001.-2100.   .0         .0          .0         .0         .0         .0
 2101.-2200.   .0         .0          .0         .0         .0         .0
 2201.-2300.   .0         .0          .0         .0         .0         .0
 2301.-2400.   .0         .0          .0         .0         .0         .0
 2401.-2500.   .0         .0          .0         .0         .0         .0
 2501.-2600.   .0         .0          .0         .0         .0         .0
 2601.-2700.   .0         .0          .0         .0         .0         .0
 2701.-2800.   .0         .0          .0         .0         .0         .0
 2801.-2900.   .0         .0          .0         .0         .0         .0
 2901.-3000.   .0         .0          .0         .0         .0         .0

               .715E 13   .670E 13    .483E 13   .0         .0         .0
```

```
SCC = 30102501--SEMISYNTH FIRAYON GENERAL        -TOTAL SCC -TOT RECS =     16

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   22       .143E 13   .134E 13   .109E 13   .0         .0         .0
   28       .571E 13   .534E 13   .372E 13   .0         .0         .0
   32       .141E 11   .132E 11   .923E 10   .0         .0         .0


            .715E 13   .670E 13   .483E 13   .0         .0         .0


CC 30102501--SEMISYNTH FI RAYON GENERAL       --TOTAL SCC  -SIC =    0 -TOT RECS =     16

EMP RANGE   COUNT

                        --------------------------------------------------------------------------------------------------------
    0.- 100.  .667E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  101.- 200.  .301E 11  !H
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

```
SCC= 30102505--SEMISYNTH FI ACETATE            -NO CONTROL EQUIPMENT -SIC =    0  -TOT RECS =      1

   TEMP       MAXIMUM   EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
               60 DEG     60 DEG     60 DEG    300 DEG   300 DEG    300 DEG

0 RECORDS FOR THIS SECTION OF SCC
```

```
SCC = 30102505--SEMISYNTH FIACETATE            -NO CONTROL EQUIPMENT -TOT RECS =      1

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
```

```
SCC= 30102505--SEMISYNTH FI ACETATE            -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =      3

   TEMP        MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED   MINIMUM
                60 DEG     60 DEG     60 DEG     300 DEG    300 DEG    300 DEG
   0.- 100.    .0          .0          .0         .0          .0         .0
 101.- 200.    .587E 12   .440E 12   .142E 12   .0          .0         .0
 201.- 300.    .781E 09   .598E 09   .328E 09   .0          .0         .0
 301.- 400.    .0          .0          .0         .0          .0         .0
 401.- 500.    .0          .0          .0         .0          .0         .0
 501.- 600.    .0          .0          .0         .0          .0         .0
 601.- 700.    .0          .0          .0         .0          .0         .0
 701.- 800.    .0          .0          .0         .0          .0         .0
 801.- 900.    .0          .0          .0         .0          .0         .0
 901.-1000.    .0          .0          .0         .0          .0         .0
1001.-1100.    .0          .0          .0         .0          .0         .0
1101.-1200.    .0          .0          .0         .0          .0         .0
1201.-1300.    .0          .0          .0         .0          .0         .0
1301.-1400.    .0          .0          .0         .0          .0         .0
1401.-1500.    .0          .0          .0         .0          .0         .0
1501.-1600.    .0          .0          .0         .0          .0         .0
1601.-1700.    .0          .0          .0         .0          .0         .0
1701.-1800.    .0          .0          .0         .0          .0         .0
1801.-1900.    .0          .0          .0         .0          .0         .0
1901.-2000.    .0          .0          .0         .0          .0         .0
2001.-2100.    .0          .0          .0         .0          .0         .0
2101.-2200.    .0          .0          .0         .0          .0         .0
2201.-2300.    .0          .0          .0         .0          .0         .0
2301.-2400.    .0          .0          .0         .0          .0         .0
2401.-2500.    .0          .0          .0         .0          .0         .0
2501.-2600.    .0          .0          .0         .0          .0         .0
2601.-2700.    .0          .0          .0         .0          .0         .0
2701.-2800.    .0          .0          .0         .0          .0         .0
2801.-2900.    .0          .0          .0         .0          .0         .0
2901.-3000.    .0          .0          .0         .0          .0         .0

               .588E 12   .441E 12   .142E 12   .0          .0         .0
```

```
SCC = 30102505--SEMISYNTH FIACETATE              -WITH CONTROL EQUIPMENT -TOT RECS =     3
SIC           MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG      300DEG   300 DEG    300 DEG
   28        .588E 12   .441E 12   .142E 12   .0         .0         .0

             .588E 12   .441E 12   .142E 12   .0         .0         .0


CC =30102505--SEMISYNTH FI ACETATE             ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3

TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .440E 12   !HHHH
 201.- 300.  .598E 09   !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```